

Cucumber Report

May 3, 2023, 4:53:16 PM

Start : May 03, 4:52:09.548 PM

End : May 03, 4:53:14.289 PM

Duration : 1 m 4.741 s

Features







PASSED - 1
FAILED - 9
SKIPPED - 0

Scenarios

PASSED - 8
FAILED - 46
SKIPPED - 0

Steps


PASSED - 122
FAILED - 46
SKIPPED - 50




| Feature | | Scenario | | | | | Step | | | |
|-----------------------------------|-----------------|-----------------|----------|----------|----------|----------|-------------|----------|----------|--|
| | | | | | | | | | | |
| Name | Duration | T | P | F | S | T | P | F | S | |
| <u>DS Algo ArrayPractice Page</u> | 2.093 s | 4 | 0 | 4 | 0 | 23 | 3 | 4 | 16 | |
| <u>DataStructure page</u> | 0.479 s | 2 | 0 | 2 | 0 | 10 | 0 | 2 | 8 | |
| <u>Graph page</u> | 2.362 s | 2 | 0 | 2 | 0 | 10 | 3 | 2 | 5 | |
| <u>Linked List page</u> | 9.758 s | 7 | 0 | 7 | 0 | 30 | 22 | 7 | 1 | |
| <u>DS-Algo Sign In</u> | 6.816 s | 8 | 8 | 0 | 0 | 16 | 16 | 0 | 0 | |
| <u>DS-ALGO Project</u> | 1.918 s | 1 | 0 | 1 | 0 | 10 | 5 | 1 | 4 | |
| <u>Queue page</u> | 7.174 s | 4 | 0 | 4 | 0 | 19 | 13 | 4 | 2 | |
| <u>user registration page</u> | 3.459 s | 10 | 0 | 10 | 0 | 30 | 10 | 10 | 10 | |
| <u>Stack page</u> | 5.708 s | 3 | 0 | 3 | 0 | 14 | 10 | 3 | 1 | |
| <u>Tree page</u> | 24.759 s | 13 | 0 | 13 | 0 | 56 | 40 | 13 | 3 | |

| Tag | Name | Scenario | | | | Feature | | | |
|-----------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @ArrayPractice | | 4 | 0 | 4 | 0 | 1 | 0 | 1 | 0 |
| @DataStructure | | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @graph | | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @LinkedList | | 7 | 0 | 7 | 0 | 1 | 0 | 1 | 0 |
| @Login | | 8 | 8 | 0 | 0 | 1 | 1 | 0 | 0 |
| @homepage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @mainPage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @queue | | 4 | 0 | 4 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_01 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @register | | 10 | 0 | 10 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_02 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_03 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_04 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_05 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_06 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_07 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_register_08 | | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |


| Tag | Scenario | | | | Feature | | | |
|-----------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | T | P | F | S | T | P | F | S |
| Name | | | | | | | | |
| @TS_register_09 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @stack | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @tree | 13 | 0 | 13 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|----|--|----|---|----|---|----------|
| 1 | DS Algo ArrayPractice Page | 4 | 0 | 4 | 0 | 2.093 s |
| 2 | DataStructure page | 2 | 0 | 2 | 0 | 0.479 s |
| 3 | Graph page | 2 | 0 | 2 | 0 | 2.362 s |
| 4 | Linked List page | 7 | 0 | 7 | 0 | 9.758 s |
| 5 | DS-Algo Sign In | 8 | 8 | 0 | 0 | 6.816 s |
| 6 | DS-ALGO Project | 1 | 0 | 1 | 0 | 1.918 s |
| 7 | Queue page | 4 | 0 | 4 | 0 | 7.174 s |
| 8 | user registration page | 10 | 0 | 10 | 0 | 3.459 s |
| 9 | Stack page | 3 | 0 | 3 | 0 | 5.708 s |
| 10 | Tree page | 13 | 0 | 13 | 0 | 24.759 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------------|--|---|---|---|---|----------|
| 1 | <u>DS Algo ArrayPractice Page</u> | <u>User navigate to Array Practice Page and works in Search the array</u> | 6 | 0 | 1 | 5 | 1.196 s |
| 2 | <u>DS Algo ArrayPractice Page</u> | <u>User navigate to Array Practice Page and works in Max Consecutive Ones</u> | 6 | 1 | 1 | 4 | 0.280 s |
| 3 | <u>DS Algo ArrayPractice Page</u> | <u>User navigate to Array Practice Page and works in Find Numbers with Even Number of Digits</u> | 5 | 1 | 1 | 3 | 0.235 s |
| 4 | <u>DS Algo ArrayPractice Page</u> | <u>User navigate to Array Practice Page and works in Squares of a Sorted Array</u> | 6 | 1 | 1 | 4 | 0.204 s |
| 5 | <u>DataStructure page</u> | <u>user navigate to datastructure page</u> | 5 | 0 | 1 | 4 | 0.232 s |
| 6 | <u>DataStructure page</u> | <u>user navigate to datastructure page</u> | 5 | 0 | 1 | 4 | 0.228 s |
| 7 | <u>Graph page</u> | <u>user navigate to Graph page and works on Graph</u> | 5 | 0 | 1 | 4 | 0.309 s |
| 8 | <u>Graph page</u> | <u>user does Graph Representations</u> | 5 | 3 | 1 | 1 | 2.040 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------|---|---|---|---|---|----------|
| 9 | <u>Linked List page</u> | <u>user navigate to Linked List page and works on Introduction on Linked List</u> | 5 | 4 | 1 | 0 | 1.594 s |
| 10 | <u>Linked List page</u> | <u>user does Creating Linked List</u> | 4 | 3 | 1 | 0 | 1.781 s |
| 11 | <u>Linked List page</u> | <u>user does Types of Linked Lists</u> | 4 | 3 | 1 | 0 | 1.328 s |
| 12 | <u>Linked List page</u> | <u>user does Implement Linked List in Python</u> | 4 | 3 | 1 | 0 | 1.217 s |
| 13 | <u>Linked List page</u> | <u>user does Traversal</u> | 4 | 3 | 1 | 0 | 1.294 s |
| 14 | <u>Linked List page</u> | <u>user does Insertion</u> | 4 | 3 | 1 | 0 | 1.138 s |
| 15 | <u>Linked List page</u> | <u>user does Deletion</u> | 5 | 3 | 1 | 1 | 1.298 s |
| 16 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 2.298 s |
| 17 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 0.773 s |
| 18 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 0.688 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------|--|----|---|---|---|----------|
| 19 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 0.530 s |
| 20 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 0.554 s |
| 21 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 0.544 s |
| 22 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 0.564 s |
| 23 | <u>DS-Algo Sign In</u> | <u>user navigate to sign in page</u> | 2 | 2 | 0 | 0 | 0.730 s |
| 24 | <u>DS-ALGO Project</u> | <u>Opeing DS-Algo portal link</u> | 10 | 5 | 1 | 4 | 1.918 s |
| 25 | <u>Queue page</u> | <u>user navigate to Queue page and works on Implementation Queue in Python</u> | 5 | 4 | 1 | 0 | 2.243 s |
| 26 | <u>Queue page</u> | <u>user does Implementation Using Collection.deque</u> | 4 | 3 | 1 | 0 | 1.615 s |
| 27 | <u>Queue page</u> | <u>user does Implementation Using Array</u> | 5 | 3 | 1 | 1 | 1.634 s |
| 28 | <u>Queue page</u> | <u>user does Queue Operations</u> | 5 | 3 | 1 | 1 | 1.624 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------|---|----------|----------|----------|----------|-----------------|
| 29 | <u>user registration page</u> | <u>The user is presented with error message for empty fields below Username textbox</u> | 3 | 1 | 1 | 1 | 0.288 s |
| 30 | <u>user registration page</u> | <u>The user is presented with error message for empty fields below Password textbox</u> | 3 | 1 | 1 | 1 | 0.310 s |
| 31 | <u>user registration page</u> | <u>The user is presented with error message for empty fields below confirm Password textbox</u> | 3 | 1 | 1 | 1 | 0.391 s |
| 32 | <u>user registration page</u> | <u>The user is presented with error message for invalid username</u> | 3 | 1 | 1 | 1 | 0.329 s |
| 33 | <u>user registration page</u> | <u>The user is presented with error message for password mismatch</u> | 3 | 1 | 1 | 1 | 0.322 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------|--|----------|----------|----------|----------|-----------------|
| 34 | <u>user registration page</u> | <u>The user is presented with error message for password with characters less than 8</u> | 3 | 1 | 1 | 1 | 0.274 s |
| 35 | <u>user registration page</u> | <u>The user is presented with error message for password with only numbers</u> | 3 | 1 | 1 | 1 | 0.318 s |
| 36 | <u>user registration page</u> | <u>Getting register into page with username and password</u> | 3 | 1 | 1 | 1 | 0.348 s |
| 37 | <u>user registration page</u> | <u>Getting register into page with username and password</u> | 3 | 1 | 1 | 1 | 0.354 s |
| 38 | <u>user registration page</u> | <u>The user is presented with error message for existing username</u> | 3 | 1 | 1 | 1 | 0.349 s |
| 39 | <u>Stack page</u> | <u>user navigate to Stack page and works on Operations in Stack</u> | 5 | 4 | 1 | 0 | 2.502 s |
| 40 | <u>Stack page</u> | <u>user does Implementation Stack</u> | 4 | 3 | 1 | 0 | 1.641 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------|---|---|---|---|---|----------|
| 41 | <u>Stack page</u> | <u>user does Applications</u> | 5 | 3 | 1 | 1 | 1.534 s |
| 42 | <u>Tree page</u> | <u>user navigate to Tree page and works on Overview of Trees</u> <u>1st link in the Tree</u> | 5 | 4 | 1 | 0 | 2.687 s |
| 43 | <u>Tree page</u> | <u>user does Terminologies in Trees</u> | 4 | 3 | 1 | 0 | 2.361 s |
| 44 | <u>Tree page</u> | <u>user does Types of Trees</u> | 4 | 3 | 1 | 0 | 1.646 s |
| 45 | <u>Tree page</u> | <u>user does Tree Traversals</u> | 4 | 3 | 1 | 0 | 1.847 s |
| 46 | <u>Tree page</u> | <u>user does Traversal-Illustration</u> | 4 | 3 | 1 | 0 | 1.754 s |
| 47 | <u>Tree page</u> | <u>user does Binary Trees</u> | 5 | 3 | 1 | 1 | 2.087 s |
| 48 | <u>Tree page</u> | <u>user does Types of Binary Trees</u> | 4 | 3 | 1 | 0 | 2.133 s |
| 49 | <u>Tree page</u> | <u>user does Implementation in Python</u> | 4 | 3 | 1 | 0 | 1.734 s |
| 50 | <u>Tree page</u> | <u>user does Binary Tree Traversals</u> | 4 | 3 | 1 | 0 | 1.866 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|---|----------|----------|----------|----------|-----------------|
| 51 | <u>Tree page</u> | <u>user does Implementation of Binary Trees</u> | 5 | 3 | 1 | 1 | 1.587 s |
| 52 | <u>Tree page</u> | <u>user does Applications of Binary Trees</u> | 4 | 3 | 1 | 0 | 1.623 s |
| 53 | <u>Tree page</u> | <u>user does Binary Search Trees</u> | 4 | 3 | 1 | 0 | 1.895 s |
| 54 | <u>Tree page</u> | <u>user does Implementation of BST</u> | 5 | 3 | 1 | 1 | 1.361 s |

DS Algo ArrayPractice Page




User navigate to Array Practice Page and works in Search the array



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given user login with username "Numpyninja95AT" and password "sdet95batchAT" given through config</p> <pre>java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "Numpyninja95AT" and password "sdet95batchAT" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/ArrayPractice.feature:24) * Not displayable characters are replaced by '?'.</pre> | FAILED | 1.084 s |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> | PASSED | 0.090 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| |  | | |
| 2 | Given user clicks "Get started" in Array field | SKIPPED | 0.000 s |
| 3 | When User is in Array Practice homepage | SKIPPED | 0.001 s |
| 4 | When User clicks "Search the array" first link in the Array Practice list | SKIPPED | 0.001 s |
| 5 | And user clears the text and enter python code | SKIPPED | 0.001 s |
| 6 | Then user enters Python Code "print("Hello\");" from config | SKIPPED | 0.000 s |

User navigate to Array Practice Page and works in Max Consecutive Ones




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given user clicks "Get started" in Array field | PASSED | 0.266 s |
| 2 | When User is in Array Practice homepage | FAILED | 0.000 s |
| | Step undefined | | |
| 3 | When User clicks "Max Consecutive Ones" second link in the Array Practice list | SKIPPED | 0.000 s |
| 4 | And user clears the text and enter python code | SKIPPED | 0.001 s |
| 5 | Then user enters Python Code1 "print(Hello\");" from config | SKIPPED | 0.001 s |
| 6 | Then user gets the error message | SKIPPED | 0.000 s |

User navigate to Array Practice Page and works in Find Numbers with Even Number of Digits



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given user clicks "Get started" in Array field | PASSED | 0.219 s |
| 2 | When User is in Array Practice homepage Step undefined | FAILED | 0.001 s |
| 3 | When User clicks "Find Numbers with Even Number of Digits" third link in the Array Practice list | SKIPPED | 0.000 s |
| 4 | And user clears the text and enter python code | SKIPPED | 0.000 s |
| 5 | Then user enters python code print("Find Numbers with Even Number of Digits") | SKIPPED | 0.009 s |

User navigate to Array Practice Page and works in Squares of a Sorted Array




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user clicks "Get started" in Array field | PASSED | 0.193 s |
| 2 | When User is in Array Practice homepage Step undefined | FAILED | 0.001 s |
| 3 | When User clicks "Squares of a Sorted Array" fourth link in the Array Practice list | SKIPPED | 0.000 s |
| 4 | And user clears the text and enter python code | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 5 | Then user enters python code Squares of a Sorted Array print(Squares of a Sorted Array) | SKIPPED | 0.001 s |
| 6 | Then user gets the error message | SKIPPED | 0.000 s |

DataStructure page




user navigate to datastructure page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user login with username "USERNAME" and password "PASSWORD" given through config java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "USERNAME" and password "PASSWORD" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/DataStructure.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 0.165 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.061 s |
| 2 | Given user launch DataStructure page | SKIPPED | 0.000 s |
| 3 | When click on timecomplexity ,tryHere,and,tryEditor assesment page is open | SKIPPED | 0.000 s |
| 4 | Then user enters code from <sheetNumber> and 0 then click run,code is printed | SKIPPED | 0.000 s |
| 5 | Then user navigate to homepage | SKIPPED | 0.000 s |


user navigate to datastructure page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user login with username "USERNAME" and password "PASSWORD" given through config java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "USERNAME" and password "PASSWORD" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/DataStructure.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 0.144 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot | PASSED | 0.077 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | | | |
| 2 | Given user launch DataStructure page | SKIPPED | 0.000 s |
| 3 | When click on timecomplexity ,tryHere,and,tryEditor assesment page is open | SKIPPED | 0.000 s |
| 4 | Then user enters code from <sheetNumber> and 1 then click run,code is printed | SKIPPED | 0.000 s |
| 5 | Then user navigate to homepage | SKIPPED | 0.001 s |

Graph page




user navigate to Graph page and works on Graph



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user login with username "USERNAME" and password "PASSWORD" given through config java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) | FAILED | 0.162 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "USERNAME" and password "PASSWORD" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Graph.feature:23) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.140 s |
| 2 | Given user clicks "Get started" in Graph field | SKIPPED | 0.000 s |
| 3 | When user click "Graph" first link in the Graph | SKIPPED | 0.000 s |
| 4 | Then user clicks "Try here" | SKIPPED | 0.000 s |
| 5 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed | SKIPPED | 0.000 s |


user does Graph Representations




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Graph homepage | PASSED | 0.694 s |
| 2 | When user click "Graph Representations" second link in the Graph | PASSED | 0.407 s |
| 3 | Then user clicks "Try here" | PASSED | 0.859 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed | FAILED | 0.002 s |
| | java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Graph.feature:37) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.071 s |
| 5 | And user navigate to homepage | SKIPPED | 0.000 s |

Linked List page




user navigate to Linked List page and works on Introduction on Linked List




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user login with username "Numpyninja95AT" and password "sdet95batchAT" | PASSED | 0.603 s |
| 2 | Given user clicks "Get started" in Linked List field | PASSED | 0.184 s |
| 3 | When user click "Introduction" first link in the list | PASSED | 0.257 s |
| 4 | Then user clicks "Try here" | PASSED | 0.453 s |
| 5 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed | FAILED | 0.003 s |
| | java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:27) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) | PASSED | 0.086 s |
| | My screenshot | | |
| |  | | |


user does Creating Linked List



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Linked List homepage | PASSED | 0.174 s |
| 2 | When user click "Creating Linked List" second link in the Linked list | PASSED | 0.911 s |
| 3 | Then user clicks "Try here" | PASSED | 0.626 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections. java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/ src/test/resources/features/LinkedList.feature:36) * Not displayable characters are replaced by '?'.</pre> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.064 s |


user does Types of Linked Lists



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Linked List homepage | PASSED | 0.219 s |
| 2 | When user click "Types of Linked Lists" third link in the Linked list | PASSED | 0.444 s |
| 3 | Then user clicks "Try here" | PASSED | 0.588 s |
| 4 | <p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections. java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/ src/test/resources/features/LinkedList.feature:36) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | src/test/resources/features/LinkedList.feature:45 * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.068 s |


user does Implement Linked List in Python





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Linked List homepage | PASSED | 0.196 s |
| 2 | When user click "Implement Linked List in Python" fourth link in the Linked list | PASSED | 0.380 s |
| 3 | Then user clicks "Try here" | PASSED | 0.560 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:54) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) | PASSED | 0.075 s |
| | My screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |


user does Traversal


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Linked List homepage | PASSED | 0.262 s |
| 2 | When user click "Traversal" fifth link in the Linked list | PASSED | 0.231 s |
| 3 | Then user clicks "Try here" | PASSED | 0.737 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:64) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.055 s |

user does Insertion

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Linked List homepage | PASSED | 0.167 s |
| 2 | When user click "Insertion" sixth link in the Linked list | PASSED | 0.336 s |
| 3 | Then user clicks "Try here" | PASSED | 0.540 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:74) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.086 s |

user does Deletion




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Linked List homepage | PASSED | 0.240 s |
| 2 | When user click "Deletion" seventh link in the Linked list | PASSED | 0.362 s |
| 3 | Then user clicks "Try here" | PASSED | 0.619 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:84) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.067 s |
| 5 | And user navigate to homepage | SKIPPED | 0.001 s |

DS-Algo Sign In




user navigate to sign in page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.226 s |
| 2 | When user login using username and password from given "<SheetName>" and 0 | PASSED | 2.065 s |


user navigate to sign in page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.247 s |
| 2 | When user login using username and password from given "<SheetName>" and 1 | PASSED | 0.523 s |


user navigate to sign in page

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.231 s |
| 2 | When user login using username and password from given "<SheetName>" and 2 | PASSED | 0.454 s |

user navigate to sign in page


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.171 s |
| 2 | When user login using username and password from given "<SheetName>" and 3 | PASSED | 0.354 s |

user navigate to sign in page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.178 s |
| 2 | When user login using username and password from given "<SheetName>" and 4 | PASSED | 0.373 s |

user navigate to sign in page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.185 s |
| 2 | When user login using username and password from given "<SheetName>" and 5 | PASSED | 0.354 s |

user navigate to sign in page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.188 s |
| 2 | When user login using username and password from given "<SheetName>" and 6 | PASSED | 0.373 s |

user navigate to sign in page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user launches login page | PASSED | 0.185 s |
| 2 | When user login using username and password from given "<SheetName>" and 7 | PASSED | 0.542 s |

DS-ALGO Project




Opeing DS-Algo portal link




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens DS-Algo portal link | PASSED | 0.414 s |
| 2 | When user clicks "Get Started" button | PASSED | 0.788 s |
| 3 | Then user should be redirected to the homepage and see 6 different collections | PASSED | 0.018 s |
| 4 | Then user click on the "Data Structures" dropdown arrow and sees 6 different collections | PASSED | 0.286 s |
| 5 | And user clicks any one collection from dropdown | PASSED | 0.299 s |
| 6 | And user get alert message "you are not logged in" | FAILED | 0.020 s |
| | <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='alert alert-primary'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eea5d97, findElement {using=xpath, value=//*[@class='alert alert-primary']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadir\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pages.CollectionsPage.errorMessage(CollectionsPage.java:170) at StepDefinition.Collections.user_get_alert_message(Collections.java:74) at ?.user get alert message "you are not logged in"(file:///C:/Users/dadir/eclipse-workspace/DS-Algo/src/test/resources/features/MainPage.feature:30)</pre> <p>* Not displayable characters are replaced by '?'.</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.082 s |
| 7 | Then user click on Data Structure "getstarted" button | SKIPPED | 0.001 s |
| 8 | And user get alert message "you are not logged in" | SKIPPED | 0.001 s |
| 9 | When user clicks "Sign In" in homePage | SKIPPED | 0.000 s |
| 10 | Then user is redirected to Sign In page | SKIPPED | 0.001 s |


Queue page




user navigate to Queue page and works on Implementation Queue in Python




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user login with username "Numpyninja95AT" and password "sdet95batchAT" | PASSED | 0.668 s |
| 2 | Given user clicks "Get started" in Queue field | PASSED | 0.746 s |
| 3 | When user click "Implementation Queue in Python" first link in the Queue | PASSED | 0.297 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | Then user clicks "Try here" | PASSED | 0.454 s |
| 5 | <p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections. java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/ src/test/resources/features/Queue.feature:27) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.003 s |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.068 s |

user does Implementation Using Collection.deque




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Queue.feature:37)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.050 s |


user does Implementation Using Array



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Queue homepage | PASSED | 0.664 s |
| 2 | When user click "Implementation Using Array" third link in the Queue | PASSED | 0.325 s |
| 3 | Then user clicks "Try here" | PASSED | 0.585 s |
| 4 | <p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <p>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException</p> <p>at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)</p> <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Queue.feature:47)</p> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.052 s |
| 5 | And user navigate to homepage | SKIPPED | 0.000 s |

user does Queue Operations




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Queue homepage | PASSED | 0.687 s |
| 2 | When user click "Queue Operations" fourth link in the Queue | PASSED | 0.307 s |
| 3 | Then user clicks "Try here" | PASSED | 0.571 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Queue.feature:57) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot | PASSED | 0.052 s |

| # | Step / Hook Details | Status | Duration |
|---|-------------------------------|---------|----------|
| | | | |
| 5 | And user navigate to homepage | SKIPPED | 0.000 s |


user registration page




The user is presented with error message for empty fields below Username textbox



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.162 s |
| 2 | When The user clicks "Register" button with all fields empty org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426dbdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., | FAILED | 0.024 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_clicks_button_with_all_fields_empty(Register.java:40) at ?.The user clicks "Register" button with all fields empty(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:25) * Not displayable characters are replaced by '?'.</pre> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.088 s |
| 3 | Then It should display an error message "Please fill out this field." below Username textbox | SKIPPED | 0.010 s |


The user is presented with error message for empty fields below Password textbox




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.182 s |
| 2 | <p>When The user enters "username" with other fields empty and user clicks register button</p> <p>username sdet95batch</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</pre> | FAILED | 0.044 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_with_other_fields_empty_and_user_clicks_register_button(Register.java:53) at ?.The user enters "username" with other fields empty and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:31) * Not displayable characters are replaced by '?'.</pre> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> | PASSED | 0.079 s |
| 3 | Then It should display an error message "Please fill out this field." below Password textbox | SKIPPED | 0.000 s |


The user is presented with error message for empty fields below confirm Password textbox



| # | Step / Hook Details | Status | Duration | | | | |
|----------------|--|----------|----------|----------------|---------------|--------|---------|
| 1 | Given The user opens Register Page | PASSED | 0.265 s | | | | |
| 2 | <p>When The user enters "username" and "password" with Password Confirmation field empty and user clicks register button</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95batchAT</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426dbdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowHandleCount: 1}</p> | username | password | Numpyninja95AT | sdet95batchAT | FAILED | 0.032 s |
| username | password | | | | | | |
| Numpyninja95AT | sdet95batchAT | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_with_password_confirmation_field_empty_and_user_clicks_register_button(Register.java:78) at ?.The user enters "username" and "password" with Password Confirmation field empty and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:39) * Not displayable characters are replaced by '?'.</pre> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.094 s |
| 3 | Then It should display an error message "Please fill out this field." below Password Confirmation textbox | SKIPPED | 0.000 s |


The user is presented with error message for invalid username



| # | Step / Hook Details | Status | Duration | | | | | | |
|----------|--|------------------|----------|------------------|---------|---------------|---------------|--------|---------|
| 1 | Given The user opens Register Page | PASSED | 0.216 s | | | | | | |
| 2 | <p>When The user enters a "username" with characters other than Letters, digits and @/.+/-/_ with "password" and "confirm_password" and user clicks register button</p> <table border="1" data-bbox="179 611 685 674"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>&**&**&</td> <td>sdet95batchAT</td> <td>sdet95batchAT</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</pre> | username | password | confirm_password | &**&**& | sdet95batchAT | sdet95batchAT | FAILED | 0.016 s |
| username | password | confirm_password | | | | | | | |
| &**&**& | sdet95batchAT | sdet95batchAT | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register. the_user_enters_a_with_characters_other_than_letters_digits_and_with_and_and_user_clicks_register_button(Register.java:96) at ?.The user enters a "username" with characters other than Letters, digits and @/.+/-/_ with "password" and "confirm_password" and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:47) * Not displayable characters are replaced by '?'.</pre> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> | PASSED | 0.079 s |
| 3 | Then It should display an error message "Please enter a valid username" | SKIPPED | 0.000 s |


The user is presented with error message for password mismatch




| # | Step / Hook Details | Status | Duration | | | | | | |
|----------------|--|------------------|----------|------------------|----------------|---------------|----------|--------|---------|
| 1 | Given The user opens Register Page | PASSED | 0.189 s | | | | | | |
| 2 | <p>When The user enters "username" and different passwords in "password" and "confirm_password" fields and user clicks register button</p> <table border="1" style="margin-left: 20px;"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95batchAT</td> <td>password</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox,</p> | username | password | confirm_password | Numpyninja95AT | sdet95batchAT | password | FAILED | 0.016 s |
| username | password | confirm_password | | | | | | | |
| Numpyninja95AT | sdet95batchAT | password | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo... se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_different_passwords_in_and_fields_and_user_clicks_register_button(Register.java:113) at ?.The user enters "username" and different passwords in "password" and "confirm_password" fields and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:55) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> | PASSED | 0.117 s |
| 3 | Then It should display an error message "password_mismatch:The two password fields didn't match." | SKIPPED | 0.000 s |


The user is presented with error message for password with characters less than 8



| # | Step / Hook Details | Status | Duration | | | | | | |
|----------------|--|------------------|----------|------------------|----------------|--------|--------|--------|---------|
| 1 | Given The user opens Register Page | PASSED | 0.165 s | | | | | | |
| 2 | <p>When The user enters "username" and "password" with characters less than eight and "confirm_password" and user clicks register button</p> <table border="1" data-bbox="179 611 707 674"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95</td> <td>sdet95</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) </pre> | username | password | confirm_password | Numpyninja95AT | sdet95 | sdet95 | FAILED | 0.014 s |
| username | password | confirm_password | | | | | | | |
| Numpyninja95AT | sdet95 | sdet95 | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_with_characters_less_than_eight_and_and_user_clicks_register_button(Register.java:125) at ?.The user enters "username" and "password" with characters less than eight and "confirm_password" and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:63) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.080 s |
| 3 | Then It should display an error message "Password should contain at least 8 characters" | SKIPPED | 0.013 s |


The user is presented with error message for password with only numbers




| # | Step / Hook Details | Status | Duration | | | | | | |
|----------------|---|------------------|----------|------------------|----------------|----------|----------|--------|---------|
| 1 | Given The user opens Register Page | PASSED | 0.191 s | | | | | | |
| 2 | When The user enters "username" and "password" with only numbers and "confirm_password" and user clicks register button <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numbyninja95AT</td> <td>12345678</td> <td>12345678</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eee5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile:</p> | username | password | confirm_password | Numbyninja95AT | 12345678 | 12345678 | FAILED | 0.033 s |
| username | password | confirm_password | | | | | | | |
| Numbyninja95AT | 12345678 | 12345678 | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_with_only_numbers_and_and_user_clicks_register_button(Register.java:137) at ?.The user enters "username" and "password" with only numbers and "confirm_password" and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:71) * Not displayable characters are replaced by '?'.</pre> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> | PASSED | 0.094 s |
| 3 | Then It should display an error message "Password can't be entirely numeric." | SKIPPED | 0.000 s |


Getting register into page with username and password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.237 s |
| 2 | <p>When The user clicks Register button after entering "user95name", "sdet" and "sdet95batch"</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426dbdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.register_link(registerPage.java:147) at StepDefinition.Register.the_user_clicks_register_button_after_entering_and(Register.java:148) at ?.The user clicks Register button after entering "user95name", "sdet" and "sdet95batch"(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/</p> | FAILED | 0.032 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | src/test/resources/features/Register.feature:79) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.079 s |
| 3 | Then It should go to homepage and get message "New account created. You are logged in as Username" | SKIPPED | 0.000 s |


Getting register into page with username and password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.211 s |
| 2 | When The user clicks Register button after entering "NumPyNinja95AT", "sdet95batchAT" and "sdet95batchAT" org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | FAILED | 0.046 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.register_link(registerPage.java:147) at StepDefinition.Register.the_user_clicks_register_button_after_entering_and(Register.java:148) at ?.The user clicks Register button after entering "Numpyninja95AT", "sdet95batchAT" and "sdet95batchAT"(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:79) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.095 s |
| 3 | Then It should go to homepage and get message "New account created. You are logged in as Username" | SKIPPED | 0.000 s |

The user is presented with error message for existing username




| # | Step / Hook Details | Status | Duration | | | | | | |
|----------------|---|------------------|----------|------------------|----------------|---------------|---------------|--------|---------|
| 1 | Given The user opens Register Page | PASSED | 0.238 s | | | | | | |
| 2 | When The user enters a valid existing "username" with "password" and "confirm_password" <table border="1"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95batchAT</td> <td>sdet95batchAT</td> </tr> </table> | username | password | confirm_password | Numpyninja95AT | sdet95batchAT | sdet95batchAT | FAILED | 0.031 s |
| username | password | confirm_password | | | | | | | |
| Numpyninja95AT | sdet95batchAT | sdet95batchAT | | | | | | | |
| | <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cbe76d4a-aad3-426d-bdc5-e05f3eea5d97, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:22539, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8648, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:22539/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cbe76d4a-aad3-426d-bdc5-e05f3eea5d97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_a_valid_existing_with_and(Register.java:168) at ?.The user enters a valid existing "username" with "password" and "confirm_password"(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:89) * Not displayable characters are replaced by '?'.</pre> | | | | | | | | |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) | PASSED | 0.080 s | | | | | | |
| | My screenshot | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| |  | | |
| 3 | Then It should display an error message "Username already exists" | SKIPPED | 0.000 s |


Stack page




user navigate to Stack page and works on Operations in Stack




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user login with username "Numpyninja95AT" and password "sdet95batchAT" | PASSED | 0.763 s |
| 2 | Given user clicks "Get started" in Stack field | PASSED | 0.749 s |
| 3 | When user click "Operations in Stack" first link in the Stack | PASSED | 0.409 s |
| 4 | Then user clicks "Try here" | PASSED | 0.507 s |
| 5 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed | FAILED | 0.000 s |
| | java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Stack.feature:27)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.062 s |

user does Implementation Stack



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Stack homepage | PASSED | 0.735 s |
| 2 | When user click "Implementation Stack" second link in the Stack | PASSED | 0.274 s |
| 3 | Then user clicks "Try here" | PASSED | 0.579 s |
| 4 | <p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <p>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException</p> <p>at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)</p> <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Stack.feature:37)</p> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.048 s |

user does Applications


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Stack homepage | PASSED | 0.681 s |
| 2 | When user click "Applications" third link in the Stack | PASSED | 0.301 s |
| 3 | Then user clicks "Try here" | PASSED | 0.501 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Stack.feature:47) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot | PASSED | 0.051 s |

| # | Step / Hook Details | Status | Duration |
|---|-------------------------------|---------|----------|
| | | | |
| 5 | And user navigate to homepage | SKIPPED | 0.000 s |


Tree page




user navigate to Tree page and works on Overview of Trees 1st link in the Tree




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user login with username "Numpyninja95AT" and password "sdet95batchAT" | PASSED | 0.762 s |
| 2 | Given user clicks "Get started" in Tree field | PASSED | 0.829 s |
| 3 | When user click "Overview of Trees" first link in the Tree | PASSED | 0.339 s |
| 4 | Then user clicks "Try here" | PASSED | 0.699 s |
| 5 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed | FAILED | 0.008 s |
| | java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:27)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.049 s |

user does Terminologies in Trees



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.764 s |
| 2 | When user click "Terminologies" 2nd link in the Tree | PASSED | 0.378 s |
| 3 | Then user clicks "Try here" | PASSED | 1.157 s |
| 4 | <p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <p>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException</p> <p>at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)</p> <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:36)</p> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.062 s |


user does Types of Trees

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.682 s |
| 2 | When user click "Types of Trees" 3rd link in the Tree | PASSED | 0.327 s |
| 3 | Then user clicks "Try here" | PASSED | 0.574 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:45) * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | My screenshot | PASSED | 0.063 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |


user does Tree Traversals




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.837 s |
| 2 | When user click "Tree Traversals" 4th link in the Tree | PASSED | 0.395 s |
| 3 | Then user clicks "Try here" | PASSED | 0.568 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections. java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/ src/test/resources/features/Tree.feature:55) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) <i>My screenshot</i>  | PASSED | 0.047 s |

user does Traversal-Illustration




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.712 s |
| 2 | When user click "Traversal-Illustration" 5th link in the Tree | PASSED | 0.505 s |
| 3 | Then user clicks "Try here" | PASSED | 0.460 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:65) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) <i>My screenshot</i>  | PASSED | 0.077 s |


user does Binary Trees




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.870 s |
| 2 | When user click "Binary Trees" 6th link in the Tree | PASSED | 0.532 s |
| 3 | Then user clicks "Try here" | PASSED | 0.638 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:75) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.045 s |
| 5 | And user navigate to homepage | SKIPPED | 0.000 s |


user does Types of Binary Trees




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.825 s |
| 2 | When user click "Types of Binary Trees" 7th link in the Tree | PASSED | 0.585 s |
| 3 | Then user clicks "Try here" | PASSED | 0.676 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:85) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.045 s |


user does Implementation in Python




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.837 s |
| 2 | When user click "Implementation in Python" 8th link in the Tree | PASSED | 0.407 s |
| 3 | Then user clicks "Try here" | PASSED | 0.437 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:95) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.052 s |


user does Binary Tree Traversals




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.823 s |
| 2 | When user click "Binary Tree Traversals" 9th link in the Tree | PASSED | 0.314 s |
| 3 | Then user clicks "Try here" | PASSED | 0.555 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:105) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.163 s |


user does Implementation of Binary Trees




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.759 s |
| 2 | When user click "Implementation of Binary Trees" 10th link in the Tree | PASSED | 0.255 s |
| 3 | Then user clicks "Try here" | PASSED | 0.519 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:115) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.051 s |
| 5 | And user navigate to homepage | SKIPPED | 0.000 s |


user does Applications of Binary Trees




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.821 s |
| 2 | When user click "Applications of Binary Trees" 11th link in the Tree | PASSED | 0.296 s |
| 3 | Then user clicks "Try here" | PASSED | 0.446 s |
| 4 | <p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:125) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.057 s |

user does Binary Search Trees



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.741 s |
| 2 | When user click "Binary Search Trees" 12th link in the Tree | PASSED | 0.678 s |
| 3 | Then user clicks "Try here" | PASSED | 0.418 s |
| 4 | <p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:135) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| | <p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>  | PASSED | 0.055 s |

user does Implementation of BST



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given user is in Tree homepage | PASSED | 0.681 s |
| 2 | When user click "Implementation of BST" 13th link in the Tree | PASSED | 0.221 s |
| 3 | Then user clicks "Try here" | PASSED | 0.399 s |
| 4 | Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:144) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot  | PASSED | 0.060 s |
| 5 | And user navigate to homepage | SKIPPED | 0.000 s |