

Online Food Delivery System

INTERNET WEB PROGRAMMING (CSE3002) PROJECT COMPONENT

FINAL REVIEW REPORT

Submitted To
Prof. Jaya Subhalakshmi R
Assistant Professor

Submitted by
ABBIREDDY B D V V GANGARAJU
(17BCE0039)

S. GOWTHAM T V N S PAVAN
(17BCE0420)

**SCHOOL OF COMPUTER SCIENCE AND
ENGINEERING**



August, 2019

Table of Contents

1. Introduction	3
2. Project SCOPE	3
3. Preliminary Design – Work Flow Diagram.....	3
4. Team Details	Error! Bookmark not defined.
5. Project Resource Requirements	4
5.1 Software Resource Requirements	4
6. Home Page	3
7. Code and Screenshot.....	3
8. Static and Dynamci Pages - Code and Screenshot	3
9. External CSS File.....	3
10. List of Events used and JavaScript functions.....	4
11. Work break down	4
12. Review Evaluation	4

1. INTRODUCTION


Our motto is to develop a new online food delivery system which provides a good and efficient deliveries to customers . Now a days, everyone wants to get food in time to their home as customers are getting increasing the deliveries become more. So keeping that in mind we are going to develop the project to make their work easy.

2. PROJECT SCOPE

There are many functionalities involved in our project.

- 1) Customers and Delivery Boys have separate logins to access their accounts.
- 2) Customers login into their account to place their food orders and based on their location it goes into corresponding delivery boy's account.
- 3) Delivery Boys login into their account to view their orders which they need to deliver.
- 4) Customers can create their own login account using by clicking new registration.
- 5) Delivery Boys cannot create their account on their own. First they need to send their details and their resume to administrator. If we like his resume, we hire him and create a new account to him and share his login credentials to him through mail.
- 6) In customers account, they can delete their orders, view orders, update profile, view payments, etc..
- 7) In Delivery Boy's account, they can view the orders they got and they can also apply leave and based on that, they will deliver the food and after delivering, they can update the delivery status in their account.

3. PRELIMINARY DESIGN



4. TEAM DETAILS

Name	Registration Number	Phone Number
Rathnam Sasidhar Achari	17BCE0895	9182156686
Sirigiri Susanth Naidu	17BCE0942	8072562941

5. PROJECT RESOURCE REQUIREMENTS

5.1 Software Resource Requirements

- Xampp Software
- Sublime Text
- Windows OS
- 64 bit OS
- Laptop / PC
- Chrome

6. HOME PAGE



7. CODE AND SCREENSHOT

Homepage.php

```
<!DOCTYPE html>
<html>
<head> <style>

#d1
{
    padding: 5px; background-
color: powderblue; text-align:
center; margin-top: 0px; width:
80%;
    margin-left: 110px;

} ul { list-style-type:
none; margin-top: 0px;
padding: 0; overflow:
hidden; background-
color: #333; width:
80.7%;
    margin-left: 110px;

}
li { float:
left;
}

li a, .dropbtn {
display: inline-block;
color: white; text-
align: center;
padding: 14px 16px;
text-decoration: none;
}

li a:hover, .dropdown:hover .dropbtn { background-
color: red;
}

li.dropdown {
display: inline-block;
}

.dropdown-content {
display: none; position:
absolute; background-
```

```
color: #f9f9f9; min-width:
160px;
  box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
  z-index: 1;
}

.dropdown-content a {
color: black; padding:
12px 16px; text-
decoration: none;
display: block; text-
align: left;
}

.dropdown-content a:hover {background-color: #f1f1f1;}

.dropdown:hover .dropdown-content {
  display: block;
}
#d9
{
    margin-left: 160px;
width: 1000px;
    height: 400px; background-
image: url('bg.jpg');    background-size:
100% 100%;    animation-name:
example;    animation-duration: 15s;
    animation-iteration-count: infinite;

}
@keyframes example {
  0% {background-image:url('bg.jpg');}
  25% {background-image:url('dosa.jpeg');}
  50% {background-image:url('chicken.jpeg');}
  75% {background-image:url('puff.jpeg');}
  100% {background-image:url('bg.jpg');}
}
</style>
</head>
<body>

<div id="d1"><h1>ONLINE FOOD DELIVERY SYSTEM</h1></div>

<ul>
<li><a href="#home">Home</a></li>
<li><a href="#news">About us</a></li>
<li class="dropdown">
  <a href="javascript:void(0)" class="dropbtn">Login</a>
  <div class="dropdown-content">
    <a href="user_login.php">User Login</a>
```

```
<a href="delivery_login.php">Delivery Boy</a>
<a href="admin_login.php">Admin Login</a>
</div>
</li>
</ul>
<div id="d9" align="center"></div>
</br></br></br>
<div class="col-m-1by3" style="margin-left: 300px;">
  <div class="row tac order-steps">
    <div class="order-steps-image">
          </div>
    <div class="col-s-offset-2 col-s-12 col-m-offset-2 col-m-12 col-l-offset-3 col-l-10 fontsize2 order-
stepstext">
      <strong>Explore Items that deliver to </br>your doorstep</strong>
    </div>
  </div>
</div>
<div class="col-m-1by3" style="float: right; margin-top: -170px; margin-right: 300px;">
  <div class="row tac order-steps">
    <div class="order-steps-image">
          </div>
    <div class="col-s-offset-2 col-s-12 col-m-offset-2 col-m-12 col-l-offset-3 col-l-10 fontsize2 order-
stepstext">
      <strong>Browse menus and build your </br>order in seconds</strong>
    </div>
  </div>
</div>
</body> </html>
```

Admin_login.php:

```
<!DOCTYPE html>
<html>
<head>
{
  background-color: grey;
width: 400px; height: 250px;
} td
{
  padding: 10px; font-
size: 25px;
} input
{
  padding: 10px;
}

#login
{
  width: 90px;
```

```
} table
{
    padding: 30px;
} div
{
    margin-left: 480px;
}
</style>
</head>
<body> <?php
require 'session.php';
if(isset($_POST['username'])&&isset($_POST['password']))
{
    $username=$_POST['username'];
$password=$_POST['password'];
    if(!empty($username)&&!empty($password))
    {

        if($username=='admin'&&$password=='admin')
        {
            $_SESSION['username']=$username;
            echo "<script>location.href='welcome_admin.php';</script>";
        }
        else
        {
            echo "<script>alert('Username/Password incorrect');</script>";
        }

    }
    else
    {
        echo "<script>alert('All fields are required');</script>";
    }
}
?>

<div id="d1"><h1>Online Food Delivery System</h1></div>
</br></br></br></br></br></br></br></br><h1 align="center" style="color: white;">Admin Login</h1> <div
id="d2" align="center">
<form action="admin_login.php" method="post">
    <table align="center">
        <tr>
            <td>
                Username:
            </td>
            <td>
                <input type="text" name="username" placeholder="username">
            </td>
        </tr>
        <tr>
```



```
        <td>
            Password:
        </td>
        <td>
            <input type="password" name="password" placeholder="password">
        </td>
    </tr>
    <tr>
        <td colspan="2" align="center">
            <input type="submit" name="submit" value="Login" id="login">
        </td>
    </tr>
</table>
</form>
</div>
</body>
</html>
```

User_login.php

```
<!DOCTYPE html>
<html>
<head>
    <title>Online Food Delivery System</title>
    <style type="text/css">
        body
        {
            background-image: url('bg.jpg');
            background-size: 100% 720px;
        }

#d1
{
    padding: 5px; background-
color: powderblue; text-align:
center; margin-top: -20px;
    margin-left: -10px;
    width: 100%;
    position: fixed;
}
#d2
{
    background-color: grey;
width: 400px; height: 300px;
} td
{
    padding: 10px; font-
size: 25px;
} input
{
    padding: 10px;
```

```
}

#login
{
    width: 80px;
}
#login
{
    width: 110px;
} table
{
    padding: 30px;
} div
{
    margin-left: 480px;
}
</style>
</head> <?php
require 'conn.php';
require 'session.php';
if(isset($_POST['username'])&&isset($_POST['password']))
{
    $c_username=$_POST['username'];
    $c_password=$_POST['password'];
    $c_pass_hash=md5($c_password);
    if(!empty($c_username)&&!empty($c_password))
    {
        $query9="SELECT `id` FROM `users` WHERE
`username`='".mysqli_real_escape_string($conn,$c_username)."' AND
`password`='".mysqli_real_escape_string($conn,$c_pass_hash)."'";
        if($run2=mysqli_query($conn,$query9))
        {
            if(mysqli_num_rows($run2)==1)
            {
                $query_row=mysqli_fetch_assoc($run2);
                $c_id=$query_row['id'];
                $_SESSION["c_id"]=$c_id;
                echo "<script>location.href='welcome_user.php?del=".$c_id."'</script>";

            }
            elseif(mysqli_num_rows($run2)==NULL)
            {
                echo "<script>alert('Incorrect Username/Password')</script>";
            }
            echo "<script>location.href='user_login.php'</script>";
        }
    }
    else
    {
        echo "<script>alert('Error!Try after some time')</script>";
    }
}
```

```
    }  
  }  
}  
?>  
<body>  
<div id="d1"><h1>Online Food Delivery System</h1></div>  
</br></br></br></br></br></br></br></br><h1 align="center" style="color: white;">User Login</h1> <div  
id="d2" align="center">  
<form action="user_login.php" method="post">  
  <table>  
    <tr>  
      <td>  
        Username:  
      </td>  
      <td>  
        <input type="text" name="username" placeholder="username">  
      </td>  
    </tr>  
    <tr>  
      <td>  
        Password:  
      </td>  
      <td>  
        <input type="password" name="password" placeholder="password">  
      </td>  
    </tr>  
    <tr>  
      <td colspan="2" align="center">  
        <input type="submit" name="submit" value="Login" id="login">  
      </td>  
    </tr>  
    <tr>  
      <td colspan="2" align="center">  
        <input type="button" name="reg" value="New Registration" id="#reg"  
onclick="location.href='user_reg.php';">  
      </td>  
    </tr>  
  </table>  
</form>  
</div>  
</body>  
</html>
```

User_reg.php

```
<!DOCTYPE html>  
<html>  
<head>  
  <title>Online Food Delivery System</title>
```

```
<link href='s_logo.png' rel='icon' type='image/ico'>
<link rel="stylesheet" type="text/css" href="cssfile.css">
</head>
<body id="body">
<div id="d1">
    Online Food Delivery System
</div><br><br><br><br><br>
<h1 style="text-align: center;color: white;font-size: 50px">Registration Form</h1>
<div id="d5">
    <form>
        <table align="center">
            <tr><td style="color: white;font-size: 25px" >Full Name: </td><td><input
type="text" name="un" placeholder="Full Name" id="i1"></td></tr>
            <tr><td id="space"></td></tr>
            <tr><td style="color: white;font-size: 25px">DOB: </td><td><input type="date"
name="ps" placeholder="DD/MM/YY" id="i1"></td></tr>
            <tr><td id="space"></td></tr>
            <tr><td style="color: white;font-size: 25px">Phone.No: </td><td><input
type="text" name="ps" placeholder="DD/MM/YY" id="i1"></td></tr>
            <tr><td id="space"></td></tr>
            <tr><td style="color: white;font-size: 25px">Email Address: </td><td><input
type="text" name="ps" placeholder="DD/MM/YY" id="i1"></td></tr>
            <tr><td id="space_2"></td></tr>
            <tr><td align="center" colspan="2"><input type="submit" name="submit" value="Register"
id="login_btn"></td></tr>
        </table>
    </form>
</div>
</body>
</html>
```

Delivery_reg.php

```
<!DOCTYPE html>
<html>
<head>
    <title>Online Food Delivery System</title>
    <style type="text/css">
        body
        {
            background-image: url('bg.jpg');
            background-size: 100% 720px;
        }
    } input
    {
        padding: 10px;
    }

#login
```

```
{
    width: 80px;
}
#reg
{
    width: 90px;
} table
{
    padding: 30px;
} div
{
    margin-left: 380px;
}
</style>
</head>

<?php
    require 'conn.php';
    if(isset($_POST['del_name'])&&isset($_POST['del_email'])&&isset($_POST['del_num'])&&isset($_POST['del_dob'])&&isset($_POST['del_address'])&&isset($_FILES['del_resume'])||isset($_POST['del_sex']))
    {
        $del_name=$_POST['del_name'];
        $del_email=$_POST['del_email'];
        $del_num=$_POST['del_num'];
        $del_sex=@$_POST['del_sex'];
        $del_dob=$_POST['del_dob'];
        $del_address=$_POST['del_address'];
        $file=$_FILES['del_resume'];
        $resume_id=round(rand()*rand()/rand());
        $location='resumes/';
        $tmp_name=$_FILES['del_resume']['tmp_name'];
        $file_name=$_FILES['del_resume']['name'];
        $file_name=$resume_id.'.pdf';

        if(!empty($del_name)&&!empty($del_email)&&!empty($del_num)&&!empty($del_sex)&&!empty($del_dob)&&!empty($del_address))
        {
            $query="INSERT INTO `applied`
VALUES('".$_mysql_real_escape_string($conn,$del_name)."',".$_mysql_real_escape_string($conn,$del_email)."',
".$_mysql_real_escape_string($conn,$del_num)."',".$_mysql_real_escape_string($conn,$del_sex)."',".$_mysql_real_escape_string($conn,$del_dob)."',".$_mysql_real_escape_string($conn,$del_address)."',".$_mysql_real_escape_string($conn,$resume_id)."'");
            if($run=mysqli_query($conn,$query)&&move_uploaded_file($tmp_name,
$location.$file_name))
            {
                $to=$del_email;
                $subject='TEAM IWP_PROJECT';
                $body='Thanks for being interested in joining our team. We will verify your
resume and details and will send you a official confirmation from our team. Until then, Have a great day.';
            }
        }
    }
}
```

```
$headers='From: sasidharr54@gmail.com';
mail($to, $subject, $body, $headers);
echo "<script>alert('Successfully registered!! We sent you mail and wait for confirmation')</script>";
echo "<script>location.href='delivery_login.php';</script>";
    }
    else
    {
        echo "<script>alert('Error!Try after some time')</script>";
    }
}

else
{
    echo "<script>alert('All fields are required')</script>";
}
}
```

?>

```
<body>
<div id="d1"><h1>Online Food Delivery System</h1></div>
</br></br></br></br></br></br></br><h1 align="center" style="color: white;">Registration Form</h1>
<div id="d2" align="center">
<form action="delivery_reg.php" method="post" enctype="multipart/form-data"> <table>
    <tr>
        <td>
            Full Name:
        </td>
        <td>
            <input type="text" name="del_name" placeholder="full name">
        </td>
    </tr>
    <tr>
        <td>
            Email Id:
        </td>
        <td>
            <input type="text" name="del_email" placeholder="Email id">
        </td>
    </tr>
    <tr>
        <td>
            Phone no:
        </td>
        <td>
            <input type="text" name="del_num" placeholder="Phone no">
        </td>
    </tr>
</tr>
```

```
<td>
Gender:
</td>
<td>
    <input type="radio" name="del_sex" value="male">Male
    <input type="radio" name="del_sex" value="female">Female
</td>
</tr>
<tr>
<td>
    Date of Birth:
</td>
<td>
    <input type="Date" name="del_dob">
</td>
</tr>
<tr>
<td>
    Address:
</td>
<td>
    <textarea name="del_address" rows="4" cols="22" placeholder="Type
here"></textarea>
</td>
</tr>
<tr>
<td>
    Upload Resume:
</td>
<td>
    <input type="file" name="del_resume" multiple="false" style="padding: 10px;">
</td>
</tr>
<tr>
<td colspan="2"><br></td>
</tr>
<tr>
<td colspan="2" align="center"><input type="submit" name="register" value="Register"
id="reg"></td>
</tr>
</table>
</form>
</div>
</body>

</html>
Place_order.php:
<!DOCTYPE html>
<html>
```

```
<head>
    <title></title>
    <style type="text/css">

ul { list-style-type:
none; margin-top: 90px;
margin-left: -10px;
padding: 0; width: 20%;
height: 100%; overflow:
auto; background-color:
#555;
    float: left;
position: fixed;
}

li a { display:
block;
    color: #fff; padding:
8px 16px; text-
decoration: none;
}

li a.active { background-
color: red;
    color: white;
}

li a:hover:not(.active) { background-
color:#f1f1f1;
    color: black;
}
#r { margin-left:
500px; margin-top:
20px;
} table
{
    margin-left: 350px;
} td { padding:
50px; } li
{
    font-size: 20px;
}
#d1
{
    padding: 5px; background-
color: powderblue; text-align:
center; margin-top: -20px;
margin-left: -10px; width: 100%;
position: fixed;
```



```
}
#d7
{
    margin-left: 20%;
background-color: blue;
width: 700px; height: 700px;
} p { text-align:
left; font-size:
20px; margin-left:
60px;
}
</style>
</head>
<body> <?php
require 'session.php'; require
'conn.php';
if(!isset($_SESSION['c_id'])||empty($_SESSION['c_id']))
{
    echo "<script>alert('Please login')</script>";    echo
"<script>location.href='user_login.php'</script>";
} else
{
    $c_id
=$_S
ESSI
ON['
c_id']
;
}
?>
<div id="d1"><h1>Online Food Delivery System</h1></div>
<div>
<ul>
<li><a href="welcome_user.php?del=<?php echo $c_id;?>">Profile</a></li>
<li><a href="place_orders.php?del=<?php echo $c_id;?>" class="active">Place Orders</a></li>
<li><a href="view_orders.php">View Orders</a></li>
<li><a href="user_logout.php">Logout</a></li>
</ul>
</br></br></br></br>
<table>
<tr>
<td>
<a href="non_veg.php?del=<?php echo $c_id;?>"></a>    <p><b>Non Veg</b></p>
</td>
<td>
<a href="breakfast.php?del=<?php echo $c_id;?>"></a>
<p><b>Break Fast</b></p>
```


```
</td>
<td>
  <a href="starter.php?del=<?php echo $c_id;?>"></a>
<p><b>Starters</b></p>
</td>
</tr>
<tr>
<td>
  <a href="beverages.php?del=<?php echo $c_id;?>"></a>
  <p><b>Beverages</b></p>
</td>
<td>
  <a href="veg.php?del=<?php echo $c_id;?>"></a>
<p><b>Vegetarian</b></p>
</td>
<td>
  <a href="fastfood.php?del=<?php echo $c_id;?>"></a>
  <p><b>Fast Foods</b></p>
</td>
</tr>
</table>
</body>
</html>
```

User_logout.php:

```
<?php require 'conn.php';
require 'session.php';
if(isset($_SESSION['c_id']))
{
    session_destroy();
    header('Location: user_login.php');
} else
{
    header('Location: user_login.php');
}
?>
```

8. STATIC AND DYNAMIC PAGES - CODE AND SCREENSHOT







9. EXTERNAL CSS FILE

```
#d1
{
    padding: 5px;
    background-color: powderblue;
    text-align: center;    margin-top: -
20px;
    margin-left: -10px;
    width: 100%;    position:
fixed;
}
#d2
{
    background-color: grey;
    width: 400px;
    height: 300px;
} td
{
    padding: 10px;
    font-size: 25px;
} input
{
    padding: 10px;
}

#login
{
    width: 80px;
}
```

```
#login
{
    width: 110px;
} table
{
    padding: 30px;
} div
{
    margin-left: 480px;
}
```

CSS file for homepage

```
#d1
{
    padding: 5px; background-
color: powderblue; text-align:
center; margin-top: 0px;
    width: 80%; margin-
left: 110px;

} ul { list-style-type:
none; margin-top: 0px;
padding: 0; overflow:
hidden; background-
color: #333; width:
80.7%; margin-left:
110px;

}
li { float:
left;
}

li a, .dropbtn {
display: inline-block;
color: white; text-
align: center;
padding: 14px 16px;
text-decoration: none;
}

li a:hover, .dropdown:hover .dropbtn { background-
color: red;
}

li.dropdown {
display: inline-block;
}
```

```
.dropdown-content {
display: none; position:
absolute; background-
color: #f9f9f9; min-width:
160px;
  box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
  z-index: 1;
}

.dropdown-content a {
color: black; padding:
12px 16px; text-
decoration: none;
display: block; text-
align: left;
}

.dropdown-content a:hover {background-color: #f1f1f1;}

.dropdown:hover .dropdown-content {
  display: block;
}
#d9
{
  margin-left: 160px;    width:
1000px;    height: 400px;
background-image: url('bg.jpg');
background-size: 100% 100%;
animation-name: example;
animation-duration: 15s;
animation-iteration-count: infinite;

}
@keyframes example {
  0% {background-image:url('bg.jpg');}
  25% {background-image:url('dosa.jpeg');}
  50% {background-image:url('chicken.jpeg');}
  75% {background-image:url('puff.jpeg');}
  100% {background-image:url('bg.jpg');}
```

10. LIST OF EVENTS USED AND JAVASCRIPT FUNCTIONS DESCRIPTION

- 1 `<input type="submit" name="submit" value="Login" id="login_btn" onclick='location.href="welcome.html";'>`
On clicking login it will login and redirect to user account.
- 2 `<input type="submit" value="New Registration" id="login_btn" onclick='location.href="user_reg.html";'>`
On clicking it will redirect to registration form.

3 `<input type="submit" name="submit" value="Register" id="login_btn" onclick='alert("Successfully Registered");'>`

On clicking it will create new user account and gives alert message.

11. LIST OF PHP FUNCTIONS USED

- 1) Isset()
- 2) !empty()
- 3) Move_uploaded_file()
- 4) Mysql_connect()
- 5) Mysql_connect_db()
- 6) Mysql_query()
- 7) Mysql_close()
- 8) Mysql_num_rows()
- 9) Mysql_fetch_assoc ()
- 10) Die()
- 11) \$_session[] 12) \$_post[]

All the above functions were used and declared in our php files and we also included them above.



PAGE 25

localhost:8085/PHP_Project/admin/applied.php

Online Food Delivery System

- Home
- Add Items
- Show Applied Candidates
- Logout

Applied Candidates

ID	Full Name	Resume	Select
1	Sushanth	278521275.pdf	Accept Decline
2	Saundhar Rathnam	231187000.pdf	Accept Decline
3	Rathnam Saundhar Achari	3232634.pdf	Accept Decline

localhost:8085/phpmyadmin/sql.php?server=1&db=data_s&table=delivery_boy&pos=0

phpMyAdmin

Showing rows 0 - 3 (3 total). Query took 0.0023 seconds.

SELECT * FROM delivery_boy

Options: Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

	boy_id	name	phone	gender	dob	address	username	password	resume_id	email
1	1	Sushanth	8546815465	male	2019-08-20	180, Karathoppu, Newpet, Palamuru, Chittoor Dist.	712615639	4692a6c5e177142d397ae5e407b1514	278521275	rathnam.saundhar2017@vststudent.ac.in
2	2	Saundhar Rathnam	9182136630	male	2019-05-10	100, Karathoppu, Newpet, Palamuru, Chittoor Dist.	480494627	201e081e09a4759304a0f6b81c59c240	231187000	rathnam.saundhar2017@vststudent.ac.in
3	3	Sushanth	8765403045	male	2019-09-25	180, Karathoppu, Newpet, Palamuru, Chittoor Dist.	127873615	96d3d41f4912d82e925515089125bc12	1726713210	rathnam.saundhar2017@vststudent.ac.in

Query results operations: Print | Copy to clipboard | Export | Display chart | Create view

Online Food Delivery System

Home

Add Items

Show Applied Candidates

Logout

Applied Candidates

id	Full Name	Resume	Select
No results found			

14. REVIEW EVALUATION

COMPONENT	Max MARKS	MEMBER 1	MEMBER 2	MEMBER 3	MEMBER 4
Static Page Creation	5				
Css	5				
Events And Javascript Definitions	5				
Entity And Attribute Identification - ER Diagram	5				
Schema Structure And Table Creation	5				
PHP Functions	5				
Database Connection	5				
Data Manipulation	5				
Report	5				
Presentation	5				
Total	50 MARKS				