

Minimum Viable Product (MVP)

heatseek-drive.lovable.app

Minimum Viable Product (MVP) – Detailed Design

MVP Objective

The objective of the MVP is to address the core inefficiency identified in the analysis: low driver productivity resulting from limited visibility into demand patterns. Data indicates that a subset of drivers operates at approximately **1.0 rides per hour compared to the average of 1.47**, leading to **25–35% lower earnings per hour**.

The MVP aims to improve:

- Driver decision-making
- Utilization of active time
- Consistency in earnings

User Flow (Driver Interaction)

The MVP is designed around a simple and intuitive driver journey:

1. The driver opens the application and lands on a map-based interface
2. A demand heatmap is displayed, highlighting areas based on ride demand intensity
3. Each zone provides an estimate of expected earnings per hour
4. The driver compares nearby zones and identifies higher earning opportunities
5. The driver repositions to a selected high-demand area
6. Increased ride allocation leads to reduced idle time and improved earnings

MVP Feature Breakdown

Feature	Description	Problem Addressed	Data Insight
Demand Heatmap	Visual representation of demand intensity across locations	Lack of visibility into high-demand areas	Low rides per hour (~1.0 vs 1.47)
Earnings Estimation	Displays expected earnings per hour for each zone	Uncertainty in income potential	Earnings gap (₹106–₹126 vs ₹165 average)
Zone Comparison	Enables comparison of nearby areas	Inefficient decision-making	Poor time utilization

Feature Logic (Conceptual)

Demand Heatmap

Demand intensity is derived from ride request density using historical and near real-time data. Locations are categorized into demand tiers (e.g., high, medium, low) and updated at regular intervals.

Earnings Estimation

Estimated earnings per hour are calculated using average fare per ride and expected ride frequency within a given zone.

Decision Support

By combining demand visibility with earnings estimates, the system enables drivers to make informed location-based decisions.

Data-Driven Justification

Analysis shows:

- Average rides per hour: ~1.47
- Low-performing drivers: ~0.95–1.10 rides per hour
- Average earnings per hour: ~₹165
- Low-performing drivers: ₹106–₹126 per hour

These findings indicate that inefficiency is driven by suboptimal positioning and lack of demand awareness rather than insufficient working hours.

Expected Behavioral Change

Before MVP	After MVP
Random or uninformed positioning	Data-informed positioning
Higher idle time	Reduced idle time
Lower ride frequency	Increased rides per hour
Inconsistent earnings	Improved earnings stability

Wireframe Representation (Conceptual)

The MVP interface consists of a map-based view displaying demand zones and corresponding earnings estimates, along with an option for drivers to navigate toward selected areas.

Success Criteria

The MVP will be considered successful if it demonstrates:

- A measurable increase in rides per hour
 - Improvement in earnings per hour
 - Reduction in idle time
 - Positive driver feedback regarding usability and clarity
-

Conclusion

The MVP directly addresses the inefficiencies identified in the analysis by improving demand visibility and enabling informed decision-making. By focusing on a limited set of high-impact features, it provides a practical and scalable approach to enhancing driver productivity and overall platform efficiency.