DASHBOARD WALKTHROUGH

What You Are Looking At

Every panel of the dashboard, what it shows, and what to say about it — plus the exact sequence of the link turning orange and repairing itself. Written from a real run on 13 September 2026.

---


§0 Two tabs, two jobs

TAB	SHOWS	NEEDS
Live network	What the network is doing *right now* — the demo	The demo must be running in the VM
Results & evidence	All eight experiments, their tables and figures	Nothing — it reads saved result files

IF THE LIVE TAB LOOKS EMPTY

That is correct behaviour, not a bug. It says “no readings in the last 5 minutes” because nothing is running. Start the demo and it fills in. The Results tab always works.

§1 The Live tab, panel by panel



A real incident, captured mid-run. s1–s3 has been damaged, traffic has already moved to s1 → s2 → s5 → s6, and the repair has been verified.

Top bar

A green dot and **connected** means the browser is receiving live updates from the controller. If it says disconnected, the controller has died — see the demo guide's failure playbook.

Health banner	One line summarising anything wrong. Green when all is well; an amber warning strip naming the link when something is not. This is the first thing that changes when you break a link.
The four stages	**Watching → Predicting → Rerouting → Verifying.** These are the four things the system does continuously, and they are the shape of your whole project. Point at these in your opening sentence.
The network	Six switches (s1–s6) and two computers (H1, H6). Links are coloured by health; the **thick blue line** is the path traffic is actually taking right now. When the system reroutes, this line visibly jumps to a different route — that is the moment worth watching.
Link inspector	Four numbers for whichever link is selected: how busy it is, its delay, packets lost, and **Risk of failing** — the AI's own prediction. Below them, a five-minute chart of busyness against that rising risk estimate.
Problems detected	One row per link the system *decided to act on*. Not every wobble appears here — only the ones that passed the safety gates. A row marked FIXED means the repair was verified.
What the system did about it	The story of one incident in plain English with timestamps: trouble spotted, traffic moved, checked afterwards. **This is the panel to let her read** — do not narrate over it.
Live activity	Raw events as the controller emits them. Useful proof that it is genuinely live, but too fast to read aloud. Mention it exists and move on.

§2 The colours, and what they mean

COLOUR	STATE	MEANS
green	HEALTHY	Normal.
orange	DEGRADED	**The AI has just detected trouble and opened an incident.** This is the moment your project is about.
yellow	AT_RISK	Repaired and verified, but flagged as a link that misbehaved.
red	FAILED	The link is gone entirely — a cable cut. Stays red.
thick blue	—	Not health. This is the path traffic is currently taking.

THE ORANGE WINDOW IS ABOUT 9 SECONDS

Orange appears the instant the fault is detected and turns yellow once the repair is verified — measured at 9 seconds apart on the tested run. Tell her to watch the map *before* you press Enter, or she may miss it.

§3 The orange sequence, second by second

This is the whole demo. Timings are from the real run: detected at 09:41:13, verified at 09:41:22.

AFTER	ON SCREEN	WHAT TO SAY
`before`	All links green. Blue line along s1 → s3 → s6.	"Traffic is flowing H1 to H6 along this path. Everything is healthy."
`0 s`	You press Enter. Terminal prints `BREAKING s1-s3`. Screen unchanged.	"I've just damaged the link traffic is using. Nobody touches anything from here."
`0–13 s`	Still green. The orange risk line on the chart starts climbing.	"It won't react immediately — it needs three consecutive readings before it acts, so it doesn't panic over one blip."
`~13 s`	**s1–s3 turns orange.** Banner changes. Risk of failing jumps.	"There. The model gave that link a 97.6% probability of degrading."
`same second`	**The blue line jumps** to s1 → s2 → s5 → s6.	"And it has already moved the traffic. That path was chosen by the reinforcement learning policy."
`~22 s`	Orange → yellow. Timeline gains "Checked afterwards — the fix worked".	"It then measured the new path to confirm the repair actually helped. That's the loop closing."

> SAY
>
> *Eighteen seconds, and the only human action was pressing Enter to break it.*

THE 13-SECOND PAUSE IS THE HARDEST PART

Nothing visible happens and it feels much longer than it is. Fill it by explaining the persistence gate — that the system deliberately waits for three consecutive readings. Then the colour change lands as proof of what you just described, instead of an awkward silence ending.

§4 The Results tab, section by section

What each experiment proves	Eight cards, one per experiment, each stating the claim it was written to test, which systems it compares and which faults it uses. This is the map — show it for fifteen seconds, do not read it out.
Per-experiment sections	One block per experiment: its claim, a table of results per arm, and its figure. The arm names are spelled out — "gates removed (ablated)", "6 Mbit load" — so you can read them straight off the screen.
"+N late" beside a rate	Incidents opened *after* the fault had already gone — reactions to the fault being removed, not detections of it. Counted separately and never folded into the rate. If she asks, this is a good thing to be asked about.
Figures	The same charts, collected together at the bottom. Each states its finding in its own title.
Known limitations	Stated on the page, not hidden in a file. Ending your evidence tour here is a strong move — it shows the honesty is designed in, not added under questioning.

What to click, in order

1. **E5 — the ablation.** Your cleanest result: 0.6 reroutes with the safety gates, 4.2 without. Seven times more thrashing.
2. **E2 — coverage.** Point at the red `rising errors – 0%` row *before* she finds it, and explain why it is physically impossible to observe.
3. **E6 — decision quality.** Where the learned policy and the formula disagree, the policy picks the wider path 24 times against 3.
4. **E3 — the falsified hypothesis.** Volunteer it. Prediction is not earlier than a threshold; it is better at coverage.
5. **E8 — safety.** Kill the AI mid-run: zero invented predictions, all five trials.

§5 If she asks “is this actually live?”

A fair question, and you have three answers that settle it on the spot:

1. The clock in the top right is ticking, and the **Live activity** panel fills as the controller emits events.
2. **Click a different link** in the map. The inspector redraws with that link's own live numbers — a recording could not do that.
3. Offer to break a **different** link. The demo can be re-run with `--fault-type link_failure`, which cuts a cable outright and turns the link 🔴 red instead.

Captured and verified 13 September 2026 · companion to docs/demo_guide.pdf