

Output of Web Api with using Swagger

GET/api/Values:

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5286/api/Values' \
  -H 'accept: */*' 
```

Request URL

http://localhost:5286/api/Values

Server response

Code	Details
200	Response body <pre>{ "Laptop", "Phone", "Keyboard" }</pre> Response headers <pre>content-type: application/json; charset=utf-8 date: Tue, 19 Jun 2024 06:51:11 GMT server: Kestrel transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

POST/Api/Values:

POST /api/Values

Parameters

No parameters

Request body

application/json

"string"

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:5286/api/Values' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d 'string'
```

Request URL

http://localhost:5286/api/Values

Server response

Code	Details
200	Response body <pre>string Added Successfully</pre> Response headers <pre>content-type: text/plain; charset=utf-8 date: Tue, 19 Jun 2024 06:54:37 GMT server: Kestrel transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

GET/api/Values {id}:

Parameters

Cancel

Name	Description
id required	
integer(\$int32)	1
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5286/api/Values/1' \
  -H 'accept: */*'
```

Request URL

http://localhost:5286/api/Values/1

Server response

Code	Details
200	Response body None Download Response headers content-type: text/plain; charset=utf-8 date: Tue, 06 Jun 2023 00:15:24 GMT server: Kestrel transfer-encoding: chunked

Responses

Code	Description	Links
200	OK	No links

PUT/api/Values {id}:

Parameters

Cancel

Name	Description
id required	
integer(\$int32)	1
(path)	

Request body

application/json

"string"

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:5286/api/Values/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d 'string'
```

Request URL

http://localhost:5286/api/Values/1

Server response

Code	Details
200	Response body string Updated Successfully Download Response headers content-type: text/plain; charset=utf-8 date: Tue, 06 Jun 2023 00:17:03 GMT server: Kestrel transfer-encoding: chunked

Responses

Code	Description	Links
200	OK	No links

DELETE/api/Values {id}:

Parameters

Cancel

Name	Description
id required	
Integer(Sint32)	1
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:5288/api/Values/1' \
  -H 'accept: */*'
```

Request URL

http://localhost:5288/api/Values/1

Server response


Code	Details
200	Response body Deleted Successfully Download Response headers content-type: text/plain; charset=utf-8 date: Tue, 30 Jun 2026 06:19:34 GMT server: Kestrel transfer-encoding: chunked

Responses


Code	Description	Links
200	OK	No links

Output of Web Api with using POSTMAN


Screenshot 1 (GET All Values):




Screenshot 2 – GET by ID



Screenshot 3 – POST



Screenshot 4 – PUT



Screenshot 5 – DELETE

