PRJECT8

Name:bokhit mahamat

Prn:23070122249






localhost:8080
ShopEase Frontend
Le frontend fonctionne 🎉


localhost:3001/health
Pretty print
{"status":"healthy"}


localhost:3002/health
Pretty print
{"status":"healthy"}


localhost:3003/health
Pretty print
{"status":"healthy"}



EXPLORER
OPEN EDITORS 1 unsaved
Untitled user-service
user-service
Dockerfile frontend
Dockerfile product-service
app.py order-service
Dockerfile product-service/order-se...
Dockerfile
PROJECT 8
frontend
Dockerfile
index.html
order-service
app.py
Dockerfile
requirements.txt
product-service
app.py
Dockerfile
requirements.txt
user-service
app.py
Dockerfile
requirements.txt
00-namespace.yaml
01-configmaps.yaml
02-secrets.yaml
03-postgres.yaml
04-user-service.yaml
05-product-service.yaml
06-order-service.yaml
07-frontend.yaml
README.md
TIMELINE
order-service > app.py > ...
from flask import Flask, jsonify
app = Flask(__name__)
@app.route("/")
def home():
return jsonify({"service": "order-service", "status": "ok"})
@app.route("/health")
def health():
PROBLEMS 8 OUTPUT DEBUG CONSOLE TERMINAL
PORTS
No forwarded ports. Forward a port to access your locally running services over the internet.
Forward a Port
TERMINAL
user-service
sed -i '' 's/port=5000/port=3001/' app.py
cat app.py
from flask import Flask, jsonify
Forwarding from [::1]:3002 -> 3002
Handling connection for 3002
Handling connection for 3002
^C
bokhitmahamattom@192 Project 8 % kubectl port-forward -n shopease svc/product-service 3002:3002
Forwarding from 127.0.0.1:3002 -> 3002
Forwarding from [::1]:3002 -> 3002
Handling connection for 3002
Handling connection for 3002
kubectl port-forward -n shopease svc/order-service 3003:3003
^C
bokhitmahamattom@192 Project 8 % kubectl port-forward -n shopease svc/order-service 3003:3003
Forwarding from 127.0.0.1:3003 -> 3003
Forwarding from [::1]:3003 -> 3003
Handling connection for 3003
Handling connection for 3003
^C
bokhitmahamattom@192 Project 8 % kubectl get pods -n shopease
NAME READY STATUS RESTARTS AGE
frontend-5dccb9cdcc-c9tpf 1/1 Running 0 7h4m
frontend-5dccb9cdcc-wnhhj 1/1 Running 0 7h4m
order-service-68f5c54767-r8d79 1/1 Running 0 7h4m
order-service-68f5c54767-zxcnr 1/1 Running 0 7h4m
postgres-65dc5d7b74-27rkx 1/1 Running 0 7h4m
product-service-65f947cd45-ktffs 1/1 Running 0 7h4m
product-service-65f947cd45-nbchl 1/1 Running 0 7h4m
user-service-658bbbcf87-bz8l4 1/1 Running 0 7h4m
user-service-658bbbcf87-j7wzq 1/1 Running 0 7h4m
bokhitmahamattom@192 Project 8 % kubectl get deployments -n shopease
NAME READY UP-TO-DATE AVAILABLE AGE
frontend 2/2 2 2 10h
order-service 2/2 2 2 10h
postgres 1/1 1 1 10h
product-service 2/2 2 2 10h
user-service 2/2 2 2 10h
bokhitmahamattom@192 Project 8 %
Tip: Use /create-agent to scaffold a custom agent for your workflow.
app.py
Describe what to b...



TERMINAL
duct-service", "status": "ok"})
@app.route("/health")
def health():
return jsonify({"status": "healthy"}), 200 …
order-service-68f5c54767-zxcnr 1/1 Running 0 7h4m
postgres-65dc5d7b74-27rkx 1/1 Running 0 7h4m
product-service-65f947cd45-ktffs 1/1 Running 0 7h4m
product-service-65f947cd45-nbchl 1/1 Running 0 7h4m
user-service-658bbbcf87-bz8l4 1/1 Running 0 7h4m
user-service-658bbbcf87-j7wzq 1/1 Running 0 7h4m
bokhitmahamattom@192 Project 8 % kubectl get deployments -n shopease
NAME READY UP-TO-DATE AVAILABLE AGE
frontend 2/2 2 2 10h
order-service 2/2 2 2 10h
postgres 1/1 1 1 10h
product-service 2/2 2 2 10h
user-service 2/2 2 2 10h
bokhitmahamattom@192 Project 8 % kubectl get services -n shopease
NAME TYPE CLUSTER-IP EXTERNAL-IP PORT(S) AGE
frontend LoadBalancer 10.96.106.27 <pending> 80:32367/TCP 10h
order-service ClusterIP 10.96.16.239 <none> 3003/TCP 10h
postgres ClusterIP 10.96.63.29 <none> 5432/TCP 10h
product-service ClusterIP 10.96.203.175 <none> 3002/TCP 10h
user-service ClusterIP 10.96.222.181 <none> 3001/TCP 10h
bokhitmahamattom@192 Project 8 % kubectl get configmaps -n shopease
NAME DATA AGE
app-config 8 10h
frontend-config 2 10h
kube-root-ca.crt 1 10h
postgres-init-config 1 10h
bokhitmahamattom@192 Project 8 % kubectl get secrets -n shopease
NAME TYPE DATA AGE
order-service-secret Opaque 2 10h
postgres-secret Opaque 3 10h
product-service-secret Opaque 1 10h
user-service-secret Opaque 2 10h
bokhitmahamattom@192 Project 8 % docker images | grep -E "user-service|product-service|order-service|frontend"
frontend:1.0.0 ec3ddf1dbdee 92.7MB 26.2MB
order-service:1.0.0 8fd50adf2f73 236MB 51.5MB
product-service:1.0.0 f656aa5564ab 236MB 51.5MB
user-service:1.0.0 c8147f672a35 236MB 51.5MB
bokhitmahamattom@192 Project 8 %