



SYMBIOSIS INSTITUTE OF TECHNOLOGY (SIT)


Constituent of Symbiosis International (Deemed University), Pune

(Established under Section 3 of the UGC Act of 1956 vide notification number F-9-12/2001-U-3 of the Government of India)
Re-Accredited by NAAC with 'A' Grade

Department of Computer Science and Engineering DevOps Lab - L3

Lab Assignment No: 11	
Name of Student	Sanyukt Ramola
PRN	23070122194
Batch	2023 - 2027
Class	CSE – B1
Academic Year & Semester	2026 - 2027, 7th Semester
Title of Assignment	Docker Compose for Multi-Container App
Theory	Docker Compose is a tool used to define and manage multi-container Docker applications using a single docker-compose.yml file. It allows multiple services, such as a web application and a database, to be configured, started, and managed together with a single command. Docker Compose automatically creates a network for communication between services, manages named volumes for persistent storage, and simplifies deployment by eliminating the need to start each container individually. This makes it easier to develop, test, and maintain applications that consist of multiple interconnected containers. Commands Used - Created a new project directory and navigated into it: mkdir my-multi-app cd my-multi-app - Started the multi-container application in detached mode: docker compose up -d - Verified the running containers: docker compose ps (or docker ps if docker compose ps was not available) Stopped and removed the containers and network created by Docker Compose: docker compose down
Implementation	Step 1: Create the Project Directory <pre>C:\Users\sanyu>mkdir my-multi-app C:\Users\sanyu>cd my-multi-app C:\Users\sanyu\my-multi-app> </pre> Created Project Directory — Created a new project directory named my-multi-app and navigated into it to store the Docker Compose configuration.


Step 2: Create docker-compose.yml



```
File Edit Selection View Go ... my-multi-app
EXPLORER
MY-MULTI-APP
  docker-compose.yml
  docker-compose.yml > ...
  docker-compose.yml - The Compose speci
1  version: '3.8'
2
3  Run All Services
4  services:
5    web:
6      image: my-flask-app:v2
7      ports:
8        - "8083:5001"
9      volumes:
10       - my-app-data:/app/data
11      depends_on:
12       - redis
13  Run Service
14  redis:
15    image: redis:latest
16    ports:
17      - "6379:6379"
18    volumes:
19      - redis-data:/data
20  volumes:
21    my-app-data:
22    redis-data:
```

Created Docker Compose Configuration — Created and saved the docker-compose.yml file defining the Flask web service, Redis service, Docker volumes, and networking configuration for the multi-container application.


Step 3: Start the Multi-Container Application



```
time="2026-07-22T19:42:22+05:30" level=warning msg="C:\Users\riavi\my-multi-app\docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
[*] up 15/15
✓ Image redis:latest Pulled 23.4s
✓ Network my-multi-app_default Created 0.1s
✓ Volume my-multi-app_redis-data Created 0.0s
✓ Volume my-multi-app_my-app-data Created 0.0s
✓ Container my-multi-app-redis-1 Started 1.2s
✓ Container my-multi-app-web-1 Started 1.2s
PS C:\Users\riavi\my-multi-app>
```

Started Multi-Container Application — Started the multi-container application using Docker Compose, which created the required network, volumes, and launched both the Flask web service and Redis service.

Step 4: Access the Web Application



Verified Web Application — Accessed the Flask application through <http://localhost:8083> and verified that the web service was successfully running as part of the Docker Compose application.

Step 5: Verify the Running Services

```
time="2026-07-22T19:45:11+05:30" level=warning msg="C:\\Users\\riavi\\my-multi-app\\docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
NAME                IMAGE              COMMAND             SERVICE   CREATED     STATUS      PORTS
my-multi-app-redis-1 redis:latest       "docker-entrypoint.s..." redis      2 minutes ago Up 2 minutes 0.0.0.0:6379->6379/tcp, [
::]:6379->6379/tcp
my-multi-app-web-1   my-flask-app:v2    "python app.py"      web       2 minutes ago Up 2 minutes 0.0.0.0:8083->5001/tcp, [
::]:8083->5001/tcp
PS C:\\Users\\riavi\\my-multi-app>
```

Verified Running Services — Verified that the Docker Compose application was running successfully by listing the active containers, including the Flask web service and the Redis service.

Step 6: Stop and Remove the Multi-Container Application

```
PS C:\\Users\\riavi\\my-multi-app> docker compose down
time="2026-07-22T19:47:37+05:30" level=warning msg="C:\\Users\\riavi\\my-multi-app\\docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
[+] down 3/3
✓ Container my-multi-app-web-1 Removed 0.7s
✓ Container my-multi-app-redis-1 Removed 0.5s
✓ Network my-multi-app_default Removed 0.3s
PS C:\\Users\\riavi\\my-multi-app>
```

Stopped Multi-Container Application — Stopped and removed the Docker Compose application, including the running containers and the automatically created network, using the docker compose down command.

Subject Faculty Name: Prof. Arijit Dutta