

Kedar

Date: / /20





	Name-Shantany Destrande : 1,pms = 106/101
	Class - SYCSE
20 2001/9	10 Rolling 1- 71 you traise tono traises soll
	11 Batch 481 2w of 22 6 smith 1/2w 21 months Jums
	Sub Dass
	Practical No.6 : Tan- 1 949
- Luzu z	Aim: at To create a PMP form, use PMP& Get and PMP&
	moth as Post method to accept dataged Joseph with
	b) Form validation in PHP: To validate contents in
	Form created.
	Theory:
	PHP\$-Post();-
	PHP\$ - Post is a PHP super global variable which
	is used to collect form data after submitting an HTML
	form which method = "Post" &-post is also used to
	pass variable.
	Poss voice.
	Validate name:
	regular enpression is the easier way to validate
	full name in PHP (RGHEX)

таканина полительного принципаний принци

(Page No.





7-Shantanu Deshpande.



/20 Date:

Validate email:

The casiest and safest way to check whether an email address is well formed is to use PHP's filter-vour() Function.

PHP \$ - GET :

PHP & LIGHT is a PHP super Colobal variable which is used to collect form data after submitting an HTML form with method = "get" is initially and (d

To dar Kedar

Page No. 2

```
Name- Shantanu Deshpande
Roll no.-7
Sub.-DOS
Input:-
<!DOCTYPE HTML>
<html>
<head>
<style>
.hr {
border: 1px solid #f31515;
margin-bottom: 35px;}
.a{color:black;}
form {
padding: 12px;
margin: 0 auto;
width: 500px;
height: 600px;
border-style: outset;
border-width:10px;
background-color:#ff99cc;}
.error {color: #FF0000;}
</style>
</head>
<body>
<?php
// define variables and set to empty values
$nameErr = $emailErr = $genderErr = $websiteErr = "";
$name = $email = $gender = $comment = $website = "";
if ($ SERVER["REQUEST METHOD"] == "POST") {
if (empty($ POST["name"])) {
$nameErr = "Name is required";
} else {
$name = test_input($_POST["name"]);
if (empty($ POST["email"])) {
$emailErr = "Email is required";
} else {
$email = test input($ POST["email"]);
if (empty($ POST["website"])) {
$websiteErr = "College is required";
} else {
$website = test_input($_POST["website"]);
if (empty($ POST["gender"])) {
$genderErr = "Phone Number is required";
```

```
Name- Shantanu Deshpande
Roll no.-7
Sub.-DOS
} else {
$gender = test input($ POST["gender"]);
function test input($data) {
d = trim(d = trim(d
$data = stripslashes($data);
$data = htmlspecialchars($data);
return $data;
}
?>
<form method="post" action="<?php echo</pre>
htmlspecialchars($ SERVER["PHP SELF"]);?>">
<h2>PHP Form Validation Example</h2>
<span class="error">* required field</span>
<span class="error">* <?php echo $nameErr:?></span>
<br><br>>
E-mail:<br > <input type="text" name="email">
<span class="error">* <?php echo $emailErr;?></span>
<br><br><
College: <br><input type="text" name="website">
<span class="error">*<?php echo $websiteErr:?></span>
<br><br>>
Phone Number: <br/>
<br/>
'input type="text" name="gender">
<span class="error">*<?php echo $genderErr;?></span>
<br><br>>
Course: <br>
<span class="error">
<select id="inputCourse" class="form-control">
<option>Computer Science and Engineering/option>
<option>Mechanical Engineering/option>
<option>Civil Engineering
<option>Agricultural Engineering
<option>Electrical Engineering</option>
<option>Plastic and Polymer Engineering/option>
<option>Electronics and Computer Engineering/option>
<option>Artificial Intelligence and Data Science/option>
</select>
<br>
<br>
<span class="a">
<div class="form-group">
<div class="form-check">
```

```
Name- Shantanu Deshpande
Roll no.-7
Sub.-DOS
<input class="form-check-input" type="checkbox" id="gridCheck">
<label class="form-check-label" for="gridCheck">
Check me out
</label>
</div>
<br>
<input type="submit" name="submit" value="Submit">
</form>
<span class="a">
<?php
echo "<h2>Your Input:</h2>";
echo"Name:";
echo $name;
echo "<br>";
echo"Email:";
echo $email;
echo "<br>";
echo"College:";
echo $website;
echo "<br>";
echo"Phone Number:";
echo $gender;
?>
</body>
</html>
```

Output:-

Name- Shantanu Deshpande

Roll no.-7

Sub.-DOS

