

Date: / /20

showaday a markande-1





	Name - Shantany Deshpande of hand of me 2017
	Class - Sycs &
tring ,	oRollno - J. Has simu rod did a rongo 2"w"-
	· Batch +51. 6 no 4 shop of a musa north
	esub Dos frestos and string phonds
	place boor Practical No. 7 mother = 11 m
- utmon	- Ami: Develop and application to perform (file handing
6904929-	operation in PHP open read and write into file).
1700	Theory: 22 3 Fire bond 6 200 707 212 20090 = "+w"
ytan	do sin it book stooms is sit wan soll
	File handling; 30 advision, north string
	Php file system allows to create file, read file
	line by line, read file character by character write file
	append file delete file or close file.
01.0	may the is approved for write I read file pour
C- hours	function of PhP file Handling to
69/20	is a sta war natt gradt ton 21 sta 27
	f-(open) (): open a file
	" men file is created to write only.
	f-dose (): dose a file.
	F-read (): use to read a file.
	F-write (): write content of the string into file
mmmmmmmmm.	unlink (): delete a file
	Redar Page No.



Files can be opened in any of the following modes:

-"w" = opens a fix for write only, if file does not enist then newfile is created and if the file according already enists then content of file is erased

"z" = file is opened for read only

"a" = file is opened for write only file pointer points to end of file Enisting data in file is preserved

"wt" = opens like for read and write. It like not exist the new file is created and if file already enists then contents of file is erased.

" at" = file is opened for read write

"a"t" = file is opened for write I read file pointer to end of file. Enisting data in file is preserved rei If file is not there then new file is created.

"" = new file is created to write only

webdictionary - Notepad PREVIEW

Edit View

AJAX = Asynchronous Javascript and XML

CSS = Cascading Style Sheets

HTML = Hyper Text Markup Language

PHP = PHP Hypertext Preprocessor

SQL = Structured Query Language SVG = Scalable Vector Graphics

XML = Extensible Markup Language

Text file

Ln 1, Col 1

100%

```
pentxtfile - Notepad PREVIEW

File Edit View
```

```
<!DOCTYPE html>
<html>
<body>

<!php

$myfile=fopen("webdictionary.txt","r") or die("Unable to open file!");
echo fread($myfile,filesize("webdictionary.txt"));
fclose($myfile);
?>


</body>
</html>
```


Php code file



Extensible Markup Language

Output of php code






Index of /php_workspace

Name	Last modified	Size Description
<u>Parent Directory</u>		i n s
<u>Opentxtfile.php</u>	2022-01-15 17:07	206
opent.txt	2022-01-15 17:07	206
webdictionary.txt	2022-01-15 17:01	257
<u>writefile.php</u>	2022-01-15 17:30	188
writefile.txt	2022-01-15 17:28	188

Apache/2.4.52 (Win64) OpenSSL/1.1.1m PHP/8.1.1 Server at localhost Port 80

index with new file created



Running php file to create a file with given text




Index of /php_workspace

Name	Last modified	Size Description
Parent Directory		-
Opentxtfile.php	2022-01-15 17:07	206
newfile.txt	2022-01-15 17:36	27
opent.txt	2022-01-15 17:07	206
webdictionary.txt	2022-01-15 17:01	257
writefile.php	2022-01-15 17:30	188
writefile.txt	2022-01-15 17:28	188

Apache/2.4.52 (Win64) OpenSSL/1.1.1m PHP/8.1.1 Server at localhost Port 80

Index with new file created



Shantanu Deshpande

Output of php code