

✓ Machine Learning

- Machine Learning Tutorial
- Machine Learning Applications
- Life cycle of Machine Learning
- Install Anaconda & Python
- AI vs Machine Learning
- How to Get Datasets
- Data Preprocessing
- Supervised Machine Learning
- Unsupervised Machine Learning
- Supervised vs Unsupervised Learning

✓ Supervised Learning

- Regression Analysis
- Linear Regression
- Simple Linear Regression
- Multiple Linear Regression
- Backward Elimination
- Polynomial Regression

✓ Classification

- Classification Algorithm
- Logistic Regression
- K-NN Algorithm
- Support Vector Machine Algorithm
- Naïve Bayes Classifier

✓ Miscellaneous

- Classification vs Regression
- Linear Regression vs Logistic Regression
- Decision Tree Classification Algorithm
- Random Forest Algorithm
- Clustering in Machine Learning
- Hierarchical Clustering in Machine Learning
- K-Means Clustering Algorithm
- Apriori Algorithm in Machine Learning
- Association Rule Learning
- Confusion Matrix
- Cross-Validation
- Data Science vs Machine Learning
- Machine Learning vs Deep Learning
- Dimensionality Reduction Technique
- Machine Learning Algorithms
- Overfitting & Underfitting
- Principal Component Analysis
- What is P-Value
- Regularization in Machine Learning
- Examples of Machine Learning
- Semi-Supervised Learning
- Essential Mathematics for Machine Learning
- Overfitting in Machine Learning
- Types of Encoding Techniques
- Feature Selection Techniques in Machine Learning
- Bias and Variance in Machine Learning
- Machine Learning Tools
- Prerequisites for Machine Learning
- Gradient Descent in Machine Learning
- Machine Learning Experts Salary India
- Machine Learning Models
- Machine Learning Books
- Linear Algebra for Machine Learning
- Types of Machine Learning
- Feature Engineering for Machine Learning

Machine Learning Algorithms

[← Prev](#)[Next →](#)

Machine Learning algorithms are the programs that can learn the hidden patterns from the data, predict the output, and improve the performance from experiences on their own. Different algorithms can be used in machine learning for different tasks, such as simple linear regression that can be used **for prediction problems** like **stock market prediction**, and **the KNN algorithm can be used for classification problems**.

In this topic, we will see the overview of some popular and most commonly used **machine learning** algorithms along with their use cases and categories.


Types of Machine Learning Algorithms

Machine Learning Algorithm can be broadly classified into three types:



1. **Supervised Learning Algorithms**
2. **Unsupervised Learning Algorithms**
3. **Reinforcement Learning algorithm**

The below diagram illustrates the different ML algorithm, along with the categories:



1) Supervised Learning Algorithm

Supervised learning is a type of Machine learning in which the machine needs external supervision to learn. The supervised learning models are trained using the labeled dataset. Once the training and processing are done, the model is tested by providing a sample test data to check whether it predicts the correct output.

The goal of supervised learning is to map input data with the output data. Supervised learning is based on supervision, and it is the same as when a student learns things in the

Top 10 Machine Learning Courses in 2021

Epoch in Machine Learning

Machine Learning with Anomaly Detection

What is Epoch

Cost Function in Machine Learning

Bayes Theorem in Machine Learning

Perceptron in Machine Learning

Entropy in Machine Learning

Issues in Machine Learning

Precision and Recall in Machine Learning

Genetic Algorithm in Machine Learning

Normalization in Machine Learning

Adversarial Machine Learning

Basic Concepts in Machine Learning

Machine Learning Techniques

AutoML

Demystifying Machine Learning

Challenges of Machine Learning

Model Parameter vs Hyperparameter

Hyperparameters in Machine Learning

Importance of Machine Learning

Machine Learning and Cloud Computing

Anti-Money Laundering using Machine Learning

Data Science Vs. Machine Learning Vs. Big Data

Popular Machine Learning Platforms

Deep learning vs. Machine learning vs. Artificial Intelligence

Machine Learning Application in Defense/Military

Machine Learning Applications in Media

How can Machine Learning be used with Blockchain

Prerequisites to Learn Artificial Intelligence and Machine Learning

List of Machine Learning Companies in India

Mathematics Courses for Machine Learning

Probability and Statistics Books for Machine Learning

Risks of Machine Learning

Best Laptops for Machine Learning

Machine Learning in Finance

Lead Generation using Machine Learning

Machine Learning and Data Science Certification

What is Big Data and Machine Learning

How to Save a Machine Learning Model

Machine Learning Model with Teachable Machine

Data Structure for Machine Learning

Hypothesis in Machine Learning

Gaussian Discriminant Analysis

How Machine Learning is used by Famous Companies

Introduction to Transfer Learning ML

LDA in Machine Learning

Stacking in Machine Learning

CNB Algorithm

Deploy a Machine Learning Model using Streamlit Library

Different Types of Methods for Clustering Algorithms in ML

teacher's supervision. The example of supervised learning is **spam filtering**.

Supervised learning can be divided further into two categories of problem:

- **Classification**
- **Regression**

Examples of some popular supervised learning algorithms are Simple Linear regression, Decision Tree, Logistic Regression, KNN algorithm, etc. [Read more..](#)

2) Unsupervised Learning Algorithm

It is a type of machine learning in which the machine does not need any external supervision to learn from the data, hence called unsupervised learning. The unsupervised models can be trained using the unlabelled dataset that is not classified, nor categorized, and the algorithm needs to act on that data without any supervision. In unsupervised learning, the model doesn't have a predefined output, and it tries to find useful insights from the huge amount of data. These are used to solve the Association and Clustering problems. **Hence further, it can be classified into two types:**

- **Clustering**
- **Association**

Examples of some Unsupervised learning algorithms are **K-means Clustering, Apriori Algorithm, Eclat, etc.** [Read more..](#)

3) Reinforcement Learning

In Reinforcement learning, an agent interacts with its environment by producing actions, and learn with the help of feedback. The feedback is given to the agent in the form of rewards, such as for each good action, he gets a positive reward, and for each bad action, he gets a negative reward. There is no supervision provided to the agent. **Q-Learning algorithm** is used in reinforcement learning. [Read more...](#)

List of Popular Machine Learning Algorithm

1. **Linear Regression Algorithm**
2. **Logistic Regression Algorithm**
3. **Decision Tree**
4. **SVM**
5. **Naïve Bayes**
6. **KNN**
7. **K-Means Clustering**
8. **Random Forest**
9. **Apriori**
10. **PCA**

1. Linear Regression

Linear regression is one of the most popular and simple machine learning algorithms that is used for predictive analysis. Here, **predictive analysis** defines prediction of something, and linear regression makes predictions for *continuous numbers* such as **salary, age, etc.**

It shows the linear relationship between the dependent and independent variables, and shows how the dependent variable(y) changes according to the independent variable (x).

It tries to best fit a line between the dependent and independent variables, and this best fit line is known as the regression line.

The equation for the regression line is:

$$y = a_0 + a_1x + b$$

Here, y= dependent variable

x= independent variable


a₀ = Intercept of line.

Linear regression is further divided into two types:

- **Simple Linear Regression:** In simple linear regression, a single independent variable is used to predict the value of the dependent variable.
- **Multiple Linear Regression:** In multiple linear regression, more than one independent variables are used to predict the value of the dependent variable.

The below diagram shows the linear regression for prediction of weight according to height:

[Read more..](#)



2. Logistic Regression

Logistic regression is the supervised learning algorithm, which is used to **predict the categorical variables or discrete values**. It can be used for the *classification problems in machine learning*, and the output of the logistic regression algorithm can be either Yes or NO, 0 or 1, Red or Blue, etc.

Logistic regression is similar to the linear regression except how they are used, such as Linear regression is used to solve the regression problem and predict continuous values, whereas Logistic regression is used to solve the Classification problem and used to predict the discrete values.

Instead of fitting the best fit line, it forms an S-shaped curve that lies between 0 and 1. The S-shaped curve is also known as a logistic function that uses the concept of the threshold. Any value above the threshold will tend to 1, and below the threshold will tend to 0. [Read more..](#)

3. Decision Tree Algorithm

A decision tree is a supervised learning algorithm that is mainly used to solve the classification problems but can also be used for solving the regression problems. It can work with both categorical variables and continuous variables. It shows a tree-like structure that includes nodes and branches, and starts with the root node that expand on further branches till the leaf node. The **internal node** is used to represent the **features of the dataset**,

branches show the decision rules, and leaf nodes represent the outcome of the problem.


Some real-world applications of decision tree algorithms are identification between cancerous and non-cancerous cells, suggestions to customers to buy a car, etc. [Read more..](#)

4. Support Vector Machine Algorithm

A support vector machine or SVM is a supervised learning algorithm that can also be used for classification and regression problems. However, it is primarily used for classification problems. The goal of SVM is to create a hyperplane or decision boundary that can segregate datasets into different classes.

The data points that help to define the hyperplane are known as **support vectors**, and hence it is named as support vector machine algorithm.

Some real-life applications of SVM are **face detection, image classification, Drug discovery**, etc. Consider the below diagram:



As we can see in the above diagram, the hyperplane has classified datasets into two different classes. [Read more..](#)

5. Naïve Bayes Algorithm:

Naïve Bayes classifier is a supervised learning algorithm, which is used to make predictions based on the probability of the object. The algorithm named as Naïve Bayes as it is based on **Bayes theorem**, and follows the *naïve* assumption that says' variables are independent of each other.

The Bayes theorem is based on the conditional probability; it means the likelihood that event(A) will happen, when it is given that event(B) has already happened. The equation for Bayes theorem is given as:

$$P(A|B) = \frac{P(B|A)P(A)}{P(B)}$$

Naïve Bayes classifier is one of the best classifiers that provide a good result for a given problem. It is easy to build a naïve bayesian model, and well suited for the huge amount of dataset. It is mostly used for **text classification**. [Read more..](#)

6. K-Nearest Neighbour (KNN)

K-Nearest Neighbour is a supervised learning algorithm that can be used for both classification and regression problems. This algorithm works by assuming the similarities between the new data point and available data points. Based on these similarities, the new data points are put in the most similar categories. It is also known as the lazy learner algorithm as it stores all the available datasets and classifies each new case with the help of K-neighbours. The new case is assigned to the nearest class with most similarities, and any distance function measures the distance between the data points. The distance function can be **Euclidean, Minkowski, Manhattan, or Hamming distance**, based on the requirement. [Read more..](#)

7. K-Means Clustering

K-means clustering is one of the simplest unsupervised learning algorithms, which is used to solve the clustering problems. The datasets are grouped into K different clusters based on similarities and dissimilarities, it means, datasets with most of the commonalties remain in

one cluster which has very less or no commonalities between other clusters. In K-means, K refers to the number of clusters, and **means** refer to the averaging the dataset in order to find the centroid.

It is a centroid-based algorithm, and each cluster is associated with a centroid. This algorithm aims to reduce the distance between the data points and their centroids within a cluster.

This algorithm starts with a group of randomly selected centroids that form the clusters at starting and then perform the iterative process to optimize these centroids' positions.

It can be used for spam detection and filtering, identification of fake news, etc. [Read more..](#)

8. Random Forest Algorithm

Random forest is the supervised learning algorithm that can be used for both classification and regression problems in machine learning. It is an ensemble learning technique that provides the predictions by combining the multiple classifiers and improve the performance of the model.

It contains multiple decision trees for subsets of the given dataset, and find the average to improve the predictive accuracy of the model. A random-forest should contain 64-128 trees. The greater number of trees leads to higher accuracy of the algorithm.

To classify a new dataset or object, each tree gives the classification result and based on the majority votes, the algorithm predicts the final output.

Random forest is a fast algorithm, and can efficiently deal with the missing & incorrect data. [Read more..](#)

9. Apriori Algorithm

Apriori algorithm is the unsupervised learning algorithm that is used to solve the association problems. It uses frequent itemsets to generate association rules, and it is designed to work on the databases that contain transactions. With the help of these association rule, it determines how strongly or how weakly two objects are connected to each other. This algorithm uses a breadth-first search and Hash Tree to calculate the itemset efficiently.

The algorithm process iteratively for finding the frequent itemsets from the large dataset.

The apriori algorithm was given by the **R. Agrawal and Srikant** in the year 1994. It is mainly used for market basket analysis and helps to understand the products that can be bought together. It can also be used in the healthcare field to find drug reactions in patients. [Read more..](#)

10. Principle Component Analysis

Principle Component Analysis (PCA) is an unsupervised learning technique, which is used for dimensionality reduction. It helps in reducing the dimensionality of the dataset that contains many features correlated with each other. It is a statistical process that converts the observations of correlated features into a set of linearly uncorrelated features with the help of orthogonal transformation. It is one of the popular tools that is used for exploratory data analysis and predictive modeling.

PCA works by considering the variance of each attribute because the high variance shows the good split between the classes, and hence it reduces the dimensionality.

Some real-world applications of PCA are image processing, movie recommendation system, optimizing the power allocation in various communication channels. [Read more..](#)

Next Topic [Overfitting and Underfitting in Machine Learning](#)

[← Prev](#)

[Next →](#)



For Videos Join Our Youtube Channel: [Join Now](#)

Feedback

- Send your Feedback to feedback@javatpoint.com

Help Others, Please Share



Learn Latest Tutorials



Splunk



SPSS



Swagger



Transact-SQL



Tumblr



ReactJS



Regex



Reinforcement Learning



R Programming



RxJS



React Native



Python Design Patterns



Python Pillow



Python Turtle



Keras

Preparation



Aptitude



Reasoning



Verbal Ability




Interview Questions




Company Questions

Trending Technologies



B.Tech / MCA



Javatpoint Services

Javatpoint offers too many high quality services. Mail us on hr@javatpoint.com, to get more information about given services.

- Website Designing

- Website Development
- Java Development
- PHP Development
- WordPress
- Graphic Designing
- Logo
- Digital Marketing
- On Page and Off Page SEO
- PPC
- Content Development
- Corporate Training
- Classroom and Online Training
- Data Entry

Training For College Campus

JavaTpoint offers college campus training on Core Java, Advance Java, .Net, Android, Hadoop, PHP, Web Technology and Python. Please mail your requirement at hr@javatpoint.com.

Duration: 1 week to 2 week

Like/Subscribe us for latest updates or newsletter



LEARN TUTORIALS

Learn Java
Learn Data Structures
Learn C Programming
Learn C++ Tutorial
Learn C# Tutorial
Learn PHP Tutorial
Learn HTML Tutorial
Learn JavaScript Tutorial
Learn jQuery Tutorial
Learn Spring Tutorial

OUR WEBSITES

Javatpoint.com
Hindi100.com
Lyricsia.com
Quoteperson.com
Jobandplacement.com

OUR SERVICES

Website Development
Android Development
Website Designing
Digital Marketing
Summer Training
Industrial Training
College Campus Training

CONTACT

Address: G-13, 2nd Floor, Sec-3
Noida, UP, 201301, India
Contact No: 0120-4256464, 9990449935
Contact Us
Subscribe Us
Privacy Policy
Sitemap
About Me