230905232

Aditya Pankaj Mathpal

CSE C2 37

Lab 8: Form Processing using Django – Part II

Home Assignments

urls.py (common):

```
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('', include('feedback.urls')),
    path('', include('billing.urls')),
]
```

1. Create a website with two pages.First page contains:
RadioButton with HP, Nokia, Samsung, Motorola, Apple as options.
CheckBox with Mobile and Laptop as items. TextBox to enter quantity.
There is a button with text as "Produce Bill".
On Clicking Produce Bill button, item should be displayed with total amount on another page.

forms.py:

```
from django import forms

class BillingForm(forms.Form):

    BRAND_CHOICES = [
        ('HP', 'HP'),
        ('Nokia', 'Nokia'),
        ('Samsung', 'Samsung'),
        ('Motorola', 'Motorola'),
        ('Apple', 'Apple'),
    ]

    ITEM_CHOICES = [
        ('Mobile', 'Mobile'),
        ('Laptop', 'Laptop'),
    ]
```

```
    brand = forms.ChoiceField(
        choices=BRAND_CHOICES,
        widget=forms.RadioSelect,
        required=True
    )

    items = forms.MultipleChoiceField(
        choices=ITEM_CHOICES,
        widget=forms.CheckboxSelectMultiple,
        required=True
    )

    quantity = forms.IntegerField(
        min_value=1,
        required=True
    )
```

views.py:

```
from django.shortcuts import render, redirect
from .forms import BillingForm


PRICE_LIST = {
    'HP': {'Mobile': 20000, 'Laptop': 50000},
    'Nokia': {'Mobile': 15000, 'Laptop': 40000},
    'Samsung': {'Mobile': 25000, 'Laptop': 55000},
    'Motorola': {'Mobile': 18000, 'Laptop': 42000},
    'Apple': {'Mobile': 60000, 'Laptop': 100000},
}



def billing_page(request):
    if request.method == "POST":
        form = BillingForm(request.POST)


        if form.is_valid():
            brand = form.cleaned_data['brand']
            items = form.cleaned_data['items']
            quantity = form.cleaned_data['quantity']
```

```
        total = 0
        for item in items:
            total += PRICE_LIST[brand][item] * quantity

        request.session['brand'] = brand
        request.session['items'] = items
        request.session['quantity'] = quantity
        request.session['total'] = total

        return redirect('bill_result')
    else:
        form = BillingForm()

    return render(request, "billing.html", {"form": form})


def bill_result(request):
    context = {
        "brand": request.session.get('brand'),
        "items": request.session.get('items'),
        "quantity": request.session.get('quantity'),
        "total": request.session.get('total'),
    }

    return render(request, "bill_result.html", context)
```

urls.py:

```
from django.urls import path
from . import views
```

```
urlpatterns = [
    path('billing/', views.billing_page, name='billing'),
    path('billing/result/', views.bill_result, name='bill_result'),
]
```

billing.html:

```
<!DOCTYPE html>
<html>
<body>

<form method="POST">
    {% csrf_token %}

    {{ form.as_p }}

    <button type="submit">Produce Bill</button>
</form>

</body>
</html>
```

bill_result.html:

```
<!DOCTYPE html>
<html>
<body>

<p>Brand: {{ brand }}</p>

<p>Items:</p>
<ul>
    {% for item in items %}
```

```
        <li>{{ item }}</li>
    {% endfor %}
</ul>

<p>Quantity: {{ quantity }}</p>

<p>Total Amount: {{ total }}</p>

<a href="{% url 'billing' %}">Go Back</a>

</body>
</html>
```

output:


127.0.0.1:8000/billing/
http://127.0.0.1:8000/billing/
Brand:
HP
Nokia
Samsung
Motorola
Apple
Items:
Mobile
Laptop
Quantity: 3
Produce Bill


127.0.0.1:8000/billing/result/
http://127.0.0.1:8000/billing/result/
Brand: Nokia
Items:
Mobile
Quantity: 3
Total Amount: 45000
Go Back

2. Write a program to display the following feedback form. The different options for the list box must be ASP-XML, DotNET, JavaPro and Unix,C,C++. When the Submit Form button is clicked after entering the data, a message as seen in the last line of the above figure must be displayed.



forms.py:

```
from django import forms


class FeedbackForm(forms.Form):


    GENDER_CHOICES = [
        ('Male', 'Male'),
        ('Female', 'Female'),
    ]


    COURSE_CHOICES = [
        ('ASP-XML', 'ASP-XML'),
        ('DotNET', 'DotNET'),
        ('JavaPro', 'JavaPro'),
```

```
    ('Unix,C,C++', 'Unix,C,C++'),
]

COVERAGE_CHOICES = [
    ('Excellent', 'Excellent'),
    ('Good', 'Good'),
    ('Average', 'Average'),
    ('Poor', 'Poor'),
]

name = forms.CharField(max_length=100, required=True)

gender = forms.ChoiceField(
    choices=GENDER_CHOICES,
    widget=forms.RadioSelect,
    required=True
)

course = forms.ChoiceField(
    choices=COURSE_CHOICES,
    widget=forms.Select,
    required=True
)

coverage = forms.ChoiceField(
    choices=COVERAGE_CHOICES,
    widget=forms.RadioSelect,
    required=True
)

suggestion = forms.CharField(
    widget=forms.Textarea,
```

```
        required=False
    )
```

views.py:

```
from django.shortcuts import render
from .forms import FeedbackForm


def feedback_page(request):
    message = None

    if request.method == "POST":
        form = FeedbackForm(request.POST)

        if form.is_valid():
            name = form.cleaned_data['name']
            gender = form.cleaned_data['gender']

            if gender == "Male":
                prefix = "Mr"
            else:
                prefix = "Ms"

            message = f"Thanks {prefix} {name} for your feedback."
    else:
        form = FeedbackForm()

    return render(request, "feedback.html", {
        "form": form,
        "message": message
    })
```

urls.py:

```
from django.urls import path

from . import views


urlpatterns = [

    path('feedback/', views.feedback_page, name='feedback'),

]
```

feedback.html:

```
<!DOCTYPE html>

<html>

<body>


<form method="POST">

    {% csrf_token %}


    <p>

        Student name:

        {{ form.name }}

    </p>


    <p>

        Sex:

        {{ form.gender }}

    </p>


    <p>

        Select course:

        {{ form.course }}

    </p>
```

```
    <p>
        Technical Coverage:
        {{ form.coverage }}
    </p>

    <p>
        Suggestion:<br>
        {{ form.suggestion }}
    </p>

    <button type="submit">Submit Form</button>

</form>

{% if message %}
    <p>{{ message }}</p>
{% endif %}

</body>
</html>
```

output:


127.0.0.1:8000/feedback/
http://127.0.0.1:8000/feedback/
Student name: Aditya Mathpal
Sex:
Male
Female
Select course: Unix,C,C++
Technical Coverage:
Excellent
Good
Average
Poor
Suggestion:
asdf
Submit Form


127.0.0.1:8000/feedback/
http://127.0.0.1:8000/feedback/
Student name: Aditya Mathpal
Sex:
Male
Female
Select course: Unix,C,C++
Technical Coverage:
Excellent
Good
Average
Poor
Suggestion:
asdf
Submit Form
Thanks Mr Aditya Mathpal for your feedback.