

Aditya Pankaj Mathpal

230905232

CSE C2 Roll No. 37

WP Lab 2

Home Assignments:

1. Design a webpage. The page contains:
 - a. Dropdown list with HP, Nokia, Samsung, Motorola, Apple as items.
 - b. Checkbox with Mobile and Laptop as items.Textbox where you enter quantity.
 - c. There is a button with text as 'Produce Bill'.On Clicking Produce Bill button, alert should be displayed with total amount.

Code:

```
<html>
<head>
  <title>Tech Store</title>

  <script src="../../jquery-3.7.1.min.js"></script>

  <style>
    body {
      font-family: Arial;
    }

    select,
    input[type="text"] {
      width: 200px;
      margin-bottom: 10px;
    }

    #receipt {
      margin-top: 20px;
      padding: 10px;
      width: 300px;
      border: 1px solid black;
    }
  </style>
</head>

<body>

  <h3>Product Selection</h3>
```

Brand:

```
<br>
<select id="brand">
  <option>HP</option>
  <option>Nokia</option>
  <option>Samsung</option>
  <option>Motorola</option>
  <option>Apple</option>
</select>

<br><br>

Product Type:
<br>
<input type="checkbox" class="item" value="Mobile"> Mobile
<br>
<input type="checkbox" class="item" value="Laptop"> Laptop

<br><br>

Quantity:
<br>
<input type="text" id="qty">

<br><br>

<button id="bill">Produce Bill</button>

<div id="receipt"></div>
```

```
<script>
$(function () {
  $("#bill").click(function () {

    let brand = $("#brand").val();
    let quantity = parseInt($("#qty").val());
    let total = 0;

    let prices = {
      "HP": { "Mobile": 15000, "Laptop": 55000 },
      "Nokia": { "Mobile": 12000, "Laptop": 45000 },
      "Samsung": { "Mobile": 40000, "Laptop": 80000 },
      "Motorola": { "Mobile": 13000, "Laptop": 48000 },
      "Apple": { "Mobile": 80000, "Laptop": 90000 }
    };

    let receipt = "<b>Bill Receipt</b><br>";
    receipt += "Brand: " + brand + "<br>";

    $(".item:checked").each(function () {
      let item = $(this).val();
      let price = prices[brand][item];
      receipt += item + " : " + price;
```

```

        receipt += " x" + quantity + "<br>";
        total += price;
    });

    total = total * quantity;

    receipt += "<br><b>Total Amount: " + total + "</b>";

    $("#receipt").html(receipt);
});
</script>

</body>
</html>

```

output:

Product Selection

Brand:

Product Type:
☒ Mobile
☒ Laptop

Quantity:

Bill Receipt
 Brand: Apple
 Mobile : 80000 x2
 Laptop : 90000 x2
Total Amount: 340000

2. Implement the bouncing ball using animate() function.

Code:

```
<html>
<head>
  <title>Bouncing Ball</title>

  <script src="../../jquery-3.7.1.min.js"></script>

  <style>
    #container {
      width: 400px;
      height: 300px;
      border: 2px solid black;
      position: relative;
      overflow: hidden;
    }

    #ball {
      width: 40px;
      height: 40px;
      background-color: red;
      border-radius: 50%;
      position: absolute;
      top: 0;
      left: 180px;
    }
  </style>
</head>

<body>

  <div id="container">
    <div id="ball"></div>
  </div>


  <script>
    $(function () {

      let ground = 260;
      let height = 260;
      let damping = 0.7;
      let time = 600;

      function fall() {
        $("#ball").animate(
          { top: ground + "px" },
          time,
          "swing",
          rise
        );
      }
    })
  </script>
</body>
</html>
```

```
function rise() {  
    height = height * damping;  
  
    if (height < 10) {  
        return;  
    }  
  
    $("#ball").animate(  
        { top: (ground - height) + "px" },  
        time,  
        "swing",  
        fall  
    );  
}  
  
fall();  
  
});  
</script>  
  
</body>  
</html>
```

output:



3. Write a web page which displays image and show the sliding text on the image.

Code:

```
<html>
<head>
  <title>Sliding Text on Image</title>

  <script src="../../jquery-3.7.1.min.js"></script>

  <style>
    #container {
      width: 400px;
      position: relative;
    }

    #container img {
      width: 330px;
    }

    #text {
      position: absolute;
      top: 100px;
      left: 200px;
      color: white;
      font-size: 12px;
      font-weight: bold;
      background-color: rgba(0, 0, 0, 0.7);
      padding: 10px;
    }
  </style>
</head>

<body>

  <div id="container">
    
    <div id="text">Welcome to My Page</div>
  </div>

  <script>
    $(function () {

      function slideText() {
        $("#text").animate(
          { left: "0px" },
          2000,
          function () {
            $("#text").delay(1000).animate(
              { left: "200px" },
              2000,
              slideText
            );
          }
        );
      }
    });
  </script>
</body>
</html>
```

```
    }  
    );  
}  
  
slideText();  
  
});  
</script>  
  
</body>  
</html>
```

output:

