

Aditya Pankaj Mathpal

230905232

CSE C2 Roll No. 37

WP Lab 1 Home Assignments

1

code:

```
<html>
<head>
<style>
    table, th, td {
        border: 1px solid black;
        border-collapse: collapse;
    }
    td {
        text-align: right;
    }
</style>
<title>
    Table
</title>
</head>
<body>
<table>
<colgroup>
    <col style="background-color:#FFE792; width:100px">
    <col style="background-color:#8FA8E0; width:150px">
    <col style="background-color:#AAD18E; width:125px">
</colgroup>
```

```

<tr style="background-color: #F80202;">
  <th>Country</th>
  <th colspan=2>Population (in Crores)</th>
</tr>

<tr>
  <th rowspan=3>INDIA</th>
  <td>1998</td>
  <td>85</td>
</tr>

<tr>
  <td>1999</td>
  <td>90</td>
</tr>

<tr>
  <td>2000</td>
  <td>100</td>
</tr>

<tr>
  <th rowspan=3>USA</th>
  <td>1998</td>
  <td>30</td>
</tr>

<tr>
  <td>1999</td>
  <td>35</td>
</tr>

<tr>
  <td>2000</td>
  <td>40</td>
</tr>

<tr>
  <th rowspan=3>UK</th>


```

```

        <td>1998</td>
        <td>25</td>
    </tr>
    <tr>
        <td>1999</td>
        <td>30</td>
    </tr>
    <tr>
        <td>2000</td>
        <td>35</td>
    </tr>
</table>
</body>
</html>

```

output:



The screenshot shows a web browser window with a single tab titled 'Table'. The address bar displays the file path: file:///wsl.localhost/Ubuntu/home/butter/codes/230905232/WP-Lab/lab01-HTML-and-CSS/home-assignments/1.html. The browser content shows a table with the following data:

Country	Population (in Crores)	
INDIA	1998	85
	1999	90
	2000	100
USA	1998	30
	1999	35
	2000	40
UK	1998	25
	1999	30
	2000	35

2

code:

```

<html>
<head>
<style>
    table, th, td {

```

```

    border: 1px solid black;
    border-collapse: collapse;
}
td {
    text-align: right;
}
</style>
<title>
    Table
</title>
</head>

<script>
const populationData = [
    { country: "INDIA", year: 1998, population: 85 },
    { country: "INDIA", year: 1999, population: 90 },
    { country: "INDIA", year: 2000, population: 100 },

    { country: "USA", year: 1998, population: 30 },
    { country: "USA", year: 1999, population: 35 },
    { country: "USA", year: 2000, population: 40 },

    { country: "UK", year: 1998, population: 25 },
    { country: "UK", year: 1999, population: 30 },
    { country: "UK", year: 2000, population: 35 }
];
</script>

<table id="populationTable">
<colgroup>
    <col style="background-color:#FFE792; width:100px">
    <col style="background-color:#8FA8E0; width:150px">

```

```

    <col style="background-color:#AAD18E; width:125px">
  </colgroup>
  <tr style="background-color: #F80202;">
    <th>Country</th>
    <th colspan=2>Population (in Crores)</th>
  </tr>
  <tbody>

  </tbody>
</table>

<script>
  const countryCounts = {};

  populationData.forEach(item => {
    countryCounts[item.country] = (countryCounts[item.country] || 0) + 1;
  });

  const tableBody = document.querySelector("#populationTable tbody");

  let lastCountry = null;

  populationData.forEach(item => {
    const row = document.createElement("tr");

    if (item.country !== lastCountry) {
      row.innerHTML = `
        <th rowspan="${countryCounts[item.country]}">${item.country}</th>
        <td>${item.year}</td>
        <td>${item.population}</td>
      `;
      lastCountry = item.country;
    }
    tableBody.appendChild(row);
  });

```

```

    } else {
        row.innerHTML = `
            <td>${item.year}</td>
            <td>${item.population}</td>
        `;
    }

    tableBody.appendChild(row);
});
</script>

</html>

```

output:

Country			Population (in Crores)	
INDIA	1998		85	
	1999		90	
	2000		100	
USA	1998		30	
	1999		35	
	2000		40	
UK	1998		25	
	1999		30	
	2000		35	