



NAP INFINITY

Smart Acoustic Privacy Solutions

SOUND MASKING SYSTEM

Enhancing Privacy. Improving Productivity.

Our Sound Masking System introduces a soft, engineered background sound that reduces speech intelligibility and creates a more comfortable acoustic environment.



IMPROVE SPEECH PRIVACY

Reduces speech intelligibility



REDUCE DISTRACTIONS

Minimizes unwanted conversations



ENHANCE PRODUCTIVITY

Helps employees focus better



BETTER ACOUSTIC COMFORT

Creates a balanced acoustic environment

POWER AMPLIFIER / CONTROLLER

- Single Channel Controller
- Single Sensor Input for Automatic Level Control
- Built-in 2 Channel Power Amplifier
- Rated Power: 100 W + 100 W @ 100V
- Load Capacity: Up to 15 x 6W Speakers on Single Channel (90W Load)
- DSP Based Sound Masking
- Ethernet for Configuration
- 230V AC Operation

CEILING LOUDSPEAKER



- 6W Rated Power @ 100V
- Wide Dispersion for Uniform Coverage
- Frequency Response: 80 Hz – 18 kHz
- High Speech & Sound Clarity
- Flush Mount Ceiling Speaker
- Spring Clamp Installation
- Color: White (RAL 9010)

AMBIENT NOISE SENSOR (Inside Smoke Detector Case)



- Self-developed Ambient Noise Sensor
- Installed Inside Smoke Detector Case
- Measures Background Noise Level
- Automatic Level Control
- Communicates with Controller
- Discreet & Aesthetic Installation

SYSTEM CONFIGURATION

- Single Zone
- 1 x Ambient Noise Sensor
- 1 x Speaker Circuit Output
- Up to 15 x 6W Ceiling Loudspeakers on Single Channel
- Total Load: 90W (Within 100W Channel Rating)
- Amplifier Output: 2 x 100W @ 100V

KEY FEATURES

- Automatic adjustment based on background noise
- Improves speech privacy
- Enhances acoustic comfort
- Easy to install and configure
- Energy efficient system
- Suitable for retrofit and new installations

APPLICATIONS

- Open Plan Offices
- Conference & Meeting Rooms
- Call Centres
- Executive Cabins
- Healthcare Facilities
- Educational Institutions
- Banks & Financial Institutions



NAP Infinity Sound Masking Controller with Integrated Amplifier

Description

The NAP Infinity Sound Masking Controller is a single-zone digital sound masking controller designed to generate an optimized masking spectrum for improving speech privacy and reducing workplace distractions. The controller features an integrated 2 × 100 W Class-D amplifier, DSP-based signal processing, and supports connection of an intelligent ambient noise sensor for Automatic Level Control (ALC). The controller continuously adjusts the masking level based on real-time background noise, ensuring consistent acoustic comfort without manual intervention.

Technical Specifications

Parameter	Specification
Product Type	Digital Sound Masking Controller
Audio Processing	32-bit DSP
Masking Signal	Digitally Generated Broadband Sound Masking
Zones	Single Zone
Sensor Input	1 Ambient Noise Sensor
Automatic Level Control	Yes
Audio Output	Single Masking Output Channel
Power Amplifier	Integrated Class-D Stereo Amplifier
Rated Output Power	2 × 100 W RMS @ 100V Line
Speaker Load	Up to 15 × 6 W ceiling speakers on one channel (90 W load)
Frequency Response	100 Hz – 10 kHz (Masking Optimized)
Equalizer	Digital Multi-band EQ
Network Interface	Ethernet (RJ45)
USB	Yes
Control Software	PC/Web Based Configuration
Indicators	Power
Power Supply	230 VAC ±10%, 50/60 Hz
Operating Temperature	0°C to +45°C
Mounting	Rack / Wall Mount

Description

The NAP Infinity Ceiling Sound Masking Speaker is a high-performance 100 V line ceiling loudspeaker specifically designed for sound masking applications. It delivers a uniform and precisely controlled masking sound spectrum to improve speech privacy, reduce workplace distractions, and enhance acoustic comfort in commercial environments. Featuring a wide sound dispersion pattern, integrated 100 V line transformer with multiple power taps, and a flush ceiling-mount design, the speaker ensures discreet installation and consistent acoustic coverage throughout the protected area. It is optimized for use with the NAP Infinity Networked Sound Masking System and is suitable for offices, meeting rooms, healthcare facilities, educational institutions, and other commercial spaces.

Technical Specifications

Parameter	Specification
Product Name	NAP Infinity Ceiling Sound Masking Speaker
Speaker Type	100 V Line Ceiling Loudspeaker
Driver Size	6-inch Dual Cone Full-Range
Rated Power	6 W
Maximum Power	9 W
Transformer Taps	6 W / 3 W / 1.5 W
Rated Voltage	100 V Line
Frequency Response	80 Hz – 18 kHz
Sensitivity	86 dB (1 W / 1 m)
Maximum SPL	94 dB
Dispersion Angle	175° @ 1 kHz
Mounting Type	Flush Ceiling Mount
Mounting Method	Spring Clamp
Housing Material	Steel Grille with ABS Frame
Colour	White (RAL 9010)
Application	Sound Masking & Background Audio

Description

The NAP Infinity Ambient Noise Sensor is an intelligent microphone-based sensor developed by Sound of Silence Acoustic Solutions LLP. The sensor continuously monitors the ambient background noise level within the protected area and communicates with the NAP Infinity Controller. Using Automatic Level Control (ALC), the controller automatically increases or decreases the sound masking level to maintain optimum speech privacy while ensuring occupant comfort.

Technical Specifications

Parameter	Specification
Product Type	Digital Ambient Noise Sensor
Function	Real-Time Ambient Noise Monitoring
Measurement Range	35–90 dBA
Measurement Resolution	0.1 dB
Accuracy	±1 dB
Frequency Weighting	A-weighted
Communication	RS-485
Response Time	<30 second
Automatic Level Control	Supported
Power Supply	24 VDC
Current Consumption	<50 mA
Operating Temperature	0°C to +45°C
Mounting	Ceiling

System Capacity

Parameter	Specification
Number of Zones	1
Number of Sensors	1
Number of Speaker Lines	1
Maximum Speaker Load	15 × Bosch LHM 0606/10 (6 W)
Total Connected Load	90 W
Amplifier Capacity	100 W per Channel
Spare Headroom	10 W

NAP Infinity

Smart Acoustic Privacy Solutions

Designed & Manufactured by NAP Infinity

Advanced Sound Masking Systems engineered to enhance speech privacy, improve workplace productivity, and create acoustically comfortable environments.

Marketing, Installation & Technical Support

Sound of Silence Acoustic Solutions LLP

Acoustic Consulting | Noise Control | Sound Masking Systems

We provide complete acoustic solutions including system design, acoustic assessment, supply, installation, commissioning, and post-installation support for sound masking projects across India

Our Services

- Sound Masking System Design & Deployment
 - Acoustic Testing & Measurements
 - Speech Privacy Assessment
 - Noise Control Solutions
 - Reverberation Time Analysis
 - Corporate & Commercial Acoustic Consulting
-

Get in Touch

 **Mobile:** +91 89288 68742

 **Email:** info@soundofsilence.in

 **Website:** www.soundofsilence.in

 **Service Coverage:** PAN India