```
Aim: WAP that demonstrate different events and effects using jquery.
Input:
<!DOCTYPE html>
<html>
<head>
       <title>Jquery events and Effects</title>
       <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
       <script type="text/javascript" src="jquery.js"></script>
</head>
<body>
       <h1>Events</h1>
< 0 |>
       <h2>click(click the below image.)</h2>
       <img src="blender.png" name="click">
       <h2>double click(double click the below image.)</h2>
       <img src="blender.png" name="dblc">
       <h2>mouse enter(Enter your cursor into the below image.)</h2>
       <img src="blender.png" name="mouseenter">
       <h2>mouse leave(Enter your cursor into the below image and then leave.)</h2>
       <img src="blender.png" name="mouseleave">
       <h2>mouse down(Click anywhere ON the image.)</h2>
       <img src="blender.png" name="mousedown">
       <h2>mouse up(Click anywhere ON the image.)</h2>
       <img src="blender.png" name="mouseup">
       <h2>hover(Hover on the image.)</h2>
       <img src="blender.png" name="hover">
```

```
<h2>Focus(Click on given input below.)</h2>
       <input type="text" name="focus">
       <h2>Blur(Click on given input below.)</h2>
       <input type="text" name="blur">
       <h2>ON(Click on the image.)</h2>
       <img src="blender.png" name="on">
<br>
<br>
<br>
<br>
<h1>Effects</h1>
<0|>
       <h2>Hide / Show</h2>
       <img src="blender.png" name="hideshow">
       <button name="hide">Hide</button>
       <button name="show">Show</button>
       <h2>Toggle</h2>
       <img src="blender.png" name="toggle">
       <button name="toggle">Click to toggle the image.</button>
       <h2>Fade In/Out</h2>
       <img src="blender.png" name="img1">
       <img src="blender.png" name="img2">
       <img src="blender.png" name="img3">
       <button name="fadein">Fade In</button>
       <button name="fadeout">Fade Out</button>
```

```
<h2>Toggle</h2>
<img src="blender.png" name="img4">
<img src="blender.png" name="img5">
<img src="blender.png" name="img6">
<button name="toggle_img">Toggle The Image</button>
<h2>Fade To</h2>
<img src="blender.png" name="img7">
<img src="blender.png" name="img8">
<img src="blender.png" name="img9">
<button name="fadeto">Fade the Image</button>
<h2>Slide Down</h2>
<img src="blender.png" name="slidedown" style="display: none;"><br>
<button name="slidedown">Click to slide down the image.</button>
<h2>Slide Up</h2>
<img src="blender.png" name="slideup" ><br>
<button name="slideup">Click to slide up the image.</button>
<h2>Slide Toggle</h2>
<img src="blender.png" name="slidetoggle" ><br>
<button name="slidetoggle">Click to slideToggle the image.</button>
<h2>Animate</h2>
<img src="blender.png" name="animate" style="position: relative;"><br>
<button name="animate">Click to view animation of the image.</button>
<h2>Stop</h2>
<img src="blender.png" name="stop" style="display: none;">
<button name="play">Click to Start</button>
<button name="stop">Click to Stop</button>
```

```
<h2>Chaining</h2>
      <img src="blender.png" name="chain">
      <button name="chain">Click this Button</button>
</body>
</html>
Javascript:
```

\$(document).ready(function(){

\$("img[name='click']").click(function(){

```
$(this).hide();
});
});
$(document).ready(function(){
$("img[name='dblc']").dblclick(function(){
  $(this).hide();
});
});
$(document).ready(function(){
 $("img[name='mouseenter']").mouseenter(function(){
  alert("You have entered the image.");
});
});
$(document).ready(function(){
 $("img[name='mouseleave']").mouseleave(function(){
  alert("You have left the image.");
});
});
$(document).ready(function(){
$("img[name='mousedown']").mousedown(function(){
  alert("Mouse down over the image.");
});
});
$(document).ready(function(){
$("img[name='mouseup']").mouseup(function(){
  alert("Mouse up over the image.");
});
```


```
});
$(document).ready(function(){
 $("img[name='hover']").hover(function(){
  alert("You entered the image.");
 },
 function(){
  alert("You have left the image.");
 });
});
$(document).ready(function(){
 $("input[name='focus']").focus(function(){
  $(this).css("background-color","green");
 });
 });
$(document).ready(function(){
$("input[name='blur']").blur(function(){
  $(this).css("background-color", "red");
 });
});
$(document).ready(function(){
 $("img[name='on']").on("click", function(){
  $(this).hide();
 });
});
$(document).ready(function(){
 $("button[name='hide']").click(function(){
```

```
$("img[name='hideshow']").hide();
});
 $("button[name='show']").click(function(){
  $("img[name='hideshow']").show();
});
});
$(document).ready(function(){
 $("button[name='toggle']").click(function(){
  $("img[name='toggle']").toggle();
});
});
$(document).ready(function(){
 $("button[name='fadein']").click(function(){
  $("img[name='img1']").fadeIn();
  $("img[name='img2']").fadeIn("slow");
  $("img[name='img3']").fadeIn(3000);
 });
 $("button[name='fadeout']").click(function(){
  $("img[name='img1']").fadeOut();
  $("img[name='img2']").fadeOut("slow");
  $("img[name='img3']").fadeOut(3000);
});
});
$(document).ready(function(){
 $("button[name='toggle_img']").click(function(){
  $("img[name='img4']").fadeToggle();
  $("img[name='img5']").fadeToggle("slow");
  $("img[name='img6']").fadeToggle(3000);
});
```

```
});
$(document).ready(function(){
 $("button[name='fadeto']").click(function(){
  $("img[name='img7']").fadeTo("slow",0.15);
  $("img[name='img8']").fadeTo("slow",0.4);
  $("img[name='img9']").fadeTo("slow",0.7);
 });
 });
$(document).ready(function(){
 $("button[name='slidedown']").click(function(){
  $("img[name='slidedown']").slideDown("slow");
 });
});
$(document).ready(function(){
 $("button[name='slideup']").click(function(){
  $("img[name='slideup']").slideUp("slow");
 });
});
$(document).ready(function(){
 $("button[name='slidetoggle']").click(function(){
  $("img[name='slidetoggle']").slideToggle("slow");
 });
});
$(document).ready(function(){
 $("button[name='animate']").click(function(){
  $("img[name='animate']").animate({left: '250px'});
 });
```

```
});
$(document).ready(function(){
 $("button[name='play']").click(function(){
  $("img[name='stop']").slideDown(5000);
 });
 $("button[name='stop']").click(function(){
  $("img[name='stop']").stop();
 });
});
$(document).ready(function(){
 $("button[name='callback']").click(function(){
  $("img[name='callback']").hide("slow", function(){
   alert("The image is now hidden");
  });
 });
});
$(document).ready(function(){
 $("button[name='chain']").click(function(){
  ("img[name='chain']").css({opacity: 0.5}).slideUp(2000).slideDown(2000);
 });
});
```





```
Aim: Perform form validation using jquery.
Input:
Html and Css:
<!DOCTYPE html>
<html>
<head>
<title>Jq Form Validation</title>
</head>
<script type="text/javascript" src="formvalidatejquery.js"></script>
<style type="text/css">
 @import url("https://fonts.googleapis.com/css?family=Open+Sans");
/* Styles */
* {
margin: 0;
padding: 0;
}
body {
font-family: "Open Sans";
font-size: 14px;
}
.container {
width: 500px;
margin: 25px auto;
}
form {
padding: 20px;
background: #2c3e50;
```

```
color: #fff;
 -moz-border-radius: 4px;
 -webkit-border-radius: 4px;
 border-radius: 4px;
}
form label,
form input,
form button {
 border: 0;
 margin-bottom: 3px;
 display: block;
 width: 100%;
}
form input {
 height: 25px;
 line-height: 25px;
 background: #fff;
 color: #000;
 padding: 0 6px;
 -moz-box-sizing: border-box;
 -webkit-box-sizing: border-box;
 box-sizing: border-box;
}
form button {
 height: 30px;
 line-height: 30px;
 background: #e67e22;
 color: #fff;
 margin-top: 10px;
 cursor: pointer;
}
form .error {
```

```
color: #ff0000;
}
</style>
<body>
 <div class="container">
<h2>Registration</h2>
 <form action="" name="registration">
  <center>
  <label for="firstname">First Name</label>
  <input type="text" name="firstname" id="firstname" placeholder="Varshil" required />
  <label for="lastname">Last Name</label>
  <input type="text" name="lastname" id="lastname" placeholder="Patel" required />
  <label for="email">Email</label>
  <input type="email" name="email" id="email" placeholder="varshilpatel@email.com" required />
  <label for="password">Password</label>
  <input type="password" name="password" id="password"
placeholder="●●●●" required />
  <button type="submit">Register</button>
</center>
</form>
</div>
</body>
</html>
Javascript:
$(function() {
```

```
$("form[name='registration']").validate({
 rules: {
  firstname: "required",
  lastname: "required",
  email: {
   required: true,
   email: true
  },
  password: {
   required: true,
   minlength: 5
  }
 },
 messages: {
  firstname: "Please enter your firstname",
  lastname: "Please enter your lastname",
  password: {
   required: "Please provide a password",
   minlength: "Your password must be at least 5 characters long"
  },
  email: "Please enter a valid email address"
 },
 submitHandler: function(form) {
  form.submit();
 }
});
```

Output:

Registration

- G		
	First Name	
Varshil		
	Last Name	
Patel		
	Email	
varshilpatel@email.co	m	
	Password	
••••		
	Dogietor	
	Register	