1. Create a registration form(include username and password field) and store information to the data base when user submits the data.

Input:

Index.PHP


```
<ht.ml>
<head>
<title> Registration Page </title>
<link rel = "stylesheet" type = "text/css" href = "Style Register.css">
<script>
function check()
var name = document.getElementById("fname").value;
var mail = document.getElementById("email").value;
var id = document.getElementById("user").value;
var passwd = document.getElementById("pass").value;
var passwd1 = document.getElementById("pass1").value;
if (id.length == "" && passwd.length == "" && passwd1.length == ""
&& name.length == "" && mail.length == "")
alert("Fill All The Fields.");
return false;
else
if (passwd != passwd1)
alert("Password In Confirm Password Field Didn't Matched With Password Fi
eld.");
return false;
if (id.length == "")
alert("Kindly Enter User Name.");
return false;
if (passwd.length == "")
alert("Kindly Enter Password.");
return false;
if (name.length == "")
alert("Kindly Enter FirstName.");
```

```
return false;
 } if (mail.length == "")
 alert("Kindly Enter Email.");
 return false;
 </script>
</head>
<body style="background-color: #c8c8c8">
 <font style = "font-family: 'Courier New', Courier, monospace; ">
 <div id = "form">
 <h1> Register </h1>
 <form name = "registration" action = "datafill.php" onsu</pre>
bmit = "return check()" method = "POST">
 <label><b style="background-color: chartreuse; border-</pre>
radius: 15px"> Enter FirstName: </b></label>&nbsp;&nbsp;&nbsp;
 <input type = "text" id ="fname" name = "fname" autocompl</pre>
ete = "off"><br><br>
<label><b style="background-color: chartreuse; border-</pre>
radius: 15px"> Enter LastName: </b></label>&nbsp;&nbsp;&nbsp;&nbsp;
 <input type = "text" id ="lname" name = "lname" autocompl</pre>
ete = "off"><br><br>
 <label><b style="background-color: chartreuse; border-</pre>
radius: 15px"> Enter Contact: </b></label>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<input type = "text" id ="contact" name = "contact" autoc</pre>
omplete = "off"><br><br><br>
 <button type = "submit" id = "button" style="fontfamily: 'Courier New', C</pre>
ourier, monospace;"><b> Register </b></button><br><br>
<hr>
 </form>
 </div>
</font>
 </center>
</html>
```


Datafill.php

```
<html>
<head>
<title> RedirectedPage </title>
</head>
<h1> Confirmation </h1><br>
<?php
$first = $ POST["fname"];
$last = $_POST["lname"];
$contact = $_POST["contact"];
echo "FirstName: " .$first. "<br>";
echo "LastName: " .$last. "<br>";
echo "Contact: " .$contact. "<br>>";
if(isset($_POST['confirm'])){
                                $con = mysql_connect('localhost','root',''
 or die(mysql_error());
                                mysql_select_db('register') or die("cannot
select DB");
                                $query=mysql_query("SELECT * FROM register
c WHERE FirstName='".$first."'");
                                $numrows=mysql num rows($query);
                                if($numrows==0)
                                        $sql="INSERT INTO registerc(FirstN
ame,LastName,Contact) VALUES('$first','$last', $contact)";
                                        $result=mysql_query($sql);
                                        if($result){
                                            echo '<script>alert("Your Acco
unt is Successfully Created");</script>';
                                        else{
       echo "not";
```

Output:







2. Create Login page and perform authentication using Mysql and php.

Input:

Index.php

```
<input id="tab-2" type="radio" name="tab" class="sign-</pre>
up"><label for="tab-2" class="tab">Sign Up</label>
        <div class="login-form">
            <div class="sign-in-htm">
                <div class="group">
                    <label for="user" class="label">User Email</label>
                    <input id="email" type="text" class="input" name="emai</pre>
1">
                </div>
                <div class="group">
                    <label for="pass" class="label">Password</label>
                    <input id="password" type="password" class="input" dat</pre>
a-type="password" name="password">
                </div>
                <div class="group">
                    <button id="signIn" type="submit" class="button" value</pre>
="Sign In" name="signin" >Sign In</button>
                </div>
                <div class="hr"></div>
                <div class="foot-lnk">
                    <a href="PHPMailer-master/index.php">Forgot Password?
</a>
                </div>
            </div>
            </form>
            <?php
if(isset($ POST["signin"])){
if(!empty($ POST['email']) && !empty($ POST['password'])) {
    $user=$ POST['email'];
    $pass=$ POST['password'];
    $con=mysql connect('localhost','root','') or die(mysql error());
   mysql select db('practical') or die("cannot select DB");
    $query=mysql query("SELECT * FROM login WHERE useremail='".
$user."' AND password='".$pass."'");
    $numrows=mysql num rows($query);
    if($numrows!=0)
```

```
while($row=mysql_fetch_assoc($query))
   $dbuseremail=$row['useremail'];
   $dbpassword=$row['password'];
   if($user == $dbuseremail && $pass == $dbpassword)
   echo '<script>alert("Login Successful")</script>';
   } else {
   echo '<script>alert("Username or Password is incorrect!!!");
script>';
} else {
   echo '<script>alert("Please fill all the details!!!");</script>';
           <form method="POST" action="">
```

<div class="sign-up-htm">

```
<div class="group">
                    <label for="pass" class="label" >Email Address</label>
                    <input id="email" type="email" class="input" name="sem</pre>
ail">
                </div>
                <div class="group">
                    <label for="pass" class="label">Password</label>
                    <input id="password" type="password" class="input" dat</pre>
a-type="password" name="spassword" required>
                </div>
                <div class="group">
                    <label for="cpass" class="label">Confirm Password
label>
                    <input id="cpasswordid" type="password" class="input"</pre>
data-type="password" name="confirmpassword" required>
                </div>
                <div class="group">
                    <button id="signUp" type="submit" class="button" name=</pre>
"signup">Sign Up</button>
                </div>
                <?php
                        if(isset($_POST["signup"])){
                            if($ POST['spassword'] !
= $ POST['confirmpassword'])
                                 echo '<script>alert("The passwords do not
match.");</script>';
                        else{
                             if(!empty($_POST['semail']) && !
empty($ POST['spassword']))
                                 $user=$ POST['semail'];
                                 $pass=$_POST['spassword'];
                                 $con = mysql_connect('localhost','root',''
 or die(mysql error());
                                 mysql select db('practical') or die("canno
t select DB");
                                 $query=mysql_query("SELECT * FROM login WH
ERE useremail='".$user."'");
```

```
$numrows=mysql_num_rows($query);
                               if($numrows==0)
                                       $sql="INSERT INTO login(useremail,
$result=mysql_query($sql);
                                       if($result){
                                          echo '<script>alert("Your Acco
unt is Successfully Created");</script>';
                                       } else {
                                       echo '<script>alert("Your Account
was not Created due to some error, please try after some time and if the p
roblem persists, then you can contact me using 20124078@nuv.ac.in");</
script>';
                               } else {
                                   echo '<script>alert("That username alr
eady exists! Please try again with another.");</script>';
                               } else {
                               echo '<script>alert("All fields are requir
ed!");</script>';
                       }
               <div class="hr"></div>
               <div class="foot-lnk">
                   <label for="tab-1">Already Member?</a>
               </div>
           </div>
       </div>
   </div>
</form>
<!-- partial -->
</html>
```

Index.css

```
body{
    margin:0;
    color:#6a6f8c;
    background:#0004f38a;
    font:600 16px/18px 'Open Sans',sans-serif;
}
*,:after,:before{box-sizing:border-box}
.clearfix:after,.clearfix:before{content:'';display:table}
.clearfix:after{clear:both;display:block}
a{color:inherit;text-decoration:none}
.login-wrap{
    width:100%;
```

```
margin:auto;
   max-width:525px;
   min-height:670px;
   position:relative;
    /*background:url(https://upload.wikimedia.org/wikipedia/en/0/0d/
Avengers Endgame poster.jpg;) no-repeat center;*/
   background-size: cover;
    /*box-
shadow:0 12px 15px 0 rgba(0,0,0,.24),0 17px 50px 0 rgba(0,0,0,.19);*/
.login-html{
   width:100%;
   height:100%;
   position:absolute;
   padding:90px 70px 50px 70px;
    /*background:rgba(0,0,0,0.7);*/
login-html .sign-in-htm,
.login-html .sign-up-htm{
   top:0;
   left:0;
   right:0;
   bottom:0;
   position:absolute;
   transform:rotateX(180deg);
    -webkit-backface-visibility:hidden;
            backface-visibility:hidden;
   transition:all .4s linear;
.login-html .sign-in,
login-html .sign-up,
.login-form .group .check{
   display:none;
.login-html .tab,
.login-form .group .label,
.login-form .group .button{
   text-transform:uppercase;
.login-html .tab{
   font-size:22px;
   margin-right:15px;
   padding-bottom:5px;
   margin:0 15px 10px 0;
   display:inline-block;
```

```
border-bottom: 2px solid transparent;
.login-html .sign-in:checked + .tab,
.login-html .sign-up:checked + .tab{
   color:#fff;
   border-color: chartreuse;
.login-form{
   min-height:345px;
   position:relative;
   perspective:1000px;
   transform-style:preserve-3d;
.login-form .group{
   margin-bottom:15px;
.login-form .group .label,
.login-form .group .input,
.login-form .group .button{
   width:100%;
   color:#fff;
   display:block;
.login-form .group .input,
.login-form .group .button{
   border:none;
   padding:15px 20px;
   border-radius:25px;
   background:rgb(226, 222, 12);
.login-form .group input[data-type="password"]{
   text-security:circle;
   -webkit-text-security:circle;
.login-form .group .label{
   color:#aaa;
   font-size:12px;
.login-form .group .button{
   background: chartreuse;
.login-form .group label .icon{
   width:15px;
   height:15px;
   border-radius:2px;
```

```
position:relative;
   display:inline-block;
   background:rgba(255,255,255,.1);
login-form .group label .icon:before,
.login-form .group label .icon:after{
   content: '';
   width:10px;
   height:2px;
   background: #fff;
   position:absolute;
   transition:all .2s ease-in-out 0s;
.login-form .group label .icon:before{
   left:3px;
   width:5px;
   bottom:6px;
   transform:scale(0) rotate(0);
.login-form .group label .icon:after{
   top:6px;
   right:0;
   transform:scale(0) rotate(0);
.login-form .group .check:checked + label{
   color:#fff;
.login-form .group .check:checked + label .icon{
   background:#1161ee;
.login-form .group .check:checked + label .icon:before{
   transform:scale(1) rotate(45deg);
.login-form .group .check:checked + label .icon:after{
   transform:scale(1) rotate(-45deg);
.login-html .sign-in:checked + .tab + .sign-up + .tab + .login-form .sign-
in-htm{
   transform:rotate(0);
.login-html .sign-up:checked + .tab + .login-form .sign-up-htm{
   transform:rotate(0);
.hr{
```

```
height:2px;
margin:60px 0 50px 0;
background:rgba(255,255,255,.2);
}
.foot-lnk{
   text-align:center;
   color: chartreuse;
}
```

Output:

