

# test\_suite\_for\_orange\_hrm\_with\_mail\_automation

## Execution Environment

Host name	DELL - host.docker.internal
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 127.0.0.0
Device name	

## Summary

ID	Test Suites/test_suite_for_orange_hrm_with_mail_automation		
Description	test_suite_for_orange_hrm_with_mail_automation		
Total	8		
Passed	8	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	10-08-2024 19:52:27	End	10-08-2024 19:54:18
Elapsed	1m - 50.252s		

#	ID	Description	Status
1	Test Cases/LOGIN_TEST_CASE_FOR_ORANGE_HRM	LOGIN_TEST_CASE_FOR_ORANGE_HRM	PASSED
2	Test Cases/ADDING_A_NEW_EMPLOYEE		PASSED
3	Test Cases/logout_testcase		PASSED
4	Test Cases/Test_case_to_mail_new_employee_login_creds	a mail will send the new employee login creds	PASSED
5	Test Cases/test_case_to_reterive_the_login_creds_from_mail	theis test will allow the user to reterve login creds from the mail so that user can login with new creds	PASSED
6	Test Cases/login_using_new_creds		PASSED
7	Test Cases/test_case_to_verify_data		PASSED
8	Test Cases/TEST_CASE_TO_UPLOAD_PROFILE_PICTURE		PASSED

# LOGIN\_TEST\_CASE\_FOR\_ORANGE\_HRM

## Information

ID	Test Cases/LOGIN_TEST_CASE_FOR_ORANGE_HRM		
Description	LOGIN_TEST_CASE_FOR_ORANGE_HRM		
Tag			
Start	10-08-2024 19:52:28	End	10-08-2024 19:52:50
Elapsed	22.409s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.444s	PASSED
2	maximizeWindow()  Current window maximized	0.077s	PASSED
3	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")  Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully	14.614s	PASSED
4	verifyElementPresent(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page"), 10)  Object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page' is present	0.900s	PASSED
5	click(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page"))  Object: 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page' is clicked on	0.354s	PASSED

# LOGIN\_TEST\_CASE\_FOR\_ORANGE\_HRM

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page"), "Admin")  Text 'Admin' is set on object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page'	0.642s	PASSED
7	verifyElementPresent(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page"), 10)  Object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page' is present	0.281s	PASSED
8	click(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page"))  Object: 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page' is clicked on	0.306s	PASSED
9	setText(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page"), "admin123")  Text 'admin123' is set on object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page'	0.592s	PASSED
10	verifyElementPresent(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page"), 0)  Object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page' is present	0.278s	PASSED
11	click(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page"))  Object: 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page' is clicked on	1.407s	PASSED

# ADDING\_A\_NEW\_EMPLOYEE

## Information

ID	Test Cases/ADDING_A_NEW_EMPLOYEE		
Description			
Tag			
Start	10-08-2024 19:52:50	End	10-08-2024 19:53:16
Elapsed	25.901s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("ADDING_A_NEW_EMPLOYEE/pim_option_from_side_bar"), 10)  Object 'Object Repository/ADDING_A_NEW_EMPLOYEE/pim_option_from_side_bar' is present	1.037s	PASSED
2	click(findTestObject("ADDING_A_NEW_EMPLOYEE/pim_option_from_side_bar"))  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/pim_option_from_side_bar' is clicked on	1.185s	PASSED
3	waitForElementPresent(findTestObject("ADDING_A_NEW_EMPLOYEE/adding_new_employee_button_in_pim_page"), 10)  Object 'Object Repository/ADDING_A_NEW_EMPLOYEE/adding_new_employee_button_in_pim_page' is present	1.510s	PASSED
4	click(findTestObject("ADDING_A_NEW_EMPLOYEE/adding_new_employee_button_in_pim_page"))  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/adding_new_employee_button_in_pim_page' is clicked on	0.799s	PASSED
5	verifyElementPresent(findTestObject("ADDING_A_NEW_EMPLOYEE/create_login_details_checkbox"), 10)  Object 'Object Repository/ADDING_A_NEW_EMPLOYEE/create_login_details_checkbox' is present	1.322s	PASSED

# ADDING\_A\_NEW\_EMPLOYEE

#	Description	Elapsed	Status
6	click(findTestObject("ADDING_A_NEW_EMPLOYEE/create_login_details_checkbox"))  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/create_login_details_checkbox' is clicked on	0.330s	PASSED
7	verifyElementPresent(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_enabled_radio_button"), 10)  Object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_enabled_radio_button' is present	0.508s	PASSED
8	click(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_enabled_radio_button"))  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_enabled_radio_button' is clicked on	0.321s	PASSED
9	verifyElementPresent(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name"), 10)  Object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name' is present	0.278s	PASSED
10	click(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name"))  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name' is clicked on	0.343s	PASSED
11	setText(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name"), "First_name_" + RandomStringUtils.randomAlphabetic(6))  Text 'First_name_nitmlc' is set on object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name'	0.674s	PASSED
12	verifyElementPresent(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name"), 10)  Object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name' is present	0.268s	PASSED

# ADDING\_A\_NEW\_EMPLOYEE

#	Description	Elapsed	Status
13	<code>click(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name"))</code>  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name' is clicked on	0.301s	PASSED
14	<code>setText(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name"), "Middle_name_" + RandomStringUtils.randomAlphabetic(6))</code>  Text 'Middle_name_gwcJhE' is set on object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name'	0.624s	PASSED
15	<code>verifyElementPresent(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name"), 10)</code>  Object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name' is present	0.285s	PASSED
16	<code>click(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name"))</code>  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name' is clicked on	0.304s	PASSED
17	<code>setText(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name"), "Last_name_" + RandomStringUtils.randomAlphabetic(6))</code>  Text 'Last_name_GIJhPB' is set on object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name'	0.594s	PASSED
18	<code>randomString_001 = RandomStringUtils.randomNumeric(6)</code>	0.002s	PASSED
19	<code>newValue_001 = "333" + randomString_001</code>	0.003s	PASSED

## ADDING\_A\_NEW\_EMPLOYEE

#	Description	Elapsed	Status
20	<code>xpath_for_employee_id = "//label[text()='Employee Id']/ancestor::div[@class='oxd-input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input--active']"</code>	0.001s	PASSED
21	<code>inputField_001 = TestObject().addProperty("xpath", EQUALS, xpath_for_employee_id)</code>	0.019s	PASSED
22	<pre>executeJavaScript(   var element = document.evaluate("\$xpath_for_employee_id", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = '\$newValue_001';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   }   , null)</pre> <p>Execute JavaScript '</p> <pre>  var element = document.evaluate("//label[text()='Employee Id']/ancestor::div[@class='oxd-input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input--active']", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = '333190021';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   }   'successfully</pre>	0.076s	PASSED
23	<code>delay(3)</code>  Delayed 3 second(s)	3.030s	PASSED
24	<code>randomString_for_password = RandomStringUtils.randomNumeric(4)</code>	0.004s	PASSED
25	<code>new_Value_for_password = "Fiboo" + randomString_for_password + "@@@"</code>	0.004s	PASSED

# ADDING\_A\_NEW\_EMPLOYEE

#	Description	Elapsed	Status
26	<code>xpath_for_password = "//label[text()='Username']/ancestor::div[@class='oxd-input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input--active']"</code>	0.002s	PASSED
27	<code>inputField_for_password = TestObject().addProperty("xpath", EQUALS, xpath_for_password)</code>	0.003s	PASSED
28	<pre>executeJavaScript(   var element = document.evaluate("\$xpath_for_password", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = '\$new_Value_for_password';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   } , null)</pre> <p>Execute JavaScript '</p> <pre>  var element = document.evaluate("//label[text()='Username']/ancestor::div[@class='oxd-input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input--active']", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = 'Fiboo3941 @@';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   } ' successfully</pre>	0.019s	PASSED
29	<code>delay(1)</code>  Delayed 1 second(s)	1.009s	PASSED
30	<code>Password = getAttribute(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_username"), "value")</code>  Attribute 'value' of object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_username' is: 'Fiboo3941 @@'	0.434s	PASSED
31	<code>out.println&gt;Password)</code>	0.020s	PASSED



## ADDING\_A\_NEW\_EMPLOYEE

#	Description	Elapsed	Status
32	new_Value_for_password_001 = Password	0.001s	PASSED
33	xpath_for_password_001 = "//label[text()='Password']/ancestor::div[@class='oxd-input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input--active']"	0.001s	PASSED
34	inputField_for_password_001 = TestObject().addProperty("xpath", EQUALS, xpath_for_password_001)	0.001s	PASSED
35	<pre>executeJavaScript(   var element = document.evaluate("\$xpath_for_password_001", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = '\$new_Value_for_password_001';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   } , null)</pre> <p>Execute JavaScript '</p> <pre>  var element = document.evaluate("//label[text()='Password']/ancestor::div[@class='oxd- input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input- active']", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = 'Fiboo3941 @@';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   } ' successfully</pre>	0.020s	PASSED
36	<pre>delay(1)</pre> <p>Delayed 1 second(s)</p>	1.018s	PASSED
37	new_Value_for_password_002 = Password	0.000s	PASSED

## ADDING\_A\_NEW\_EMPLOYEE

#	Description	Elapsed	Status
38	<code>xpath_for_password_002 = "//label[text()='Confirm Password']/ancestor::div[@class='oxd-input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input--active']"</code>	0.002s	PASSED
39	<code>inputField_for_password_002 = TestObject().addProperty("xpath", EQUALS, xpath_for_password_002)</code>	0.002s	PASSED
40	<pre>executeJavaScript(   var element = document.evaluate("\$xpath_for_password_002", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = '\$new_Value_for_password_002';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   }   , null)</pre> <p>Execute JavaScript '</p> <pre>  var element = document.evaluate("//label[text()='Confirm Password']/ancestor::div[@class='oxd-input-group__label-wrapper']/following- sibling::div//input[@class='oxd-input oxd-input--active']", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = 'Fiboo3941 @ @';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   }   'successfully</pre>	0.019s	PASSED
41	<code>delay(1)</code>  <code>Delayed 1 second(s)</code>	1.020s	PASSED
42	<code>randomString = RandomStringUtils.randomAlphabetic(6)</code>	0.003s	PASSED
43	<code>newValue = "User_name_" + randomString</code>	0.001s	PASSED

## ADDING\_A\_NEW\_EMPLOYEE

#	Description	Elapsed	Status
44	<code>xpath_for_user_name = "//label[text()='Username']/ancestor::div[@class='oxd-input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input--active']"</code>	0.002s	PASSED
45	<code>inputField = TestObject().addProperty("xpath", EQUALS, xpath_for_user_name)</code>	0.003s	PASSED
46	<pre>executeJavaScript(   var element = document.evaluate("\$xpath_for_user_name", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = '\$newValue';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   }   , null)</pre> <p>Execute JavaScript '</p> <pre>  var element = document.evaluate("//label[text()='Username']/ancestor::div[@class='oxd- input-group__label-wrapper']/following-sibling::div//input[@class='oxd-input oxd-input-- active']", document, null, XPathResult.FIRST_ORDERED_NODE_TYPE, null).singleNodeValue;   if (element) {     element.value = 'User_name_TCdOhU';     var event = new Event('input', { bubbles: true });     element.dispatchEvent(event);   }   'successfully</pre>	0.020s	PASSED
47	<code>delay(1)</code>  Delayed 1 second(s)	1.011s	PASSED
48	<code>User_name = getAttribute(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_username"), "value")</code>  Attribute 'value' of object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_username' is: 'User_name_TCdOhU'	1.370s	PASSED
49	<code>out.println(User_name)</code>	0.001s	PASSED

## ADDING\_A\_NEW\_EMPLOYEE

---

#	Description	Elapsed	Status
50	out.println(Password)	0.002s	PASSED
51	First_name = getAttribute(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name"), "value")  Attribute 'value' of object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_Employee_first_name' is: 'First_name_nitmlc'	0.290s	PASSED
52	out.println(First_name)	0.001s	PASSED
53	Middle_name = getAttribute(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name"), "value")  Attribute 'value' of object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_middle_name' is: 'Middle_name_gwcJhE'	0.278s	PASSED
54	out.println(Middle_name)	0.001s	PASSED
55	Last_name = getAttribute(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name"), "value")  Attribute 'value' of object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_last_name' is: 'Last_name_GIJhPB'	0.292s	PASSED
56	out.println>Last_name)	0.000s	PASSED
57	employee_id = getAttribute(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_id"), "value")  Attribute 'value' of object 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_id' is: '333190021'	0.293s	PASSED

## ADDING\_A\_NEW\_EMPLOYEE

---

#	Description	Elapsed	Status
58	out.println(employee_id)	0.001s	PASSED
59	delay(4)  Delayed 4 second(s)	4.008s	PASSED
60	click(findTestObject("Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_save_button"))  Object: 'Object Repository/ADDING_A_NEW_EMPLOYEE/Add_employee_save_button' is clicked on	0.313s	PASSED

# logout\_testcase

## Information

ID	Test Cases/logout_testcase		
Description			
Tag			
Start	10-08-2024 19:53:16	End	10-08-2024 19:53:30
Elapsed	14.377s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	delay(3)  Delayed 3 second(s)	3.006s	PASSED
2	verifyElementPresent(findTestObject("logout_and_login_after_new_employee_added/userdr opdown_for_logout_option"), 10)  Object 'Object Repository/logout_and_login_after_new_employee_added/userdropdown_for_logout_option ' is present	0.277s	PASSED
3	delay(3)  Delayed 3 second(s)	3.014s	PASSED
4	click(findTestObject("logout_and_login_after_new_employee_added/userdropdown_for_log out_option"))  Object: 'Object Repository/logout_and_login_after_new_employee_added/userdropdown_for_logout_option ' is clicked on	0.864s	PASSED
5	delay(3)  Delayed 3 second(s)	3.012s	PASSED

# logout\_testcase

#	Description	Elapsed	Status
6	click(findTestObject("logout_and_login_after_new_employee_added/logout_option"))  Object: 'Object Repository/logout_and_login_after_new_employee_added/logout_option' is clicked on	1.053s	PASSED
7	delay(3)  Delayed 3 second(s)	3.004s	PASSED

# Test\_case\_to\_mail\_new\_employee\_login\_creds

## Information

ID	Test Cases/Test_case_to_mail_new_employee_login_creds		
Description	a mail will send the new employee login creds		
Tag			
Start	10-08-2024 19:53:30	End	10-08-2024 19:53:37
Elapsed	6.547s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	props = new java.util.Properties()	0.026s	PASSED
2	props.put("mail.smtp.host", "smtp-mail.outlook.com")	0.003s	PASSED
3	props.put("mail.smtp.port", "587")	0.002s	PASSED
4	props.put("mail.smtp.auth", "true")	0.003s	PASSED
5	props.put("mail.smtp.starttls.enable", "true")	0.003s	PASSED
6	emailUsername = user_name_for_sender	0.002s	PASSED
7	emailPassword = sender_password	0.002s	PASSED



## Test\_case\_to\_mail\_new\_employee\_login\_creds

---

#	Description	Elapsed	Status
8	session = Session.getInstance(props, new Script1723216286166\$1(this, emailUsername, emailPassword))	0.057s	PASSED
9	try	1.328s	PASSED
10	return new javax.mail.PasswordAuthentication(emailUsername, emailPassword)	4.600s	PASSED

# test\_case\_to\_reterive\_the\_login\_creds\_from\_mail

## Information

ID	Test Cases/test_case_to_reterive_the_login_creds_from_mail		
Description	this test will allow the user to reterive login creds from the mail so that user can login with new creds		
Tag			
Start	10-08-2024 19:53:37	End	10-08-2024 19:53:45
Elapsed	8.381s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	delay(3)  Delayed 3 second(s)	3.013s	PASSED
2	props = new java.util.Properties()	0.002s	PASSED
3	props.put("mail.store.protocol", "imaps")	0.001s	PASSED
4	props.put("mail.imaps.host", "imap.gmail.com")	0.001s	PASSED
5	props.put("mail.imaps.port", "993")	0.001s	PASSED
6	props.put("mail.imaps.ssl.enable", "true")	0.002s	PASSED
7	username = receiver_username	0.001s	PASSED

## test\_case\_to\_reterive\_the\_login\_creds\_from\_mail

---

#	Description	Elapsed	Status
8	password = receiver_password	0.001s	PASSED
9	session = Session.getInstance(props, null)	0.004s	PASSED
10	try	4.738s	PASSED

# login\_using\_new\_creds

## Information

ID	Test Cases/login_using_new_creds		
Description			
Tag			
Start	10-08-2024 19:53:45	End	10-08-2024 19:53:51
Elapsed	6.206s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	delay(3)  Delayed 3 second(s)	3.012s	PASSED
2	verifyElementPresent(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page"), 10)  Object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page' is present	0.284s	PASSED
3	click(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page"))  Object: 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page' is clicked on	0.331s	PASSED
4	setText(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page"), extractedUsername)  Text 'User_name_TCdOhU' is set on object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/username_text_box_login_page'	0.618s	PASSED

## login\_using\_new\_creds

#	Description	Elapsed	Status
5	verifyElementPresent(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page"), 10)  Object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page' is present	0.357s	PASSED
6	click(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page"))  Object: 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page' is clicked on	0.309s	PASSED
7	setText(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page"), extractedPassword)  Text 'Fiboo3941 @ @' is set on object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/password_text_box_for_login_page'	0.627s	PASSED
8	verifyElementPresent(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page"), 10)  Object 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page' is present	0.274s	PASSED
9	click(findTestObject("Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page"))  Object: 'Object Repository/LOGIN_TEST_CASE_FOR_ORANGE_HRM/login_button_for_login_page' is clicked on	0.324s	PASSED

# test\_case\_to\_verify\_data

## Information

ID	Test Cases/test_case_to_verify_data		
Description			
Tag			
Start	10-08-2024 19:53:51	End	10-08-2024 19:53:59
Elapsed	7.805s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	delay(3)  Delayed 3 second(s)	3.019s	PASSED
2	click(findTestObject("to_verify_data/myinfo_option_from_side_bar"))  Object: 'Object Repository/to_verify_data/myinfo_option_from_side_bar' is clicked on	1.459s	PASSED
3	First_name = getAttribute(findTestObject("Object Repository/to_verify_data/first_name_text_box"), "value")  Attribute 'value' of object 'Object Repository/to_verify_data/first_name_text_box' is: 'First_name_nitmlc'	2.334s	PASSED
4	out.println(First_name)	0.001s	PASSED
5	Middle_name = getAttribute(findTestObject("Object Repository/to_verify_data/middle_name_text_box"), "value")  Attribute 'value' of object 'Object Repository/to_verify_data/middle_name_text_box' is: 'Middle_name_gwcJhE'	0.277s	PASSED
6	out.println(Middle_name)	0.002s	PASSED

## test\_case\_to\_verify\_data

---

#	Description	Elapsed	Status
7	Last_name = getAttribute(findTestObject("Object Repository/to_verify_data/last_name_text_box"), "value")  Attribute 'value' of object 'Object Repository/to_verify_data/last_name_text_box' is: 'Last_name_GIJhPB'	0.287s	PASSED
8	out.println>Last_name)	0.002s	PASSED
9	employee_id = getAttribute(findTestObject("Object Repository/to_verify_data/employee_id"), "value")  Attribute 'value' of object 'Object Repository/to_verify_data/employee_id' is: '333190021'	0.285s	PASSED
10	out.println(employee_id)	0.001s	PASSED
11	if (First_name == First_name)  first name is same	0.018s	PASSED
12	if (Middle_name == Middle_name)  middle name is same	0.002s	PASSED
13	if (Last_name == Last_name)  last name is same	0.002s	PASSED
14	if (employee_id == employee_id)  employee id is same	0.001s	PASSED

# TEST\_CASE\_TO\_UPLOAD\_PROFILE\_PICTURE

## Information

ID	Test Cases/TEST_CASE_TO_UPLOAD_PROFILE_PICTURE		
Description			
Tag			
Start	10-08-2024 19:53:59	End	10-08-2024 19:54:08
Elapsed	8.352s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	delay(3)  Delayed 3 second(s)	3.017s	PASSED
2	click(findTestObject("to_upload_profile_picture/employee_image_wrapper"))  Object: 'Object Repository/to_upload_profile_picture/employee_image_wrapper' is clicked on	0.735s	PASSED
3	delay(1)  Delayed 1 second(s)	1.007s	PASSED
4	driver = getWebDriver()	0.001s	PASSED
5	wait = new org.openqa.selenium.support.ui.WebDriverWait(driver, 10)	0.015s	PASSED
6	fileInput = wait.until(ExpectedConditions.presenceOfElementLocated(By.cssSelector("input[type='file']"))))	0.799s	PASSED



## TEST\_CASE\_TO\_UPLOAD\_PROFILE\_PICTURE

---

#	Description	Elapsed	Status
7	driver.executeScript("arguments[0].style.display = 'block';", fileInput)	0.027s	PASSED
8	filePath = "C:\\Users\\DELL\\OneDrive\\Desktop\\profile_picture.jpg"	0.001s	PASSED
9	fileInput.sendKeys(filePath)	0.032s	PASSED
10	click(findTestObject("Object Repository/to_upload_profile_picture/save_button"))  Object: 'Object Repository/to_upload_profile_picture/save_button' is clicked on	0.376s	PASSED
11	delay(1)  Delayed 1 second(s)	1.011s	PASSED
12	click(findTestObject("to_verify_data/myinfo_option_from_side_bar"))  Object: 'Object Repository/to_verify_data/myinfo_option_from_side_bar' is clicked on	1.234s	PASSED