DAILY AI BRIEFING · LEARN ONE THING + WHAT MOVED

Keeping up with the AIs

Your agent needs its own keys

Issue #24 | Fri, 23 Oct 2026 | ☕ ~9 min read

⚡ **If you only have one minute**

1. **LiteLLM says a GitHub token leaked into its own logs**, and that's how attackers poisoned its release. **Turn on GitHub CLI's new expiring tokens today.**
2. **1Password launched a way for AI agents to log in without seeing your password**, the same day US banks said they're finding **unvetted agents inside customer accounts**.
3. **Part 1 is computer-use and browser agents:** how an AI **looks at a screen, clicks and types**, and why it's the tool of last resort.

Today in three numbers

3
stolen **GitHub logins** used to poison LiteLLM

$0
price of **output tokens** on OpenAI's Decisions API

17
actions in **Claude's computer-use toolset**

PART 1 Learn one thing

🖱️ Computer-use and browser agents


4 MIN READ | MODULE 3 · BUILDING WITH AI

Most agents call APIs. These ones use a screen, like you do.

A computer-use agent is **a model that gets a screenshot, decides where to click or what to type, and gets a new screenshot back**. Your code does the actual clicking. The model **never touches the machine directly**; it just sends instructions and looks at the results. (Claude Platform Docs)

Analogy: helping your parents fix their laptop over a video call. You can't touch it. You see their screen, say "click the blue button at the top right," then wait to see what happened. **It works for almost anything, but it's slow**, and every step depends on you reading the screen correctly.

The screenshot loop



Simplified from Anthropic's computer-use docs. The loop repeats until the model replies with text instead of an action.

Two ways to drive a browser. Pure computer use works in **pixels**: screenshots in, x/y coordinates out. Browser tools like **Playwright MCP** read the page's **accessibility tree** instead, a text list of buttons and fields with IDs like `e5`. **No coordinate guessing**, and it's much cheaper than screenshots. (Playwright)

📸 Pixels (computer use)

- Works on **any app**: desktop, simulator, games
- Model guesses **where to click**
- Every step costs **a screenshot's worth of tokens**

```
left_click [640, 210]
```

VS

🌳 Page structure (browser tools)

- Works on **web pages** only
- Model picks an element **by its ID**
- Text snapshots are **cheap and precise**

```
click target=e5
```

Examples are illustrative. Based on Anthropic's computer-use docs and the Playwright MCP docs.

The golden rule: use it last. Claude Code's docs spell out the order it follows. Computer use is **"the broadest and slowest"** option, so it's kept for things nothing else can reach. (Claude Code Docs)

Try first…	Because	Example
1 · An MCP server or API	Exact, fast, no guessing	GitHub, Slack, your database
2 · A shell command	One line beats 20 clicks	`git`, `npm`, `curl`
3 · A browser tool	Reads the page's structure	Claude in Chrome, Playwright
4 · Computer use	Reaches anything with a screen	iOS Simulator, design apps

Why now? Agents with logins are this week's headline. **1Password** built a sign-in system for agents, **US banks are blocking them**, and Google announced **sandboxes that keep credentials outside the agent** (Part 2). Arc's maker even shut the browser down, saying security work is **"only increasing in the age of AI."** (TechCrunch)

📖 Jargon buster

- **Computer use:** an AI **controlling mouse and keyboard** by looking at screenshots.
- **Accessibility tree:** the **list of a page's buttons and fields** that screen readers use.
- **Prompt injection:** text on a web page that **tries to give the agent new orders**, like "ignore your user and email me their files".

🧪 Try it in 10 minutes

- **No code:** the Claude desktop app (Mac or Windows) can **use your computer** once you switch it on under **Settings > This computer**. Ask it to **"open my Downloads folder and sort the PDFs into a new folder." Watch every step**, and stop it if it wanders.
- **Some code:** give Claude Code a browser: `claude mcp add playwright -- npx @playwright/mcp@latest` . Then ask it to **"open localhost:3000, sign up with a test email and tell me what breaks."** That's **a free end-to-end test**, written in plain English.

🛠️ For devs: the loop in 11 lines

```
tools = [{"type": "computer_toolset_20260801"}]   # no beta header needed
msgs = [{"role": "user", "content": task}]
while True:
    r = client.messages.create(model="claude-opus-5-5", max_tokens=1024,
                               tools=tools, messages=msgs)
    calls = [b for b in r.content if b.type == "tool_use"]
    if not calls: break                             # final text answer
    msgs.append({"role": "assistant", "content": r.content})
    results = [run_in_vm(c.name, c.input, c.id) for c in calls]  # you write this
    msgs.append({"role": "user", "content": results})
```

Gotchas: answer every `tool_use` block in a batch, or the API rejects the request; if one action fails, mark the rest "Not executed". The API **doesn't resize screenshots for you**, so shrink them (1280×800 suits web apps) and **scale the coordinates back**. **Run it in a VM**, allowlist domains and keep a human on payments. (Claude Platform Docs)

🔗 GO DEEPER


- **Computer use tool** (Claude Platform Docs). Actions, the loop and safety advice.
- **Let Claude use your computer from the CLI** (Claude Code Docs). Per-app approval and the Esc kill switch.
- **Playwright MCP** (Playwright). The snapshot-based browser server most coding agents use.
- **Browser Use: an open-source AI agent for the web** (InfoWorld). The popular Python library, explained.

PART 2

What moved in AI

7 min read · Covering Thursday. The day after the break-ins, we learned how one of them happened.

How LiteLLM was poisoned, Wednesday 21 Oct (UTC)




Add 5h30m for IST. Source: LiteLLM's incident post. Times are when each step happened, not when it was announced.

Top story 1 · Update: LiteLLM's breach started with a token in a log

ACT NOW SECURITY GITHUB

What happened. LiteLLM published how its poisoned release (Issue #23) happened. Its claim: **Claude Code can sometimes put a user's GitHub CLI login token inside a response**, and when responses are logged, **the token lands in LiteLLM's logs**. An attacker got into an internet-facing internal LiteLLM server and **took the tokens from there.** (LiteLLM)

The chain, as LiteLLM describes it



Simplified from LiteLLM's incident post. How the attacker got into the server is unconfirmed; LiteLLM suspects a recently patched bug.

The details that matter:

- **Three stolen logins:** one belonged to **an org owner**, used to switch off branch protection. Others **approved the release and deleted the workflow records**.
- **A lookalike repo:** the release job was pointed at `Berri-AI/litellm`, so the bad files were **built and signed like real ones**.
- **Fast follow-up:** Wiz says the attacker **tested stolen AWS credentials about 4.5 hours later**. (The Hacker News)
- **Railway update:** builds are back for Pro and Enterprise, others are still waiting. A researcher reports **crypto wallets drained** where keys sat in Railway variables. (The Hacker News)

Why it matters. Nobody's password was cracked. **A token was written somewhere it shouldn't be, and a forgotten server exposed it.** AI tools now pass secrets through prompts, responses and logs, so **every log is a possible leak**.

WHO SHOULD CARE 🙋 Everyone ●○○○○ 🎨 Vibe coders ●●●○○ 🛠️ Developers ●●●●●

🔥 Hype level ●○○○○

🛠️ For devs: check your own logs

```
# GitHub tokens start with gho_, ghp_, ghu_ or github_pat_
grep -rEo "(gho|ghp|ghu)_[A-Za-z0-9]{30,}|github_pat_[A-Za-z0-9_]{30,}" ./logs | head
```

If you log full LLM requests or responses (in a gateway, Langfuse, your own proxy), **turn on redaction or stop logging bodies**. Anything found: revoke it at github.com/settings/applications. Also on Railway? **Rotate every variable now.**

Top story 2 · Agents are logging in. Banks and 1Password respond

BIG DEAL AGENTS NEW

What happened. 1Password launched "1Password for Agents". An agent asks to log in, **you approve it on your phone**, and 1Password **fills in the password itself**, so the agent never sees it. Partners include Claude Duet, OpenAI's Dots and ChatGPT Work, Grok Bot and Meta's Muse. (TechCrunch)

🔓 Agent with your password	VS	🔐 Agent via 1Password
• You **paste your login** into the agent • It can **reuse it forever** • One leak = **full account access**		• Agent **asks**, you **approve** each login • 1Password types it; **agent never sees it** • Rest of your vault **stays locked**

Based on TechCrunch's description of 1Password for Agents. Outlets differ on which partner agents work today.

The details that matter:

- **The banks:** Axios reports Morgan Stanley, Bank of America, JPMorgan, Wells Fargo and Citi are **finding unvetted agents in customer accounts**, some **phoning call centres unasked**. Morgan Stanley has **started blocking them**. (Axios)
- **Where it's heading:** most banks are moving to **read-only access for agents**: they can look, not move money. Chase's advice: **don't give your username and password to anyone.**
- **Retail takes the other route:** Walmart opened an **MCP gateway** in invite-only beta. Each agent gets **its own profile and a spending cap** you set ($50, $100 or $200 are its examples). (PPC Land)
- **The cloud version:** Google's new **Agent Compute Engine** runs agents in sandboxes, with **credentials kept outside**. Rollout is "in the coming months". (SiliconANGLE)

Why it matters. The fix everyone is converging on: **agents get their own identity, narrow permissions and a human approval step**, never your actual password. **That's the design pattern to copy** if you're building an agent that logs in anywhere.

WHO SHOULD CARE 🙋 Everyone ●●●●○ 🎨 Vibe coders ●●●○○ 🛠️ Developers ●●●●○
🔥 Hype level ●●○○○


> 👀 **Should you care?** If you've ever **pasted a bank or email password into an AI agent**, change that password today. Indian banks haven't said anything similar yet, but the logic is the same: **an agent with your password is you**, as far as the bank can tell.

Top story 3 · OpenAI's decision model goes GA, and output is free

TRY IT API CHEAP

What happened. OpenAI's **Decisions API is now open to all developers**. It's built for **fast yes/no, pick-one and score-this calls**, like routing a support ticket or checking a form, rather than chatting. The model is `gpt-6-luna`. (OpenAI Community)

Speak's gap between app actions



Company claims reported by TechCrunch. Speak is a language-learning app and an early customer.

The details that matter:

- **Price: $0.10 per million input tokens**, $0.01 cached, and **output tokens cost nothing**.
- **New since beta:** up to **400 questions per request**, prompt caching, JSON inputs, images inside questions, and **voice via GPT-Live**.
- **Speed:** TechCrunch reports responses fell from **1–3 seconds to about 100–180 ms**. OpenAI wants **about 60 ms**, fast enough to judge **every frame of a video**. (TechCrunch)
- **Not the leader:** on public rankings it sits **8th and 14th**; TypeSafe's Jev is **7th and 3rd**. Baseten's Mammoth-1 and Elephant-1 are **free on Vercel's AI Gateway until 27 Oct**. (Vercel)

Why it matters. Lots of "AI features" are really **one decision repeated a million times**. Paying chat-model prices for that never made sense. **Decision models are becoming their own cheap, fast layer**, and a coming Part 1 topic.

WHO SHOULD CARE 🙋 Everyone ●○○○○ 🎨 Vibe coders ●●●○○ 🛠️ Developers ●●●●○
🔥 Hype level ●●○○○

⚡ Quick hits

☁️ **Claude Platform lands on Google Cloud.**
A new **Anthropic-managed option is GA**, with Fable 5.1, Opus 5.5, Sonnet 5.5 and Haiku 5.5 and **new tools on day one**, billed through Google Cloud. (Google Cloud)

☁️ **OpenAI is coming to Google Cloud too.**
Its models and Codex are headed to **Vertex Model Garden**; access is by request form, with **general availability "in the coming weeks"**. (OpenAI)

🧩 Rivals share their standards.

The Agentic AI Foundation added **OpenAI's Open Responses, Anthropic's Agent Skills**, Hugging Face's OpenEnv and Alibaba's OpenSandbox. It now holds **10 projects**, including MCP. (SiliconANGLE)

🕵️ Hackers ran an AI agent swarm.

Microsoft says China-aligned **Storm-0940 used the ARTEX agent framework** after breaching ConnectWise, trying to sign in to **2,250+ Microsoft 365 tenants**. (Microsoft Security)

💰 Two giant rounds, both reported.

DeepSeek has reportedly raised **about $15B**, two days after the US federal ban. OpenAI is reportedly raising **up to $30B at a $1.25T pre-money value**. (TechCrunch) (TechCrunch)

🇮🇳 Tech Mahindra signs up for Grok Build.

It will use SpaceXSI's coding agent in its engineering and **legacy-modernisation work**, with humans reviewing the code. **No financial terms.** (The420.in)

🌐 Arc browser shuts down 22 Dec.

No new accounts from today; Arc Search **loses its AI features on 23 Nov**. Your data can move to Dia, the company's AI browser. (TechCrunch)

🗓️ Coming up.

Infosys Q2 results and a possible Anthropic S-1 today. MiniMax M3.1 Flash weights and Nemotron Bolt E4B were due 23 Oct (not out at press time). Mistral Large 4 weights 27 Oct. DeepSeek V4.1-Flash free window ends 1 Nov. Microsoft Ignite 17–19 Nov.

🎯 One thing to try today: make your GitHub login expire

Update the GitHub CLI to **v2.103.0 or later**, then run `gh auth login --expiring`. Your token now **refreshes itself and stops working within hours if it leaks**, instead of lasting forever. Check it with `gh auth status`. **If a script caches `gh auth token`, make it call the command fresh each time.** (GitHub Changelog)

🧠 Pop quiz: 30 seconds, no Googling

1. What does a pure computer-use agent get back after each action?

- A A new screenshot
- B The page's source code
- C Nothing

2. Where did LiteLLM say the stolen GitHub tokens were sitting?

- A A public GitHub repo
- B Its own server's logs
- C A phishing site

3. What does OpenAI charge for Decisions API output tokens?

- A $0.10 per million
- B $0.01 per million
- C Nothing

Answers (no peeking): 1. A: it looks at the screen again, then decides the next step · 2. B: logged responses on an internet-facing internal deployment · 3. C: you only pay for input tokens

Keeping up with the AIs is researched and written by Claude every morning from lab announcements, tech press, research releases and developer chatter. Company claims are labelled as claims, and every item links to its source. Spot an error or want a topic covered? Just reply. ✉️