DAILY AI BRIEFING · LEARN ONE THING + WHAT MOVED

Keeping up with the AIs

Microsoft's new rule for AI agents: trust nothing

Issue #22 | Wed, 21 Oct 2026 | ☕ ~9 min read

⚡ If you only have one minute

1. **Microsoft says to treat AI agents like risky insiders.** New tools start every agent with **zero access**, give it a live risk score and can **cut it off mid-task**.
2. **MiniMax M3.1 Flash costs half as much as M3: $0.15 in, $0.60 out per million tokens**, with a 1M-token context. Open weights are promised for 23 Oct.
3. **Part 1 is the agent loop:** how an agent plans, acts, checks the result and **keeps notes so it doesn't forget**.

Today in three numbers

60
types of AI agent Microsoft can now **spot on staff laptops**, up from 25

$0.15
per million input tokens for **MiniMax M3.1 Flash**

$1.4T+
valuation **OpenAI is reportedly seeking** in a ~$30B round

PART 1 Learn one thing

🔁 Agent loops, memory and planning

4 MIN READ | MODULE 3 · BUILDING WITH AI


Issue #1 said what an agent is. Today: what's inside it. A loop, a plan and a notepad.

An agent is **a model running in a loop**. It decides the next step, **calls a tool** (search, run code, edit a file), **reads what came back**, and decides again. Anthropic's definition: the model **checks real feedback from the environment at every step**, and stops when the job is done or **a step limit is hit**. (Anthropic)

Analogy: a contractor redoing your flat. He writes a job list, fixes one tap, **turns it on to check**, ticks it off, and moves on. If the wall behind the tap is damp, he **changes the plan**. And because he can't remember everything, **he keeps a clipboard**. Tomorrow morning he reads it and picks up where he left off.

This idea has a name: ReAct, from a 2022 paper that had models **alternate between thinking and acting**. With just one or two examples it beat older methods by **34 points on ALFWorld** (a household-task game) and 10 on WebShop (online shopping). (arXiv)

The agent loop



Repeats until the goal is met or a step limit is reached. The 'Observe' step is what separates an agent from a chatbot.

Memory is the hard part. A model only "remembers" what's in its context window, and Anthropic notes that **recall gets worse as that window fills up** ("context rot"). So agents use more than one kind of memory: (Anthropic Engineering)

Memory	Where it lives	How long	Example
Working	The context window	This session	The chat so far
Notes	Files the agent writes	Across sessions	`progress.md`, to-do lists
Lookup	A search index	Forever	RAG over your docs (Issue #19)
Summary	A compressed recap	Until next squeeze	"Compaction"

Planning is mostly **writing a to-do list and rewriting it** when reality disagrees. For bigger jobs, a lead agent hands pieces to **sub-agents** with fresh context windows. Each may burn tens of thousands of tokens, then **reports back in roughly 1,000–2,000.** (Anthropic Engineering)

📖 **Jargon buster**

- **Agent loop:** think → act → observe, again and again. **The "observe" step is what makes it an agent.**
- **Context rot:** the model **gets worse at recalling details** as its context window fills up.
- **Compaction:** when the window is nearly full, **summarise the conversation and carry on** from the summary.
- **Step limit:** a cap on loop rounds, so a confused agent **can't run (and bill you) forever**.

Why now? Agents now run for hours, so memory is the bottleneck. On 20 Oct OpenAI added **12-hour prompt caching** for agents that keep sending the same big context. (OpenAI) A new open paper, **MemT-1.0**, tries to **build**

memory into the model itself. It claims **66× less storage** than keeping a 128K-token history in the usual cache. (Hugging Face)

🧪 Try it in 10 minutes

- **No code:** give Claude or ChatGPT a multi-step job (plan a 3-day Jaipur trip). Say: **"First write a numbered plan. Do step 1 only, show me, then stop."** Then say "next". You are now the loop, and you can **see where it goes wrong**.
- **Some code:** in Claude Code or Codex, ask it to **keep a** `PROGRESS.md` for a small feature. Close the session, open a new one, and just say "carry on". **That file is the clipboard.**

🛠️ For devs: the whole loop in 12 lines

```
msgs = [{"role": "user", "content": goal}]
for step in range(20):                      # step limit
    r = client.messages.create(model=M, max_tokens=2048,
        tools=TOOLS, messages=msgs)
    msgs.append({"role": "assistant", "content": r.content})
    if r.stop_reason != "tool_use":
        break                               # model says it's done
    results = [{"type": "tool_result", "tool_use_id": b.id,
                "content": run_tool(b.name, b.input)}
               for b in r.content if b.type == "tool_use"]
    msgs.append({"role": "user", "content": results})
```

Gotchas: always set a step limit. Trim old tool results: they're the biggest thing filling the context. For memory that survives sessions, Claude's **memory tool** (`memory_20250818`) asks *your* code to read and write files under `/memories` . That means **you must block path tricks** like `/memories/../../.env` . (Claude Docs)


🔗 GO DEEPER

- **Building effective agents** (Anthropic). Workflows vs agents, and why simple loops usually win.
- **Effective context engineering for AI agents** (Anthropic Engineering). Compaction, note-taking and sub-agents, with a Pokémon-playing Claude as the example.
- **Memory tool** (Claude Docs). The six file commands, plus the security checks.
- **ReAct: Synergizing Reasoning and Acting** (arXiv). The 2022 paper behind nearly every agent loop.

PART 2 What moved in AI

7 min read · Covering Tuesday. Agents got minders, models got cheaper, and the money got bigger.

From rogue agents to agent minders




Sources: The Hacker News (Anthropic disclosures), GeekWire (Nadella, Microsoft), Fortune (OpenAI count, Issue #18).

Top story 1 · Microsoft: treat every AI agent like a risky insider

BIG DEAL SECURITY AGENTS

What happened. Microsoft added agent controls to **Microsoft 365 E7** and its **Project Perception** security system. Security chief Hayete Gallot wrote that **"frontier models, regardless of their origin, cannot be trusted"**. Her point is that they're unpredictable, not evil: they're trained to finish tasks, not to follow office rules. (TechCrunch)

How Microsoft's agent controls react



Simplified from Microsoft's description as reported by TNW and GeekWire.

The details that matter:

- **Dynamic Permissions:** agents **start with no access** and get only what one task needs, for as long as it runs. (TNW)
- **Guardian Agents:** AI watchers that **check actions before they happen** and look into why an agent's risk score jumped.
- **Spotting shadow agents:** Defender now detects **60 agent types on staff laptops** (up from 25), including **Claude Code, Codex and GitHub Copilot**. (GeekWire)

- **When: private preview** now, wider release planned for **Ignite, 17–19 Nov**. E7 costs **$99 per user per month**; Microsoft hasn't said if these features cost extra.
- **Self-interest note:** Microsoft has invested in both OpenAI and Anthropic, and **it also wants to sell you the watchdog.** TechCrunch says the logic still holds.

Why it matters. The idea that **the guard shouldn't be built by the company selling the agent** is now mainstream. Expect "agent identity" and "agent permissions" to become **standard boxes on enterprise checklists**, the way logins and SSO did.

WHO SHOULD CARE 🙋 Everyone ●●●○○ 🎨 Vibe coders ●●●○○ 🛠️ Developers ●●●●● 🔥 Hype level ●●○○○


> 🛠️ **For devs: build this in from day one**
>
> Give each agent **its own credentials**, never yours. Scope tokens **per task and make them expire**. Keep a **read-only mode** and a **"needs human OK"** path for deletes, payments and emails. If your company runs Defender, **your local Claude Code or Codex may already be on IT's radar.**

Top story 2 · MiniMax M3.1 Flash: a cheap agent model, weights promised Friday

TRY IT API OPEN WEIGHTS SOON

What happened. Chinese lab MiniMax launched **M3.1 Flash**, a model built for agents and coding. It turns out the mystery model **"Space Bunny"** that topped OpenRouter for 10 days was an early version of it. (Unite.AI)

Price per million tokens: M3 vs M3.1 Flash ($)



MarkTechPost. M3 prices are for prompts up to 512K tokens; they double above that. M3.1 Flash has no long-context surcharge.

The details that matter:

- **Size:** a **mixture-of-experts** model with 428B parameters, of which **~23B work on each token**. **1M-token context**; takes text, images and video, and answers in text. (MarkTechPost)
- **Always thinks:** reasoning **can't be switched off**. Effort runs from Low to Max, and requests that try to disable thinking **return an error**.
- **Claims: 73.7% on DeepSWE** (DeepSeek's V4.1-Flash-1017 scores 77.0) but **38.1 on Terminal Bench 4.0** vs Opus 5's 51.8. All numbers are **MiniMax's own**.

- **Where:** MiniMax API (with **OpenAI- and Anthropic-compatible** endpoints), and **free on OpenRouter for 72 hours**. Weights are due **23 Oct**; **licence not yet announced**.

Why it matters. Agents make **dozens of calls per task**, so price per token decides what you can afford to build. A model at this price, with open weights on the way, **puts pressure on every "mini" tier**.

WHO SHOULD CARE 🙋 Everyone ●○○○○ 🎨 Vibe coders ●●●●○ 🛠️ Developers ●●●●○
🔥 Hype level ●●●○○


> 👀 **Should you care?** If you run a coding agent on a budget, **try it on OpenRouter during the free window**. Swap it in for one task you already know well and **compare the diffs**, not the benchmarks. Check the licence on Friday before planning to self-host.

Top story 3 · OpenAI races to raise $30B before Anthropic lists

MONEY IPO

What happened. Reuters reports that OpenAI wants investor commitments for **about $30 billion at a valuation above $1.4 trillion** before Anthropic's expected **mid-November stock market debut**. **SoftBank and Abu Dhabi's MGX** are said to be in talks. (Reuters via The Star)

Price tags in the AI race ($ trillion)



All from Reuters' sources, none confirmed by the companies. 'Investors want' = what some investors are pushing for in the IPO.

The details that matter:

- **Revenue claims:** OpenAI told investors it's at **$50B annualised revenue**, expecting **$70B by year-end**. Anthropic's quarterly revenue rose to **$16.8B in Q3** from $11.6B in Q2.
- **A fight over counting:** OpenAI accuses Anthropic of **inflating revenue** by counting the full value of deals sold through cloud partners. **Anthropic says it follows standard accounting.**
- **A shaky backdrop:** chip stocks lost **$1.6 trillion in under two weeks**, and several IPOs have been paused or pulled.

Why it matters. This money pays for the **data centres behind the price cuts** you've been enjoying. If the IPO stumbles, **cheap tokens could get less cheap**. If it soars, expect the race to speed up again.

WHO SHOULD CARE 🙋 Everyone ●●○○○ 🎨 Vibe coders ●○○○○ 🛠️ Developers ●●○○○
🔥 Hype level ●●●●○

⚡ Quick hits

🔧 DeepSeek open-sources its serving engine.

DeepInfer runs V4.1-Flash on **Nvidia SM100 GPUs and Huawei Ascend 950 chips**, under Apache 2.0. It's offline-only for now: **no KV-cache system or prefill/decode split yet.** (GitHub)

⏱️ OpenAI caches prompts for 12 hours.

A new Responses API option keeps shared instructions and tools cached **even when calls are hours apart**. Writing to the 12-hour cache costs **2.5× the normal input price.** (OpenAI)

🛡️ Update: Anthropic's free bug scanner reports in.

OSS Scanner's first week: **77 critical and 803 high-severity findings** (as rated by the model). curl 8.23.0 already credits Claude for a fixed flaw. (AlphaSignal)

⚖️ Canada's big papers sue Anthropic.

Postmedia, Torstar, The Globe and Mail and the Canadian Press say Claude was trained on their articles without a licence. The claims are unproven; **Anthropic's response wasn't reported.** (MobileSyrup)

📱 Meta's Muse hits 10M US downloads in 40 days.

Only **11 other apps** have done it. Sensor Tower puts **7-day retention at 30%**, against an average of 19% for ChatGPT, Claude and Grok. US and Canada only. (TechCrunch)

🇮🇳 Figma's first Config in India.

It added **20 MCP partners, including Sarvam Agents, Linear and Notion**. Dylan Field also said **MCP "is not a perfect protocol"** and favours big labs. (TechCrunch)

🎬 FLUX 3 Max video.

fal and Black Forest Labs say it makes **a 10-second clip in ~11 seconds**, about **22× faster than Seedance 2.5**. 75% off for three weeks. (PR Newswire)

🗓️ Coming up.

MCPCon 22–23 Oct. **MiniMax M3.1 Flash weights, Nemotron Bolt E4B and Infosys results 23 Oct.** Mistral Large 4 weights 27 Oct. Microsoft Ignite 17–19 Nov. Anthropic IPO expected mid-Nov.

🎯 One thing to try today: give your agent a clipboard

Start your next coding session with: **"Keep a PROGRESS.md: the plan, ticked items, surprises."** Stop halfway, open a fresh session and say "carry on". **If it picks up cleanly, your notes work.**

🧠 Pop quiz: 30 seconds, no Googling

1. What turns a chatbot into an agent?

- A Longer answers
- B Checking tool results
- C A bigger model

2. Microsoft's controls start a new agent with...

- A Admin rights
- B Its user's access
- C Zero access

3. What can't you do with MiniMax M3.1 Flash?

- A Send it images
- B Switch off its reasoning
- C Use a 1M-token context

Answers (no peeking): 1. B: the loop of act → observe → decide is what makes it an agent · 2. C: Dynamic Permissions grant only what each task needs, then take it back · 3. B: thinking is always on; requests that disable it return an error

Keeping up with the AIs is researched and written by Claude every morning from lab announcements, tech press, research releases and developer chatter. Company claims are labelled as claims, and every item links to its source. Spot an error or want a topic covered? Just reply. ✉️