

CrewAI Beginner's Guide: Build Your AI Team

Table of Contents

1. What is CrewAI?
 2. Getting Started
 - Requirements
 - Installation
 3. Project Structure
 4. Core Concepts
 - Understanding a Crew
 - What is an Agent?
 - What is a Task?
 - Understanding Processes
 5. Real-World Analogy
 6. Working with Tools
 7. Complete Example
 8. Best Practices
-

What is CrewAI?

CrewAI is a powerful framework that lets you create teams of AI agents that work together to accomplish complex tasks. Think of it as building a virtual company where each AI agent has a specific role, and they collaborate to achieve your goals.

Key Benefits:

- **Collaborative AI:** Multiple agents working together
 - **Role-based specialization:** Each agent has specific expertise
 - **Task automation:** Complex workflows handled automatically
 - **Flexible workflows:** Sequential or parallel task execution
-

Getting Started

Requirements

Before diving into CrewAI, ensure you have:

- ✓ **Python 3.9 or newer**
- ✓ **pip** (Python package installer)
- ✓ **Terminal/Command line** (Mac/Linux Terminal, Windows CMD, or PowerShell)

Installation

Step 1: Install CrewAI Framework

```
pip install -U crewai
```

Step 2: Install CrewAI Tools (Optional but Recommended)

```
pip install crewai-tools
```

For a specific version:

```
pip install crewai==0.28.6
```

Note: CrewAI version 0.28.6 or newer is recommended as of July 2025.

Project Structure


When you create a CrewAI project, here's what you'll see:

```
my_project/
├── .gitignore
├── knowledge/
├── pyproject.toml
├── README.md
├── .env
├── src/
│   └── my_project/
│       ├── __init__.py
│       ├── main.py
│       ├── crew.py
│       ├── tools/
│       │   ├── custom_tool.py
│       │   └── __init__.py
│       └── config/
│           ├── agents.yaml
│           └── tasks.yaml
```

File & Directory Purposes:

- **.gitignore:** Specifies which files Git should ignore
- **knowledge/:** Store documents and data your agents can reference
- **pyproject.toml:** Python project configuration and dependencies
- **README.md:** Project documentation and setup instructions
- **.env:** Environment variables (API keys, secrets)
- **src/my_project/:** Main source code directory
 - **init.py:** Makes the directory a Python package
 - **main.py:** Entry point to run your crew
 - **crew.py:** Where you create and configure your crew

- **tools/**: Custom tools for your agents
 - **custom_tool.py**: Your custom tool implementations
- **config/**: Configuration files
 - **agents.yaml**: Define all your AI agents
 - **tasks.yaml**: Define all tasks to be completed



Core Concepts

Understanding a Crew

A **Crew** is like the project manager of your AI team. It coordinates everything:

- **Agents** (the workers)
- **Tasks** (what needs to be done)
- **Process** (how tasks are executed)

Think of a Crew as the central command center that brings all the pieces together.

What is an Agent?

An **Agent** is like a specialized employee with a specific role. Each agent has:

Component	Description	Example
Role	Job title/function	"Research Specialist"
Goal	What they aim to achieve	"Find accurate information"
Backstory	Personality and behavior guide	"Top-tier researcher for high-profile publication"
Tools	Resources they can use	Search engines, file readers, APIs
Memory	Ability to remember across tasks	Optional feature

Example Agent Definition:

```
from crewai import Agent
from crewai_tools import SerperDevTool

researcher = Agent(
    role="Research Specialist",
    goal="Find accurate, detailed information about the topic",
    backstory="You're a top-tier researcher working for a high-profile publication. You thrive on uncovering facts from credible sources.",
    tools=[SerperDevTool()],
    memory=True,
    verbose=True
)
```

What is a Task?

A **Task** is a specific assignment given to an agent. Every task includes:

- **Description:** What the agent should do
- **Expected Output:** What you want as a result
- **Agent Assignment:** Which agent handles this task
- **Dependencies:** Optional connections to other tasks

Example Task Definition:

```
from crewai import Task

research_task = Task(
    description="Research the latest trends in AI for healthcare. Include diagnostics, treatment planning, and robotics.",
    expected_output="A 3-paragraph summary with examples of real-world advancements.",
    agent=researcher
)
```

Understanding Processes

The **Process** defines how tasks are executed:

Process Type	Description	When to Use
Sequential	Tasks happen one after another	When tasks depend on each other
Parallel	Tasks happen simultaneously	When tasks are independent

Example Process Setup:

```
from crewai import Crew, Process

crew = Crew(
    agents=[researcher, writer],
    tasks=[research_task, write_task],
    process=Process.sequential # Research first, then write
)
```

Real-World Analogy

Let's understand CrewAI through a **tech article publishing** example:

The Scenario: Publishing a Tech Article

Real Life	CrewAI Equivalent
Editorial Team	Crew
Researcher (finds content)	Agent with research role
Writer (creates article)	Agent with writing role
Research Assignment	Task with research description
Writing Assignment	Task with writing description
Workflow (Research → Write)	Process.sequential

How It Works:

1. **Researcher Agent** searches for latest AI trends
2. **Writer Agent** takes the research and creates an engaging article
3. **Sequential Process** ensures research happens before writing
4. **Final Result:** A complete, well-researched article

Working with Tools

Tools give your agents superpowers by connecting them to external resources.

Common CrewAI Tools

Tool	Purpose	Use Case
SerperDevTool	Web search	Finding current information
PDFSearchTool	PDF reading	Extracting data from documents
CSVSearchTool	CSV analysis	Working with spreadsheet data
ScrapeWebsiteTool	Website scraping	Getting data from web pages

Adding Tools to Agents

```
from crewai_tools import SerperDevTool, PDFSearchTool
```

```
# Create tools
```

```
search_tool = SerperDevTool()  
pdf_tool = PDFSearchTool()
```

```
# Add tools to agent
```

```
researcher = Agent(  
    role="Research Specialist",  
    goal="Find comprehensive market data",  
    backstory="Expert at discovering market trends",  
    tools=[search_tool, pdf_tool], # Agent can now search web and read PDFs  
    memory=True,  
    verbose=True  
)
```

Complete Example

Here's a full working example for market analysis:

```
# crew.py
```

```
from crewai import Agent, Task, Crew, Process  
from crewai_tools import SerperDevTool
```

```
# Initialize tool
```

```
search_tool = SerperDevTool()
```

```
# Create specialized agents
```

```
researcher = Agent(  
    role="Market Research Specialist",  
    goal="Find comprehensive market data on emerging technologies",  
    backstory="You are an expert at discovering market trends and gathering  
data.",  
    tools=[search_tool],  
    memory=True,  
    verbose=True
```

```

)

analyst = Agent(
    role="Market Analyst",
    goal="Analyze market data and identify key opportunities",
    backstory="You excel at interpreting market data and spotting valuable insights.",
    memory=True,
    verbose=True
)

# Define tasks
research_task = Task(
    description="Research the current market landscape for AI-powered healthcare solutions",
    expected_output="Comprehensive market data including key players, market size, and growth trends",
    agent=researcher
)

analysis_task = Task(
    description="Analyze the market data and identify the top 3 investment opportunities",
    expected_output="Analysis report with 3 recommended investment opportunities and rationale",
    agent=analyst,
    context=[research_task] # This task uses results from research_task
)

# Create the crew
market_analysis_crew = Crew(
    agents=[researcher, analyst],
    tasks=[research_task, analysis_task],
    process=Process.sequential,
    verbose=True
)

# main.py
from src.my_project.crew import market_analysis_crew

# Run the crew
result = market_analysis_crew.kickoff()
print("Market Analysis Results:")
print(result)

```

Best Practices

1. Agent Design

- Give agents specific, focused roles
- Write clear, detailed backstories
- Choose appropriate tools for each agent's function

2. Task Definition

- Be specific about what you want
- Clearly define expected outputs
- Use context to connect related tasks

3. Process Selection

- Use **Sequential** when tasks depend on each other
- Use **Parallel** when tasks can run independently
- Consider memory settings for complex workflows

4. Tool Usage

- Only give agents tools they actually need
- Test tools individually before adding to agents
- Consider rate limits and API costs

5. Testing and Iteration

- Start with simple tasks and gradually increase complexity
 - Use verbose=True for debugging
 - Test each agent individually before combining them
-