Cucumber Report

| Start : Jul 14, 9:32:20.447 PM	End : Jul 14, 9:32:29.480 PM	Duration : 9.033 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 10

#	Feature Name	T	P	F	S	Duration
1	To create a new product in paypal	2	1	1	0	9.033 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create a new product in paypal	To create new product using cucumber Data Table	12	1	1	10	0.457 s
2	To create a new product in paypal	To create new product using JSON data	10	10	0	0	9.012 s

(F)- To create a new product in paypal

FAILED	DURATION - 9.033 s	Scenarios		Steps	
/ 9:32:20.447 PM // 9:32:29.480 PM /		Total - 2	2	Total - 22	22
		Pass - 1		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- To create new product using cucumber Data Table

FAILED	DURATION - 0.457 s		Steps	
/ 9:32:20.457 PM // 9:32:20.914 PM /			Total - 12	12
To create a new product in paypal			Pass - 1	
@bookerAPI @ignore @createProduct @createViewUpdateProductDataTable			Fail - 1	
			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given - Given user has access to endpoint "/v1/catalogs/products"	PASSED	0.002 s
2	When - When user sends a request to create a product	FAILED	0.362 s

	name / type / description / category / image_url / home_url
	Video Streaming Service / SERVICE / Video Streaming Service / SOFTWARE / https://example.com/streaming.jpg / https://example.com/home
	
	java.lang.NullPointerException
	  at utils.PropertiesFile.getProperty(PropertiesFile.java:35)
	  at utils.TestContext.requestSetup(TestContext.java:26)
	  at stepdefs.CreateProductStepDefinition.userSendsARequestToCreateAProduct(CreateProductStepDefinition.java:43)
	  at ?.user sends a request to create a product(file:///C:/Users/adity/workspace/restassured-api-java-paypal/src/test/resources/features/ProductWorkflow.feature:7)
	* Not displayable characters are replaced by '?'.		

3	Then - Then user receives the response code 201	SKIPPED	0.001 s
4	And - And user validates the response body against input message	SKIPPED	0.002 s
5	And - And user validates the response with JSON schema "createProductSchema.json"	SKIPPED	0.001 s
6	Given - Given user has access to endpoint "/v1/catalogs/products"	SKIPPED	0.001 s
7	And - And user sends a request to view details of a product ID	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	Then - Then user receives the response code 200	SKIPPED	0.001 s
9	And - And user validates the response with JSON schema "createProductSchema.json"	SKIPPED	0.000 s
10	Given - Given user has access to endpoint "/v1/catalogs/products"	SKIPPED	0.001 s
11	And - And user sends a request to update the details of a product	SKIPPED	0.001 s

op	path	value
replace	/description	Premium video

#	Step / Hook Details	Status	Duration
12	And - And user sends a request to view details of a product ID	SKIPPED	0.003 s

(S)- To create new product using JSON data

PASSED	DURATION - 9.012 s

/ 9:32:20.468 PM // 9:32:29.480 PM /

To create a new product in paypal

@bookerAPI @createProduct
@createProductFromJSON

Steps

Total - 10

Pass - 10

Fail - 0

Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given - Given user has access to endpoint "/v1/catalogs/products"	PASSED	0.006 s
2	When - When user creates a product using data "createProduct1" from JSON file "productBody.json"	PASSED	3.793 s
3	Then - Then user receives the response code 201	PASSED	0.001 s
4	And - And user validates the response with JSON schema "createProductSchema.json"	PASSED	0.595 s
5	And - And user sends a request to view details of a product ID	PASSED	1.591 s
6	Then - Then user receives the response code 200	PASSED	0.001 s
7	And - And user validates the response with JSON schema "createProductSchema.json"	PASSED	0.016 s
8	Given - Given user has access to endpoint "/v1/catalogs/products"	PASSED	0.001 s
9	And - And user sends a request to update product details using data "updateBooking1" from JSON file "productBody.json"	PASSED	1.407 s
10	And - And user sends a request to view details of a product ID	PASSED	1.547 s