Tables (15)

Name	Type	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user_groups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY

Name	Type	Schema
		DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user_user_permissions		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)

Name	Type	Schema
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
timestyle_app_designdetails		CREATE TABLE "timestyle_app_designdetails" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "watch_face" varchar(100) NOT NULL, "strap" varchar(100) NOT NULL, "dial" varchar(100) NOT NULL, "price" decimal NOT NULL, "description" text NOT NULL, "watch_design_id" bigint NOT NULL UNIQUE REFERENCES "timestyle_app_watchdesign" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
watch_face	varchar(100)	"watch_face" varchar(100) NOT NULL
strap	varchar(100)	"strap" varchar(100) NOT NULL
dial	varchar(100)	"dial" varchar(100) NOT NULL
price	decimal	"price" decimal NOT NULL
description	text	"description" text NOT NULL
watch_design_id	bigint	"watch_design_id" bigint NOT NULL UNIQUE
timestyle_app_order		CREATE TABLE "timestyle_app_order" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "is_manufactured" bool NOT NULL, "status" varchar(20) NOT NULL, "order_date" datetime NOT NULL, "design_id" bigint NOT NULL REFERENCES "timestyle_app_watchdesign" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "timestyle_app_users" ("user_id") DEFERRABLE INITIALLY DEFERRED, "in_cart" bool NOT NULL, "quantity" integer unsigned NOT NULL CHECK ("quantity" >= 0))
id	integer	"id" integer NOT NULL
is_manufactured	bool	"is_manufactured" bool NOT NULL
status	varchar(20)	"status" varchar(20) NOT NULL
order_date	datetime	"order_date" datetime NOT NULL
design_id	bigint	"design_id" bigint NOT NULL
user_id	integer	"user_id" integer NOT NULL
in_cart	bool	"in_cart" bool NOT NULL
quantity	integer unsigned	"quantity" integer unsigned NOT NULL CHECK("quantity" >= 0)
timestyle_app_users		CREATE TABLE "timestyle_app_users" ("user_id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "email" varchar(100) NOT NULL UNIQUE, "first_name" varchar(150) NOT NULL, "last_name" varchar(150) NOT NULL, "password" varchar(100) NOT NULL, "registration_date" date NOT NULL, "last_login" date NOT NULL, "is_administrator" bool NOT NULL, "is_active" bool NOT NULL, "email_verified" bool NOT NULL)
user_id	integer	"user_id" integer NOT NULL
email	varchar(100)	"email" varchar(100) NOT NULL UNIQUE

Name	Type	Schema
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
password	varchar(100)	"password" varchar(100) NOT NULL
registration_date	date	"registration_date" date NOT NULL
last_login	date	"last_login" date NOT NULL
is_administrator	bool	"is_administrator" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
email_verified	bool	"email_verified" bool NOT NULL
timestyle_app_watchdesign		`CREATE TABLE "timestyle_app_watchdesign" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NOT NULL, "image" varchar(100) NOT NULL, "description" text NOT NULL)`
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
image	varchar(100)	"image" varchar(100) NOT NULL
description	text	"description" text NOT NULL

Indices (17)

Name	Type	Schema
auth_group_permissions_group_id_b120cbf9		`CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")`
group_id		"group_id"
auth_group_permissions_group_id_permission_id_0cd325b0_uniq		`CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")`
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_permission_id_84c5c92e		`CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")`
permission_id		"permission_id"
auth_permission_content_type_id_2f476e4b		`CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")`
content_type_id		"content_type_id"
auth_permission_content_type_id_codename_01ab375a_uniq		`CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")`

Name	Type	Schema
content_type_id		"content_type_id"
codename		"codename"
auth_user_groups_group_id_97559544		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user_groups_user_id_6a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_groups_user_id_group_id_94350c0c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user_user_permissions_permission_id_1fbb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user_user_permissions_user_id_a95ead1b		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user_user_permissions_user_id_permission_id_14a6b632_uniq		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"

Name	Type	Schema
model		"model"
django_session_expire_date_a5c62663		`CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")`
expire_date		"expire_date"
timestyle_app_order_design_id_c1848286		`CREATE INDEX "timestyle_app_order_design_id_c1848286" ON "timestyle_app_order" ("design_id")`
design_id		"design_id"
timestyle_app_order_user_id_6060c991		`CREATE INDEX "timestyle_app_order_user_id_6060c991" ON "timestyle_app_order" ("user_id")`
user_id		"user_id"

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema