

NeuroPulse AI: Electromyography (EMG) Profile

Yellow = cleaned signal | Green = muscle strength | Red = muscle active shadow


Patient: Patient Name | **ID:** NP-20260522-6079 | **Date:** 22-05-2026 19:05

Avg Strength 10.6	Active Time 18.9%	Major Spikes 2	Signal Quality Good
----------------------	----------------------	-------------------	------------------------

1. Clinical Summary

Session Score	35/100
Symmetry Score	0.0%
Side Deficit	100.0% (Right lower)
Lowest Activity Channel	Channel 3
Fatigue Drop	Low (0.0% decline)
Signal Quality	Good

2. 30-Second Graph Snapshot



3. Muscle-wise Quantitative Summary

Muscle / Channel	Avg	Peak	Active %	Quality
Channel 1	42.4	206.1	75.3%	Good
Channel 2	0.1	37.3	0.4%	Low
Channel 3	0.0	0.0	0.0%	Low
Channel 4	0.0	0.0	0.0%	Low

4. Local Data-Based EMG Findings

■ Signal Reasoning (Quantitative Text Analysis):

- * Session Score: 35/100. Signal Quality: Good.
- * Side Deficit: 100.0%. Symmetry Score: 0.0%. Marked right-side deficit detected.
- * Lowest Activity: Channel 3. Highest Peak: Channel 1.

- * Fatigue Drop: Low (0.0% decline from early to recent activity).
- * Channel Balance: left-side channel balance 0%; right-side channel balance 0%.
- * Suggested focus: compare the two right-side muscles/channels and train the weaker activation pattern.
- * Selected affected side: Left Affected. Non-diagnostic rehab monitoring support only.

Recorded Session Findings:

- * Recording summary: 6520 EMG samples captured over approximately 60 seconds.
 - * Session Score: 35/100. Signal Quality: Good.
 - * Side Deficit: 100.0%. Symmetry Score: 0.0%. Impression: marked right-side activation deficit. Bilateral EMG symmetry is reduced and requires targeted rehab attention.
 - * Lowest Activity: Channel 3 showed the lowest average activation (0.0).
 - * Highest Peak: Channel 1 showed the highest peak activation (206.1).
 - * Channel Balance: left-side channel balance 0.3%; right-side channel balance 0.0%.
 - * Fatigue Drop: Low fatigue pattern with 0.0% decline from early to recent activity.
 - * Sustained activation: Channel 1 75.3%, Channel 2 0.4%, Channel 3 0.0%, Channel 4 0.0% above threshold.
 - * Clinical note: The selected affected side is left; compare this report with clinical examination and patient symptoms.
- This is a non-diagnostic rehab monitoring prototype that provides quantitative EMG feedback for physiotherapy support.

5. Clinical Observations & Notes

Summary Notes: N/A

Comparative Analysis:

- Left Side Avg: 21.3
- Right Side Avg: 0.0
- Symmetry Ratio (L/R): 0.0%
- Most Dynamic Channel: Channel 1