

NeuroPulse AI: Electromyography (EMG) Profile

Yellow = cleaned signal | Green = muscle strength | Red = muscle active shadow

Patient: Patient Name | **ID:** NP-20260522-6079 | **Date:** 22-05-2026 21:13

Avg Strength 0.8	Active Time 1.4%	Major Spikes 2	Signal Quality Low
---------------------	---------------------	-------------------	-----------------------

1. Clinical Summary

Session Score	50/100
Symmetry Score	65.0%
Side Deficit	35.0% (Right lower)
Lowest Activity Channel	Channel 1
Fatigue Drop	Low (0.0% decline)
Signal Quality	Low

2. 30-Second Graph Snapshot



3. Muscle-wise Quantitative Summary

Muscle / Channel	Avg	Peak	Active %	Quality
Channel 1	0.0	0.0	0.0%	Low
Channel 2	2.0	179.0	3.3%	Low
Channel 3	0.0	0.0	0.0%	Low
Channel 4	1.3	145.7	2.2%	Low

4. Local Data-Based EMG Findings

Signal Reasoning (Quantitative Text Analysis):

- * Session Score: 52/100. Signal Quality: Low.
- * Side Deficit: 29.0%. Symmetry Score: 71.0%. Mild to moderate right-side deficit detected.
- * Lowest Activity: Channel 1. Highest Peak: Channel 2.
- * Fatigue Drop: Low (0.0% decline from early to recent activity).
- * Channel Balance: left-side channel balance 0%; right-side channel balance 0%.
- * Suggested focus: compare the two right-side muscles/channels and train the weaker activation pattern.
- * Selected affected side: Select Affected Side. Non-diagnostic rehab monitoring support only.

Recorded Session Findings:

- * Recording summary: 5560 EMG samples captured over approximately 60 seconds.
- * Session Score: 50/100. Signal Quality: Low.
- * Side Deficit: 35.0%. Symmetry Score: 65.0%. Impression: marked right-side activation deficit. Bilateral EMG symmetry is reduced and requires targeted rehab attention.
- * Lowest Activity: Channel 1 showed the lowest average activation (0.0).
- * Highest Peak: Channel 2 showed the highest peak activation (179.0).
- * Channel Balance: left-side channel balance 0.0%; right-side channel balance 0.0%.
- * Fatigue Drop: Low fatigue pattern with 0.0% decline from early to recent activity.
- * Sustained activation: Channel 1 0.0%, Channel 2 3.3%, Channel 3 0.0%, Channel 4 2.2% above threshold.
- * Clinical note: Affected side was not selected; interpretation is limited to channel activity and symmetry. This is a non-diagnostic rehab monitoring prototype that provides quantitative EMG feedback for physiotherapy support.

5. Clinical Observations & Notes

Summary Notes: N/A

Comparative Analysis:

- Left Side Avg: 1.0
- Right Side Avg: 0.7
- Symmetry Ratio (L/R): 65.0%
- Most Dynamic Channel: Channel 2