Database and

Management

SystemLab

Lab Experiment – 12

Name: Aditya Bisht

Roll No: R2142230036 Sap_ID: 500119029

B.Tech CSE, SEM-III, B-2

Title: To understand the concepts of Sequence.

Objective: Students will be able to implement the concept ofsequence.

1. Create a sequence by name EMPID_SEQ starting with value100 with an interval of 1.

```
ALTER TABLE EMPLOYEES AUTO_INCREMENT = 100;
```

2. Write a SQL command for finding the current and the next status of EMPID_SEQ.

```
SELECT LAST_INSERT_ID();

+-----+
| LAST_INSERT_ID() |
+-----+
| 100 |
+-----+
1 row in set (0.00 sec)
```

3. Change the Cache value of the sequence EMPID_SEQ to 20and maxvalue to 1000.

```
ALTER TABLE EMPLOYEES AUTO_INCREMENT = 1000;
```

4. Insert values in the EMPLOYEES table using sequences forthe Employee_id column.

```
INSERT INTO EMPLOYEES (First_Name, Last_Name, DOB, Salary, Department_id)
VALUES ('Tom', 'Hanks', '1985-12-10', 65000, 'D1');
```

5. Drop sequence EMPID_SEQ.

```
DROP TABLE EMPLOYEES;
```

Database and

Management

SystemLab

Lab Experiment – 13

Name: Aditya Bisht

Roll No: R2142230036 Sap_ID: 500119029

B.Tech CSE, SEM-III, B-2

Title: To understand the concepts of PL/SQL programming. Objective: Students will be able to implement the basic concepts of PI/SQL.

1. Write a PL/SQL code to accept the value of A, B & C anddisplay which is greater.

```
DECLARE

A NUMBER := 5;

B NUMBER := 8;

C NUMBER := 3;

BEGIN

IF A > B AND A > C THEN

DBMS_OUTPUT.PUT_LINE('A is the greatest');

ELSIF B > A AND B > C THEN

DBMS_OUTPUT.PUT_LINE('B is the greatest');

ELSE

DBMS_OUTPUT.PUT_LINE('C is the greatest');

END;

/
```

```
B is the greatest
```

2. Using PL/SQL Statements create a simple loop that displaysthe message "Welcome to PL/SQL Programming" 20 times.

```
BEGIN
    FOR i IN 1..20 LOOP
        DBMS_OUTPUT.PUT_LINE('Welcome to PL/SQL Programming');
    END LOOP;
END;
/
```

```
Welcome to PL/SQL Programming
```

3. PL/SQL Code to Find the Factorial of a Number

```
DECLARE
   num NUMBER := 5; -- Input number
   fact NUMBER := 1; -- Initialize factorial to 1

BEGIN
   FOR i IN 1..num LOOP
      fact := fact * i;
   END LOOP;
   DBMS_OUTPUT.PUT_LINE('Factorial of ' || num || ' is: ' || fact);

END;
/
```

```
Factorial of 5 is: 120
```

4. PL/SQL Program to Generate Fibonacci Series

```
DECLARE
   n NUMBER := 6; -- Input value for the number of terms
   a NUMBER := 0; -- First Fibonacci number
   b NUMBER := 1; -- Second Fibonacci number
   c NUMBER;
BEGIN
   DBMS_OUTPUT.PUT_LINE('Fibonacci Series:');
   DBMS_OUTPUT.PUT_LINE(a);
   DBMS_OUTPUT.PUT_LINE(b);
   FOR i IN 3..n LOOP
       c := a + b;
       DBMS_OUTPUT.PUT_LINE(c);
       a := b;
       b := c;
   END LOOP;
END;
```

```
Fibonacci Series:
0
1
1
2
3
5
```

5. PL/SQL Code to Find the Sum of First N Numbers

```
DECLARE
    N NUMBER := 5; -- Input number
    sum NUMBER := 0; -- Initialize sum to 0

BEGIN
    FOR i IN 1..N LOOP
        sum := sum + i;
    END LOOP;
    DBMS_OUTPUT.PUT_LINE('Sum of first ' || N || ' numbers is: ' || sum);

END;
/
```

```
Sum of first 5 numbers is: 15
```