### **Loading the Lookup Table**

- Creating ranked card transaction table to store last 10 transaction CREATE TABLE IF NOT EXISTS RANKED\_CARD\_TRANSACTIONS\_ORC( `CARD\_ID` STRING, `AMOUNT` DOUBLE,

`POSTCODE` STRING, `TRANSACTION\_DT` TIMESTAMP, `RANK` INT)
STORED AS ORC
TBLPROPERTIES ("orc.compress"="SNAPPY");

- Creating table for UCL

CREATE TABLE IF NOT EXISTS

CARD\_UCL\_ORC( `CARD\_ID` STRING,

`UCL` DOUBLE)

STORED AS ORC

TBLPROPERTIES ("orc.compress"="SNAPPY");

### - Inserting last 10 data into ranked card transaction

INSERT OVERWRITE TABLE
RANKED\_CARD\_TRANSACTIONS\_ORC SELECT
B.CARD\_ID, B.AMOUNT, B.POSTCODE,
B.TRANSACTION\_DT, B.RANK FROM
(SELECT A.CARD\_ID, A.AMOUNT, A.POSTCODE,
A.TRANSACTION\_DT, RANK() OVER(PARTITION BY
A.CARD\_ID ORDER BY A.TRANSACTION\_DT DESC,
AMOUNT DESC) AS RANK FROM

(SELECT CARD\_ID, AMOUNT, POSTCODE, TRANSACTION\_DT FROM CARD\_TRANSACTION\_HBASE WHERE STATUS = 'GENUINE') A ) B WHERE B.RANK <= 10;

```
hive> INSERT OVERWRITE TABLE RANKED_CARD_TRANSACTIONS_ORC

> SELECT B.CARD_ID, B.AMOUNT, B.POSTCODE, B.TRANSACTION_DT, B.RANK FROM

> (SELECT A.CARD_ID, A.MOUNT, A.POSTCODE, A.TRANSACTION_DT, RANK() OVER(PARTITION BY A.CARD_ID ORDER BY A.TRANSACTION_DT DESC, AMOUNT DESC) AS RANK FROM

> (SELECT CARD_ID, AMOUNT, POSTCODE, TRANSACTION_DT, RANK() OVER(PARTITION BY A.CARD_ID ORDER BY A.TRANSACTION_DT DESC, AMOUNT DESC) AS RANK FROM

> (SELECT CARD_ID, AMOUNT, POSTCODE, TRANSACTION_DT, RANK() OVER(PARTITION BY A.CARD_ID ORDER BY A.TRANSACTION_DT DESC, AMOUNT DESC) AS RANK FROM

> (SELECT CARD_ID, AMOUNT, POSTCODE, TRANSACTION_DT, RANK() OVER(PARTITION BY A.CARD_ID ORDER BY A.TRANSACTION_DT DESC, AMOUNT DESC) AS RANK FROM

> (SELECT CARD_ID, AMOUNT, POSTCODE, TRANSACTION_DT, B.RANK FROM

> (SELECT CARD_ID, AMOUNT, P.POSTCODE, TRANSACTION_DT PORTOR BY A.TRANSACTION_DT DESC, AMOUNT DESC) AS RANK FROM

> (SELECT CARD_ID, AMOUNT, P.POSTCODE, TRANSACTION_DT, B.RANK FROM

> (SELECT CARD_ID, AMOUNT, P.POSTCODE, TRANSACTION_DT, B.RANK

| (SELECT CARD_ID, AMOUNT, P.POSTCODE, TRANSACTION_DT, B.RANK
| (SELECT CARD_ID, AMOUNT, P.POSTCODE, TRANSACTION_DT, B.RANK
| (SELECT CARD_ID, AMOUNT, P.POSTCODE, TRANSACTION_DT, B.RANK
| (SELECT CARD_ID, AMOUNT, P.POSTCODE, TRANSACTION_DT, B.RANK
| (SELECT CARD_ID, AMO
```

### - Inserting data into UCL

INSERT OVERWRITE TABLE CARD\_UCL\_ORC SELECT A.CARD\_ID, (A.AVERAGE + (3 \* A.STANDARD\_DEVIATION)) AS UCL FROM ( SELECT CARD\_ID, AVG(AMOUNT) AS AVERAGE, STDDEV(AMOUNT) AS STANDARD\_DEVIATION FROM

# RANKED\_CARD\_TRANSACTIONS\_ORC GROUP BY CARD\_ID) A;

#### - Inserting data into lookup table

INSERT OVERWRITE TABLE LOOKUP\_DATA\_HBASE
SELECT RCTO.CARD\_ID, CUO.UCL, CMS.SCORE,
RCTO.POSTCODE, RCTO.TRANSACTION\_DT
FROM RANKED\_CARD\_TRANSACTIONS\_ORC RCTO
JOIN CARD\_UCL\_ORC CUO
ON CUO.CARD\_ID = RCTO.CARD\_ID
JOIN (
SELECT DISTINCT CARD.CARD\_ID, SCORE.SCORE
FROM CARD\_MEMBER\_ORC CARD
JOIN MEMBER\_SCORE\_ORC SCORE
ON CARD.MEMBER\_ID = SCORE.MEMBER\_ID) AS CMS
ON RCTO.CARD\_ID = CMS.CARD\_ID
WHERE RCTO.RANK = 1;

```
hive> INSERT OVERWRITE TABLE LOOKUP_DATA_HBASE

> SELECT RCTO.CARD_ID, CUO.UCL, CMS.SCORE, RCTO.POSTCODE, RCTO.TRANSACTION_DT

> FROM RANKED_CARD_TRANSACTIONS_ORC RCTO

> JOIN CARD_UCL_ORC CUO
        ON CUO.CARD_ID = RCTO.CARD_ID
     > JOIN (
     > SELECT DISTINCT CARD.CARD_ID, SCORE.SCORE
     > FROM CARD_MEMBER_ORC CARD
     > JOIN MEMBER_SCORE_ORC SCORE
> ON CARD_MEMBER_ID = SCORE.MEMBER_ID) AS CMS
> ON RCTO.CARD_ID = CMS.CARD_ID
> WHERE RCTO.RANK = 1;
No Stats for capstone_project@ranked_card_transactions_orc, Columns: postcode, rank, transaction_dt, card_id No Stats for capstone_project@card_ucl_orc, Columns: card_id, ucl
No Stats for capstone_project@card_member_orc, Columns: member_id, card_id
No Stats for capstone_project@member_score_orc, Columns: member_id, score
Query ID = root_20220513193236_913ab00a-12d6-4a3a-aa80-4d1a4264998e
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1652465715257_0005)
           VERTICES
                              MODE
                                               STATUS TOTAL COMPLETED RUNNING PENDING FAILED KILLED
Map 1 ...... container
Map 2 ..... container
                                           SUCCEEDED
                                                                                                                               0
                                                                                            0
                                           SUCCEEDED
Map 3 ..... container
                                                                                                         0
                                           SUCCEEDED
                                                                               1
                                                                                            0
                                                                                                                    0
                                                                                                                               0
Map 5 ..... container
                                           SUCCEEDED
                                                                                            0
                                                                                                         0
                                                                                                                    0
                                                                                                                               0
Reducer 4 ..... container
                                                                2
                                           SUCCEEDED
                                                                               2
                                                                                            0
                                                           ==>>] 100% ELAPSED TIME: 14.40 s
Time taken: 21.529 seconds
```

# Command to see the table created and it's content - Counting rows in lookup table

select count(\*) from lookup data hbase;

 - Printing top 10 rows of lookup table select \* from lookup\_data\_hbase limit 10;

```
hive> select * from lookup_data_hbase limit 10;
340028465709212 1.6331555548882348E7
                                                          24658
                                                                   2018-01-02 03:25:35
340054675199675 1.4156079786189131E7
340082915339645 1.5285685330791473E7
                                                          50140
                                                                   2018-01-15 19:43:23
                                                407
                                                                   2018-01-26 19:03:47
                                                          17844
340134186926007 1.5239767522438556E7
                                                                   2018-01-18 23:12:50
                                                614
                                                          67576
340265728490548 1.608491671255562E7
340268219434811 1.2507323937605347E7
340379737226464 1.4198310998368107E7
                                                          72435
                                                                   2018-01-21 02:07:35
                                                202
                                                415
                                                          62513
                                                                   2018-01-16 04:30:05
                                                229
                                                                   2018-01-27 00:19:47
                                                          26656
340383645652108 1.4091750460468251E7
                                                          34734
                                                                   2018-01-29 01:29:12
                                                                   2018-01-31 04:23:57
340803866934451 1.0843341196185412E7
                                                          87525
340889618969736 1.3217942365515321E7
                                                                   2018-01-31 21:57:18
Time taken: 0.291 seconds, Fetched: 10 row(s)
```

----HBASE

- - Counting rows in lookup

#### table in HBASE

count 'lookup\_data\_hive'

```
hbase(main):001:0> count 'lookup_data_hive'
999 row(s) in 0.6450 seconds
=> 999
hbase(main):002:0>
```

 - Printing top 10 rows of lookup table in HBASE scan 'lookup\_data\_hive'

hbase(main):002:0> scan 'lookup_data_hive'	
ROW	COLUMN+CELL
340028465709212	column=lookup_card_family:score, timestamp=1652470377779, value=233
340028465709212	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.6331555548882348E7
340028465709212	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=24658
340028465709212	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-02 03:25:35
340054675199675	column=lookup_card_family:score, timestamp=1652470377779, value=631
340054675199675	column=lookup card family:ucl, timestamp=1652470377779, value=1.4156079786189131E7
340054675199675	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=50140
340054675199675	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-15 19:43:23
340082915339645	column=lookup_card_family:score, timestamp=1652470377779, value=407
340082915339645	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.5285685330791473E7
340082915339645	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=17844
340082915339645	column=lookup transaction family:transaction dt, timestamp=1652470377779, value=2018-01-26 19:03:47
340134186926007	column=lookup_card_family:score, timestamp=1652470377779, value=614
340134186926007	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.5239767522438556E7
340134186926007	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=67576
340134186926007	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-18 23:12:50
340265728490548	column=lookup_card_family:score, timestamp=1652470377779, value=202
340265728490548	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.608491671255562E7
340265728490548	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=72435
340265728490548	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-21 02:07:35
340268219434811	column=lookup_card_family:score, timestamp=1652470377779, value=415
340268219434811	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.2507323937605347E7
340268219434811	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=62513
340268219434811	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-16 04:30:05
340379737226464	column=lookup_card_family:score, timestamp=1652470377779, value=229
340379737226464	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.4198310998368107E7
340379737226464	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=26656
340379737226464	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-27 00:19:47
340383645652108	column=lookup_card_family:score, timestamp=1652470377779, value=645
340383645652108	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.4091750460468251E7
340383645652108	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=34734
340383645652108	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-29 01:29:12
340803866934451	column=lookup_card_family:score, timestamp=1652470377779, value=502
340803866934451	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.0843341196185412E7
340803866934451	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=87525
340803866934451	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-31 04:23:57
340889618969736	column=lookup_card_family:score, timestamp=1652470377779, value=330
340889618969736	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.3217942365515321E7
340889618969736	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=61341
340889618969736	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-31 21:57:18
340924125838453	column=lookup_card_family:score, timestamp=1652470377779, value=644
340924125838453	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.1712496575647112E7
340924125838453	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=46392
340924125838453	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2017-10-12 15:41:23
341005627432127	column=lookup_card_family:score, timestamp=1652470377779, value=629
341005627432127	column=lookup_card_family:ucl, timestamp=1652470377779, value=1.2843150457220368E7
341005627432127	column=lookup_transaction_family:postcode, timestamp=1652470377779, value=23306
341005627432127	column=lookup_transaction_family:transaction_dt, timestamp=1652470377779, value=2018-01-22 14:59:38