

SparkFunBMV080

7SemiBME688Nano

1N5819

Power


XIAOEsp32-S3



No.	Quantity	Comment	Designator	Footprint	Value	Manufacturer Part	Manufacturer	Supplier Part	Supplier	Category	Primary Category
1	1	1N5819	1N5819	DO-41 BD2.4-L4.7-P8.70-D0.9-RD		1N5819	R+O(宏嘉诚)	C54795756	LCSC	Diodes:Schotky Diodes	Diodes
2	1	1x4 2.54mm Pitch 10mm Lead Length Female Header	7SemiBME688Nano	1x8 2.54mm Pitch 10mm Lead Length Female Header		SSW-108-03-T-S	Samtec				
3	1	2.54mm间距 针长19mm 2P排针	Power	HDR-TH_2P-P2.54_C9900022687		2.54mm间距 针长19mm 2P排针		C9900022687	LCSC		
4	1	SparkFun - BMV080	SparkFunBMV080	CONN-TH_P2.54-1X7P-ZW							
5	1	XIAO ESP32-S3	XIAOEsp32-S3	XIAO ESP32-S3		113991114	Seeed Studio	713-11399114	Mouser		

Secondary Category	Pin Count	Name	Device	3D Model Title	LCSC Stock	JLCPCB Stock
Schottky Diodes	2	1N5819	1N5819_C54795756	DO-41_D2.4-L4.7-P8.70		24900
	4	1x4 2.54mm Pitch 10mm Lead Length Female Header	1x4 2.54mm Pitch 10mm Lead Length Female Header		24900	
	2	2.54mm间距 针长19mm 2P排针	2.54mm间距 针长19mm 2P排针	HDR-TH_2P-P2.54_C9900022687		0
	7		SparkFun - BMV080		24900	
	14	XIAO ESP32-S3	XIAO ESP32-S3	XIAO-ESP32 S3 v3		0


SparkFunBMV080



7SemiBME688Nano



XIAOESP32-S3





This better work

○ ○ ○ ○ ○ ○ ○

○
○
○
○

○

○

□

□