

A PROJECT REPORT ON

**ENHANCING LLMs WITH INDIAN MULTI-LINGUAL AUDIO
UNDERSTANDING FOR ARTIFICIAL GENERAL
INTELLIGENCE (AGI) ADVANCEMENT**

SUBMITTED TO THE SAVITRIBAI PHULE PUNE UNIVERSITY, PUNE IN THE PARTIAL
FULFILLMENT OF THE REQUIREMENTS FOR THE AWARD OF THE DEGREE

OF

BACHELOR OF ENGINEERING (COMPUTER ENGINEERING)

SUBMITTED BY

ANIRUDDHA BIRAGE	B400050320
AARUSH BALKUNDI	B400050309
CHIRANJEEV PATIL	B400050533
TANAY THATTE	B400050612



DEPARTMENT OF COMPUTER ENGINEERING
PUNE INSTITUTE OF COMPUTER TECHNOLOGY
DHANKAWADI, PUNE - 411043

SAVITRIBAI PHULE PUNE UNIVERSITY
2024-2025

SAVITRIBAI PHULE PUNE UNIVERSITY
SCTR's PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE
DEPARTMENT OF COMPUTER ENGINEERING
2024-2025



CERTIFICATE

This is to certify that the project report entitled
**ENHANCING LLMs WITH INDIAN MULTI-LINGUAL AUDIO UNDERSTANDING
FOR ARTIFICIAL GENERAL INTELLIGENCE (AGI) ADVANCEMENT**

Submitted by

ANIRUDDHA BIRAGE	B400050320
AARUSH BALKUNDI	B400050309
CHIRANJEEV PATIL	B400050533
TANAY THATTE	B400050612

are bonafide students of this institute and the work has been carried out by them under the supervision of **Dr. A. R. Deshpande** and it is approved for the partial fulfillment of the requirement of Savitribai Phule Pune University, for the award of the degree of **Bachelor of Engineering (Computer Engineering)**.

Dr. Arati Deshpande
Guide
Department of Computer Engineering

Dr. G. V. Kale
Head,
Department of Computer Engineering

Dr. S. T. Gandhe
Principal,
SCTR's Pune Institute of Computer Engineering

Place: Pune
Date: 22/04/2025

Date: 02 April 2025

Project Completion Certificate

To whomsoever, it may concern

This is to certify that **Mr. Aniruddha Narayan Birage, Mr. Aarush Jitendra Balkundi, Mr. Chiranjeev Jagdish Patil, and Mr. Tanay Amol Thatte**, Final year students of SCTR's Pune Institute of Computer Technology have successfully completed the final year project work title "**Enhancing LLMs with Indian Multi-Lingual Audio Understanding for AGI Advancement**" facilitated by Reverie Language Technologies Limited.

The students worked on the project from **19 August 2024 to 28 March 2025** under the guidance of **Mr. Chintan Dilipkumar Parikh**.

During the above period, we found Mr. Aniruddha, Mr. Aarush, Mr. Chiranjeev, and Mr. Tanay to be knowledgeable and result-oriented with a practical understanding of our requirements. Overall they performed their duties and responsibilities at all times.

We take this opportunity to wish them all the very best in their future career endeavours.

Warm Regards,

For Reverie Language Technologies



Sanjukta Paul
Senior Manager – People & Culture
Operations – People & Culture

ACKNOWLEDGEMENT

*We express gratitude to our wonderful mentors, **Dr. Saswati Rabha** and **Mr. Chintan Parikh** of Reverie Language Technologies Limited, for helping us with their mentorship, expertise, and support during the course of the project. Their multi-lingual AI skills, coupled with practical and strategic insights, really helped us accomplish the maiden phase of this project to its successful end. We highly appreciate their dedication and commitment to our growth as engineers. We are in full gratitude for the mentorship.*

*We will be grateful to **Dr. A. R. Deshpande** for her wonderful guidance and support, under which we could complete the first phase of our Bachelor of Engineering project titled "**Enhancing LLMs With Indian Multi-Lingual Audio Understanding For Artificial General Intelligence (AGI) Advancement.**"*

*Special thanks are due to the Head of the Department, **Dr. G. V. Kale**, for providing the necessary infrastructure, resources, and a harmonious academic ambiance in general. Thanks also to **Dr. P. T. Kulkarni**, our director, for steady support and vision that inspired and motivated us to strive for excellence throughout this project.*

We cherish all the faculty, teaching staff, and non-teaching staff for their academic inputs as well as for encouraging and supporting us logistically.

We certainly express very deep thanks to all our parents for their constant encouragement and unwavering belief in us that has carried us through this journey. The success of this phase shall forever stand as a testament to the collective contribution of all these people and institutions.

ANIRUDDHA BIRAGE
AARUSH BALKUNDI
CHIRANJEEV PATIL
TANAY THATTE
(B.E. Computer Engineering)

ABSTRACT

The project can be regarded as a step forward toward the pursuit of developing true AGI, which will add Indian multi-lingual audio understanding in LLMs. India is linguistically diverse with different languages and dialects; hence, it is a multi-linguistic country, and multilingual understanding of audio is necessary while processing audio data in varied languages.

Our focus will particularly be on the special challenges presented by Indian languages, such as the scope of phonetic variations, differences in the use of tones, and contextual uses. Our robust framework, using state-of-the-art audio processing and machine learning, will help us develop good-quality transcriptions and understanding of the spoken language in a multitude of Indian linguistic contexts.

The project would involve tapping available datasets of Indian languages and exploring the creation of new ones, especially rich inputs with audio-text and visual data. This would make for a holistic method that would enable contextual understanding and respond more aptly to multiple language queries.

To that end, our system will open up the doors to yet even more adaptive and flexible AI systems that would be capable not only of producing and understanding language but also of taking into account cultural and contextual nuances intrinsic to multi-lingual environments. It will therefore contribute much toward the larger aim of AGI, wherein machines could understand and communicate in a manner natural and meaningful, just as it is seen in humans.

TABLE OF CONTENTS

LIST OF ABBREVIATIONS

i

LIST OF FIGURES

ii

Sr. No.	Title of Chapter		Page No.
01	Introduction		6
1.1	Overview		7
1.2	Motivation		7
1.3	Problem Definition		8
1.4	Objectives		8
1.5	Project Scope		9
1.6	Methodology of Problem Solving		10
02	Literature Survey		11
03	Requirements Specification		21
3.1	Assumptions and Dependencies		22
	3.1.1	Assumptions	22
	3.1.2	Dependencies	22
3.2	Functional Requirements		23
	3.2.1	Multilingual Audio Data Processing	23
	3.2.2	Speech Recognition Capabilities	24
	3.2.3	Language Model Integration	24
	3.2.4	Contextual Understanding and Response Generation	24
	3.2.5	User Interface for Interaction	25
	3.2.6	Feedback and Adaptation Mechanism	25
	3.2.7	Cross-Lingual Transfer Learning	26
	3.2.8	Performance Evaluation and Metrics	26
	3.2.9	Data Privacy and Security Measures	27
	3.2.10	Scalability and Resource Management	27
3.3	External Interface Requirements		28
	3.3.1	User Interface Requirements	28
	3.3.2	API Specifications	28
	3.3.3	Data Input/Output Interfaces	28
	3.3.4	Security Protocols	29
	3.3.5	Third-Party Integration Requirements	30
	3.3.6	Compatibility with Existing Systems	30
	3.3.7	Error Handling and Reporting Mechanisms	31
3.4	Non Functional Requirements		31
	3.4.1	Performance Requirements	31
	3.4.2	Scalability Requirements	32
	3.4.3	Security Requirements	32
	3.4.4	Reliability and Availability	32

	3.4.5	Usability Requirements	32
	3.4.6	Compliance and Regulatory Standards	33
	3.4.7	Maintainability and Supportability	33
	3.5	System Requirements	33
	3.5.1	Software Requirements	33
	3.5.2	Hardware Requirements	34
	3.6	Analysis Model: SDLC Model	34
04		System Design	35
	4.1	System Architecture	36
	4.2	Data Flow Diagram	38
	4.3	Base LLM (Ultravox) Architecture	40
	4.4	Use Case Diagram	41
	4.5	Entity Relationship Diagram	42
	4.6	Unified Modeling Language (UML) Diagram	44
	4.7	Activity Diagram	46
	4.8	Sequence Diagram	48
	4.9	Deployment Diagram	49
05		Project Plan	51
	5.1	Estimates	52
	5.1.1	Reconciled Estimates	52
	5.1.2	Project Resources	52
	5.2	Risk Management	53
	5.2.1	Risk Identification	53
	5.2.2	Risk Analysis	54
	5.2.3	Overview of Risk Mitigation, Monitoring, Management	54
	5.3	Project Schedule	55
	5.3.1	Project Task Set	55
	5.3.2	Timeline Chart	56
	5.4	Team Organization	56
	5.4.1	Team Structure	56
	5.4.2	Management Reporting and Communication	56
06		Software Testing	58
	6.1	Types of Testing	59
	6.2	Test Cases and Test Results	59
07		Results	61
	7.1	Outcomes	62
	7.2	Screenshots	63
08		Other Specifications	67
	8.1	Advantages	68
	8.2	Limitations	68
	8.3	Applications	68

09	Conclusion And Future Work		70
9.1	Conclusion		71
9.2	Future Work		71
10	Appendix		73
10.1	Appendix A		74
	10.1.1	Feasibility Analysis	74
8.2	Appendix B		74
	10.2.1	Survey Paper Details	74
8.3	Appendix C		74
	10.3.1	Plagiarism Report	74
11	References		75

LIST OF ABBREVIATIONS

ABBREVIATION	ILLUSTRATION
AI	Artificial Intelligence
ML	Machine Learning
AGI	Artificial General Intelligence
LLMs	Large Language Models
UI	User Interface
GPUs	Graphics Processing Units
TPUs	Tensor Processing Units
NLP	Natural Language Processing
API	Application Programming Interface
WER	Word Error Rate
BLEU	Bilingual Evaluation Understudy
ROUGE	Recall-Oriented Understudy for Gisting Evaluation
GDPR	General Data Protection Regulation
SDLC	Software Development Life Cycle
RAM	Random Access Memory
SSD	Solid State Drive
CUDA	Compute Unified Device Architecture
IDE	Integrated Development Environment
UML	Unified Modeling Language
NLTK	Natural Language Toolkit
WCAG	Web Content Accessibility Guidelines
CCPA	California Consumer Privacy Act
KPI	Key Performance Indicator
RNN	Recurrent Neural Network (implied in "recurrent neural networks")
DOI	Digital Object Identifier
IRJET	International Research Journal of Engineering and Technology

LIST OF FIGURES

FIGURE	ILLUSTRATION	PAGE No.
4.1	System Architecture	36
4.2	Data Flow Diagram	38
4.3	Ultravox Architecture	40
4.4	Use Case Diagram	41
4.5	Entity Relationship Diagram	42
4.6	Unified Modeling Language (UML) Diagram	44
4.7	Activity Diagram	46
4.8	Sequence Diagram	48
4.9	Deployment Diagram	49
5.3.2	Summarized Timeline Chart	56
7.2.1	Model Output with Hindi Text Input	63
7.2.2	Model Output with English Text Input	64
7.2.3	Model Output with Hinglish Text Input	65
7.2.4	Model Output with Hindi Audio Input	66

CHAPTER 1

INTRODUCTION

1.1 OVERVIEW

The project "Enhancing LLMs with Indian Multi-Lingual Audio Understanding for AGI Advancement" envisions the improvement of Large Language Models, particularly the inclusion of the capability for audio understanding, which forms part of the array of linguistic variety in India. Being moved by the tapestry of languages and dialects of India, this project intends to integrate an AI system that would process and be able to understand spoken language in relation to multiple Indian languages against phonetic variation, tonal differences, and contextual nuances.

This will be achieved through the use of state-of-the-art audio processing techniques and machine learning algorithms that support the development of a robust framework better suited for the development of more accurate transcription and comprehension of audio data. The approach involves combining existing datasets with the generation of new ones that integrate audio with text data, further enhancing the contextual understanding of LLMs when responding to user queries in several languages.

In short, the work here aspires to contribute significantly toward the larger goal: one day achieving AGI, wherein machines interact meaningfully and naturally with humans, truly understanding the nuances implicit in multi-lingual environments.

1.2 MOTIVATION

It is a necessity-driven project because an AI system that can converse in the richly linguistic diversity of India calls for pressing demands with increased globalization and the use of digital communication tools. With proper representation, AI will be able to serve different needs for multiple languages and remain as valuable as it can be, where the language barriers for most people hinder proper communication at the very cost of the reliability of existing models in interpretation, and therefore not good response-generating approaches.

By adding Indian multi-lingual audio understanding to Large Language Models, we will help narrow the gaps so we can develop AI that is linguistically skilled and culturally alive. This project will help invite people from different linguistic backgrounds into technology. It is an important step toward an ultimate goal for AGI: when machines can work interactively and intuitively with humans.

This would greatly enhance user experience, enabling improved communication and interaction with AI, thus understanding and generating language in context. Ultimately, the commitment to advancing AI capabilities—not just for serving a diverse population but toward the goal of AGI—is what this project represents.

1.3 PROBLEM DEFINITION

The primary problem of this project is the lack of capacity in currently available Large Language Models for the processing and understanding of audio data within India's richly varied linguistic landscape. Since there are thousands of languages and dialects spoken in India, the widespread presence of phonetic differences, tonal differences, and contextual nuances makes it difficult for AI systems being used at present to effectively transcribe, comprehend, and appropriately respond to spoken language.

This loss of multi-lingual audio understanding leads to the creation of significant barriers to access and communication for a large population. Further, users could also be adversely affected in their interactions with applications when AIs are ignorant of their language or the dialect specific to them, with diminished effectiveness and user satisfaction being the inevitable outcomes. Additionally, the lack of proper frameworks for handling multi-lingual audio does not allow potential breakthroughs in developing genuinely adaptive AI systems.

It looks at such hard challenges in building an inclusive and capable environment for AI that enables better interaction between users. At the same time, it advances the state of artificial general intelligence by imbuing machines with the potential ability to effectively understand and interact within humanity and its worlds.

1.4 OBJECTIVES

- 1) **Architecture for ML and Audio Processing for Indian Multi-lingual Audio:** This means Machine learning with advanced audio processing, correct transcription and understanding of diversified Indian languages. All the different dialects and vernacular values must be considered.

- 2) **Availability of More Datasets:** The new audio and text datasets developed here are supplemented by the existing datasets of Indian languages. Such new datasets will eventually lead to further steps in the training and evaluation of LLMs.
- 3) **Linguistic Nuance and Contextual Understanding:** The issues of Indian languages that result in differential phonetic differences, tonal differences, and usage that sounds the same can be addressed by the model through its improved performance. The contextual understanding of LLMs must be enhanced to the extent that the model offers suitable responses to user queries in various languages and dialects.
- 4) **Embracing India's Linguistic Multiverse:** Make AI usable for a more linguistically diverse community, bringing it closer to the Indian populace and their vibrant linguistic and cultural expressions.
- 5) **Advancing AGI:** Build on the goal of Artificial General Intelligence by creating AI that understands and is in harmony with people in natural, culturally sensitive ways.

1.5 PROJECT SCOPE

The project scope of the work "Enhancing LLMs with Indian Multi-Lingual Audio Understanding for Artificial General Intelligence (AGI) Advancement" falls into extensive research on the richness of linguistic diversity found in India, such as Hindi, Bengali, Tamil, and Telugu; this work will concern the development of sophisticated audio processing techniques and machine algorithms to specifically attempt to overcome phonetic and tonal peculiarities related to these languages.

The scope covers collecting, curating, and producing solid datasets that involve interactions of audio and text. This will make the training of LLMs much more efficient and improve their performance while working in multiple languages. Rigorous testing and evaluation of the models also form a big part of this project, with the main objectives being accuracy and contextual understanding; however, they must respond to queries raised by users in different languages.

Additionally, user engagement will be a key aspect, where acquired feedback helps in the continuous enhancement of the AI systems. Lastly, this project contributes to the much-needed grand goal of achieving artificial general intelligence by developing an AI that would understand and communicate with

people in a culturally nuanced and meaningful sense. In this context, the project toward an inclusive technological landscape serves the multilingual communities of India.

1.6 METHODOLOGY OF PROBLEM SOLVING

The methodology for solving the problems in the project "Enhancing LLMs with Indian Multi-Lingual Audio Understanding for Artificial General Intelligence (AGI) Advancement" includes following a set of systematic steps. An extensive literature review regarding the analysis of existing research on multi-lingual audio processing and LLMs would bring to the surface gaps and specific challenges in Indian languages, from which direction for the project would be drawn.

The next step the project takes is to collect and curate data. There are datasets sourced on Indian languages that will be checked for their quality. For new datasets, diversified audio samples and transcriptions will be collected together. In this context, the approach is multi-modal towards building a rich source for training the models.

Based on this, state-of-the-art audio processing techniques and machine learning algorithms will be used in developing a strong framework tailored specifically to understanding and generating multilingual audio. It will be tested further for high accuracy, contextual understanding, and performance across various languages and dialects using defined evaluation metrics.

Providing for user engagement and the collection of feedback from target communities on how the system is performing and can be made more usable will be the core element. This ensures that through such iteration and refinement, the models will be developed into ones that fit the needs of the users.

This will finally be deployed in real-world applications with continuous monitoring based on user interactions and emerging linguistic trends. This structured but adaptive methodology will significantly address the challenges of multi-lingual audio understanding, thus contributing to the advancement of AI capabilities in a culturally rich context.

CHAPTER 2

LITERATURE SURVEY

Arun Babu, Changhan Wang, Andros Tjandra, Kushal Lakhotia, Qiantong Xu, Naman Goyal, Kritika Singh, Patrick von Platen, Yatharth Saraf, Juan Pino, et al., in their paper "XLS-R: Self-supervised Cross-lingual Speech Representation Learning at Scale" (arXiv:2111.09296, 2021)[1], highlight the use of a language-agnostic speech representation through self-supervised learning. Using this method, one predicts audio segments based on context. For instance, one can generalize speech patterns across multiple languages without the use of labeled transcriptions. This study thus uses massive multilingual datasets, such as Common Voice and BABEL, which enable the model to learn robust cross-lingual representations. They achieved impressive performance gains, with up to a 30% reduction in Word Error Rate (WER) in downstream tasks such as automatic speech recognition (ASR) and speech translation, especially in low-resource languages. The authors have established that self-supervised pre-training can actually outperform the traditionally more popular models by 15% to 20% in terms of WER. However, the methodology introduces several challenges, such as high computational costs, often above 10,000 GPU hours, to train large models; biases for rich-resource languages due to data imbalance; and complexities in fine-tuning for specific tasks. Its performance depends significantly on the quality of good quality unannotated data, and the learned representations may be abstract in nature and may be hard to interpret. Despite these challenges, the work that we have done shows the feasibility of low-cost and large-scale solutions for multilingual speech processing.

"Joint Unsupervised and Supervised Training for Multilingual ASR" by Junwen Bai, Bo Li, Yu Zhang, Ankur Bapna, Nikhil Siddhartha, Khe Chai Sim, and Tara N. Sainath, in the proceedings of the 2022 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)[3]. The idea is to combine two approaches into a single framework: unsupervised and supervised learning. The unsupervised component will be based on untranscribed speech, while the supervised one will make use of annotated datasets. They train with massive multilingual datasets like the MLS dataset, which includes a mix of transcribed and untranscribed data. This multi-tasking training scheme significantly improves the performance of ASR, particularly when resources are scarce, as shown by a reduction in WER of up to 25% by this proposed method when the labeled data is limited but there is an ample amount of unlabeled data. This method significantly outperforms traditional pure monolingual models and only supervised multilingual models with better performance overall across languages. However, the authors note challenges in computing more complex configurations—often with higher computational costs than purely supervised approaches of 20%—and hence are more expensive to train—and in composing

training configurations. The effectiveness of the model is heavily reliant on the quality of input data, with limited enhancements observed for high-resource languages and risks of overfitting to specific language families.

Alexei Baevski, Henry Zhou, Abdelrahman Mohamed, and Michael Auli present "Wav2Vec 2.0: A Framework for Self-Supervised Learning of Speech Representations" in the Proceedings of the 34th International Conference on Neural Information Processing Systems (2020)[2]. The framework uses self-supervised learning to obtain strong speech representations directly from raw audio waveforms. Wav2Vec 2.0 consists of two parts: a feature encoder that converts raw audio into latent speech representations and a context network, based on Transformer, that captures contextual information through an approach utilizing contrastive loss. The model is trained on a diverse dataset, which mainly consists of 960 hours of unlabeled read speech from the LibriSpeech corpus. Its ability to fine-tune on even smaller labeled datasets like Common Voice and LibriSpeech enhances the robustness and generalization capabilities of the subsequent fine-tuning process. In particular, Wav2Vec 2.0 attains an impressive Word Error Rate of just 1.9% on the test-clean set of LibriSpeech, significantly outperforming previous state-of-the-art models. It performs remarkably well in Automatic Speech Recognition tasks, requiring less dependency on labeled data, making it particularly useful for low-resource languages. Nevertheless, the strategy is very resource-intensive to use, as it requires large amounts of resources before starting to pretrain on very massive datasets. Furthermore, both the implementation and the fine-tuning processes are relatively complex.

In a paper titled "Language Models are Few-Shot Learners", recently published in Advances in Neural Information Processing Systems (2020)[4], Tom Brown et al. introduce GPT-3. This gargantuan language model, based on the transformer architecture, has as many as 175 billion parameters and has been trained on about 570 GB of diverse text from sources like Common Crawl, WebText, Wikipedia, and various books. GPT-3 presents itself as especially good at few-shot learning: it can perform effectively at hundreds of tasks in natural language processing once it has only a few examples—often producing useful outputs in one-shot or zero-shot settings. Evaluations on a number of benchmarks—from question answering, like TriviaQA, to machine translation and text generation—indicate that GPT-3 often beats smaller models and sometimes matches or performs better than fully supervised baselines, but has important weaknesses in domains like arithmetic and

common-sense reasoning, as well as in few-shot learning. While GPT-3 reduces the need for a large-scale labeled dataset and special fine-tuning, it results in huge computational costs during pre-training and is sensitive to the choice of prompt design—a poor choice of which may likely degrade performance. Furthermore, the model learns the biases in the raw data and produces outputs based on such biased training: interpretability of the model is limited, and generalization of the model turns out to be inconsistent across several tasks and even varied languages.

Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E. Gonzalez, Ion Stoica, and Eric P. Xing published "Vicuna: An Open-Source Chatbot Impressing GPT-4 with 90% ChatGPT Quality" in 2023[5]. Vicuna is developed by fine-tuning the open-source large language model LLaMA, specifically on high-quality datasets derived from human-chat text conversations. As a transformer model, it has been optimized to be computationally cheap while at the same time performing well in quality to the level of proprietary models such as GPT-4. Benchmark evaluations show that Vicuna achieves almost 90% quality compared to ChatGPT for most tasks, including dialogue generation and question answering. Some functionalities of Vicuna may be limited in various domains and may fail when the dialogue is more complex and multitemporal. In addition, the measures of assessment used might be too narrow in diversity to account for the whole range of its performance. Being an open-source project, Vicuna offers avenues for modification and experimentation that encourage innovations in conversational AI at a fraction of the costs brought about by proprietary models. However, it has its drawbacks—such as computationally expensive processes in fine-tuning and less comprehensive support compared to the commercial variants. Overall, Vicuna represents a significant achievement in building accessible, high-quality conversational AI.

A paper by Chung-Cheng Chiu, James Qin, Yu Zhang, Jiahui Yu, and Yonghui Wu, titled "Self-supervised Learning with Random-Projection Quantizer for Speech Recognition", which appears in the Proceedings of the 39th International Conference on Machine Learning (2022)[6], reviews the use of a Random-Projection Quantizer as a self-supervised learning paradigm to improve speech recognition tasks. This approach maps high-dimensional features of speech onto a much lower-dimensional space through a random projection. Such an approach yields even more compact representations that still contain the most significant information. The authors carry out experiments on

widely used datasets—LibriSpeech and Common Voice—whose speech samples encompass the whole range of speakers and recording conditions. Experimental results show significant boosts in recognition accuracy, with the proposed method achieving state-of-the-art performance and outperforming the baselines by considerable margins—with average improvements of over 5% in accuracy. The model also shows enhanced robustness to noise and variability in speech, making it applicable for real-time applications. There is no reliance on large amounts of labeled data because the self-supervised learning framework proposes the learning in this case; it can accordingly learn effectively from unlabeled data. However, the approach introduces complexities in implementation and requires substantial computational resources for training on exhaustive datasets. In general, the proposed quantization method has brought about significant advancements in performance concerning speech recognition tasks by showing broad applicability for all the considered languages and also low-resource settings.

Aakanksha Chowdhery, Sharan Narang, Jacob Devlin, Maarten Bosma, Gaurav Mishra, Adam Roberts, Paul Barham, Hyung Won Chung, Charles Sutton, Sebastian Gehrmann, et al. "Palm: Scaling Language Modeling with Pathways" in: arXiv preprint arXiv:2204.02311 (2022)[7] considers the efficient way of scaling language models by working on the new Pathways architecture. This model can selectively scale across tasks and modalities through specialization of parts of the networks so that only relevant parts are activated at the point in time for the execution of the task in order to optimize resource utilization. The PaLM model is trained on a massive dataset, amounting to around 780 billion tokens, from sources like high-quality web pages, books, Wikipedia, and multilingual corpora to enhance the generalization capabilities in multiple domains and languages. Meanwhile, showing the best possible performance, PaLM is an improvement over previous models, and in particular, it brings substantial gains for few-shot learning and reasoning tasks, which proves versatility in a multilingual environment. However, despite its many benefits, the Pathways system is particularly challenging to implement and is hindered by quite severe obstacles: associated high computational resource requirements, potential biases from sources in large-scale training data, possible intricacies in fine-tuning specific tasks, and very high energy consumption issues as the model scales.

Yu-An Chung, Yu Zhang, Wei Han, Chung-Cheng Chiu, James Qin, Ruoming Pang, and Yonghui Wu provide "w2v-BERT: Combining Contrastive Learning and Masked Language Modeling for Self-Supervised Speech Pre-Training" in the 2021 IEEE Automatic Speech Recognition and

Understanding Workshop (ASRU)[8]. The w2v-BERT model combines the masked language modeling used in BERT with contrastive learning motivated by the work of wav2vec 2.0 to enhance self-supervised training on raw audio. This is an innovative approach, enabling the model to discriminate between similar and dissimilar speech representations while predicting masked portions of input features, thereby greatly enhancing its ability to understand and generate speech. The Word Error Rate (WER) has significantly improved across downstream tasks such as Automatic Speech Recognition and speaker identification when the model is trained on large-scale datasets such as LibriSpeech that predominantly consist of audio with no labels for those audio segments. For example, w2v-BERT exhibits an impressive reduction in WER compared to the state-of-the-art existing self-supervised speech models with which it is actually compared, thus proving its effectiveness. Such learning paradigms ensure improvement in generalization along with faster convergence achieved through effective data utilization present in the speech while simultaneously reducing labeled data requirements, thus becoming a cost-effective solution. However, this model's complexity and computational needs create serious challenges because it faces massive resource requirements for actual training. Moreover, the performance is dependent on the quality of the training data and the selection of hyperparameters, with questions of explainability and possible overfitting, especially in low sample sizes. In general, w2v-BERT is a promising enhancement of self-supervised speech pre-training.

"Unsupervised Cross-Lingual Representation Learning for Speech Recognition" is presented by Alexis Conneau, Alexei Baevski, Ronan Collobert, Abdelrahman Mohamed, and Michael Auli at Interspeech 2021[9]. The paper presents a new approach to unsupervised cross-lingual representation learning based on self-supervised techniques using a shared latent space, mapping speech features across different languages. The approach uses a new contrastive learning framework for accurately identifying whether two audio samples are similar or not. This is used for the abstraction and generalization of phonetic and linguistic information from the tremendous diversity of unlabeled speech data. The training datasets, diverse in nature, are used to train this model, including LibriSpeech for English, Common Voice with various languages, and VoxForge, which has a rich diversity of speakers, accents, and acoustic conditions. This diversity enhances the learning of cross-lingual features and results in significant performance improvements in speech recognition, especially for those languages with limited labeled data. More importantly, the model achieves very high reductions in Word Error Rate (WER) for never-seen languages compared to traditional methods, thus demonstrating its great potential

to generalize effectively across multiple languages. The unsupervised learning framework, in addition to reducing dependence on labeled datasets, also allows for knowledge transfer from high-resource to low-resource languages in a manner that maintains performance at high levels. It is computationally demanding and requires large amounts of unlabeled multilingual datasets to support effective representation learning, which creates training complexities and resource availability challenges. Overall, this work opens up promising avenues for exploring unsupervised cross-lingual learning methods to improve multilingual speech recognition systems.

Xiang Lisa Li and Percy Liang presented "Prefix-Tuning: Optimizing Continuous Prompts for Generation" at ACL-IJCNLP 2021 [10], suggesting a parameter-efficient substitute for standard fine-tuning of large pretrained language models. In the approach, the model parameters are kept frozen, and only a small number of task-specific continuous vectors, referred to as "prefixes," are optimized. These prefixes act as virtual tokens, directing the model's generation without changing its underlying architecture. The authors used prefix-tuning for GPT-2 for table-to-text and for BART for summarization. Surprisingly, by tuning only 0.1% of the model parameters, prefix-tuning attained performance equivalent to full fine-tuning in high-data regimes. Additionally, it performed better than standard fine-tuning in low-data regimes and showed stronger generalization to out-of-training topics. This strategy has great storage and computational benefits since it does away with the need to keep multiple model copies for each task. By taking advantage of continuous prompts, prefix-tuning gives a scalable and efficient approach to fine-tuning large language models to accommodate a wide range of natural language generation tasks.

Vineel Pratap, Qiantong Xu, Anuroop Sriram, Gabriel Synnaeve, and Ronan Collobert presented the Multilingual LibriSpeech (MLS) dataset in their 2020 Interspeech paper, "MLS: A Large-Scale Multilingual Dataset for Speech Research" [11]. The dataset remedies the lack of extensive, high-quality multilingual corpora needed to push Automatic Speech Recognition (ASR) and Text-to-Speech (TTS) systems forward. Compiled from LibriVox audiobooks, MLS covers around 44,500 hours of English audio and 6,000 hours of seven other languages, including German, French, Spanish, Italian, Dutch, Portuguese, and Polish. The authors also include corresponding language models and baseline ASR systems for each of these languages, enabling benchmarking on a standardized basis and encouraging research into multilingual speech processing. By making this vast dataset available for free via

OpenSLR, the MLS initiative greatly helps to improve more comprehensive and robust speech technologies, especially for low-resource language groups.

Yuan Gong, Hongyin Luo, Alexander H. Liu, Leonid Karlinsky, and James Glass propose "Listen, Think, and Understand" in their arXiv preprint from 2023[12]. The new multimodal architecture designed for the research enables advanced speech recognition by incorporating audio processing with the understanding of natural language. The model employs superior attention mechanisms to highlight contextual information drawn from both audio and text inputs for better language understanding. Multimodal model training with diversified datasets that combine benchmarks of speech recognition, conversational datasets, and public corpora of speeches, podcasts, and dialogue datasets results in capturing significant linguistic and contextual variation. Thus, marked improvements in transcription accuracy have been achieved, with reduced WER and enhancements in F1 scores, validating the multimodal approach. It also allows for better pronunciation recognition and overall spoken language understanding, with effective transfer learning across tasks. However, its data demands are high, making it difficult to sustain in resource-poor settings and almost too complex to deploy. The architecture is also sensitive to noisy inputs and overfits easily, presenting challenges in terms of its interpretability and real-world applicability.

Neil Houlsby, Andrei Giurgiu, Stanislaw Jastrzebski, Bruna Morrone, Quentin De Laroussilhe, Andrea Gesmundo, Mona Attariyan, and Sylvain Gelly are known for the article "Parameter-Efficient Transfer Learning for NLP", presented in the Proceedings of the 36th International Conference on Machine Learning, 2019[13]. This paper proposes Parameter-Efficient Transfer Learning (PETL), which fine-tunes pre-trained language models such as BERT, GPT, or T5 with only a small subset of their parameters being modified. Techniques such as Adapters, Low-Rank Adaptation, and Prompt Tuning are used to minimize the computation budget without sacrificing the advantages of a large model. As an example, both LoRA and Adapters have achieved state-of-the-art performance on the GLUE benchmark even while reducing the trainable parameters by over 90%. So far, PETL has been tested and validated for success on all the benchmarks GLUE, SuperGLUE, and SQuAD, demonstrating the ability to match or exceed the performance of full fine-tuning, with significantly fewer parameters, thereby improving efficiency, flexibility, and scalability in real-world applications where computational resources are strictly constrained. However, optimization may be quite challenging with these methods

and may not exploit the full potential of performance achievable through comprehensive fine-tuning, and their effectiveness may be sensitive to the particular tasks at hand.

It is Edward J. Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen who introduced "LoRA: Low-Rank Adaptation of Large Language Models" at the International Conference on Learning Representations, 2022[14]. LoRA injects trainable low-rank matrices into the layers of pre-trained models in order to fine-tune efficiently by only altering a few parameters. This approach dramatically lowers computational costs as well as memory requirements, thus speeding up the adaptation process without compromising competitiveness. Evaluation on state-of-the-art NLP benchmarking tests such as GLUE, SQuAD, and machine translation tasks demonstrates that LoRA generally decreases memory usage compared to full fine-tuning and requires less time for training and deployment. Though LoRA can achieve good performance, especially in resource-constrained environments, the use of a low-rank constraint may inadequately capture richer relationships, preventing it from achieving the best performance in more complex tasks. Implementations could also introduce their own problems, with a possible trade-off against accuracy and generalization. In summary, LoRA is a powerful adaptation solution for large language models across diverse domains in an efficient way.

Ke Li, Jay Mahadeokar, Jinxi Guo, Yangyang Shi, Gil Keren, Ozlem Kalinli, Michael L. Seltzer, and Duc Le present their paper titled "Improving Fast-Slow Encoder-based Transducer with Streaming Deliberation" at the International Conference on Acoustics, Speech and Signal Processing (ICASSP) in 2023[16]. It focuses on the development of a novel fast-slow encoder architecture that employs two encoders—one fast encoder that processes real-time inputs and another slow encoder that is specifically directed to focus on deeper context. The fast encoder makes preliminary predictions, while the slow encoder refines these predictions with further contextual information for better accuracy. Combining the streaming deliberation mechanism with the strengths of both encoders yields efficient performance in speech recognition and language translation. Experiments on benchmark datasets, such as LibriSpeech and Common Voice, show substantial reductions in word error rates (WER) as well as better overall accuracy compared to individual decoders. Nonetheless, this model has a high throughput with precise predictions, and thus, even though the computational complexity and resource consumption increase, it is compatible with real-time use. The architecture is also robust with respect to noisy and

variable input conditions, which represents a strong advancement in transducer-based speech processing.

Taku Kudo and John Richardson present "SentencePiece: A Simple and Language Independent Subword Tokenizer and Detokenizer for Neural Text Processing" in the Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing: System Demonstrations[15]. This paper features an unsupervised subword tokenization algorithm that works across languages, utilizing methods such as unigram language modeling and byte-pair encoding. Because it is linguistic-boundary-free at the raw byte level, it can be used effectively with languages that do not have clear word delimiters. Subword-unit vocabulary can be generated by SentencePiece. If rare words can be broken down into more frequent subwords, it effectively addresses the problem of rare words while improving generalization in tasks such as NMT. This tool demonstrates efficiency compared with the multilingual datasets of WMT by increasing processing speed and reducing vocabulary size. Its importance for modern NLP pipelines, such as Google's transformer models and multilingual language models like mBERT, is quite significant. Despite its performance strength, however, challenges include losing semantics and possibly reduced readability of outputs compared with full-word tokenizers.

CHAPTER 3

REQUIREMENTS SPECIFICATION

3.1 ASSUMPTIONS AND DEPENDENCIES

3.1.1 Assumptions

- 1) **Representation of Multilingualism:** It is assumed that the dataset will adequately represent the linguistic diversity of India, including major languages and dialects, to ensure robust training and evaluation of the model.
- 2) **Audio Quality and Availability:** Good-quality audio records are assumed to be available for every language, incorporating all varieties of accents and speech patterns, thus enabling the model to learn and decode audio inputs effectively.
- 3) **Multimodal Data Integration:** Again, it is presupposed that multimodal integration of audio data with text data enhances the performance of a language model and brings about better intuitions as well as cognition of context.
- 4) **Scalability of Methods:** The methods and models developed in this project should scale up so that more than one language or dialect can be included with little re-engineering in the future.
- 5) **User Interaction Contexts:** It is assumed within this project that the target audience for using the model will interact with it under different types of real-world contexts, so the model will have to adapt to diverse types of conversational scenarios and environments.
- 6) **Technical Infrastructure:** It will be assumed that sufficient computation is available to train and deploy complex models on a large scale in an efficient manner for processing massive volumes of data.
- 7) **Cultural Context Understanding:** The model needs to understand the nuances of culture, idiomatic expressions, and socio-linguistic factors for proper interpretation and generation of responses to multilingual scenarios.
- 8) **Feedback Loop Mechanism Assumption:** The model assumes a feedback loop mechanism, so it could learn continuously from real-time interactions corrected by users.

3.1.2 Dependencies

- 1) **Availability of Data:** The result of the project depends entirely on having diverse, high-quality multilingual audio datasets from various Indian languages, including conversational recordings, podcasts, and public speech corpora.
- 2) **Computational Resources:** Much computational power, including GPUs and TPUs, is needed to train large language models and handle large datasets.

- 3) **Natural Language Processing Libraries:** It will also depend on strong libraries for Natural Language Processing, such as Hugging Face Transformers, TensorFlow, and PyTorch, among others, that make model building, training, and testing easy.
- 4) **Audio Processing Tools:** Audio processing frameworks, like librosa, are essential to extract features and tune up performance for handling audio data.
- 5) **Cross-Disciplinary Expertise:** Linguists, domain experts, and data scientists will be necessary to collaborate to ensure the accuracy of the outputs and training data pertaining to cultural and contextual considerations.
- 6) **Evaluation Frameworks:** The project will need to incorporate known benchmarks and evaluation metrics to measure performance on both speech recognition and multilingual understanding tasks.
- 7) **User Feedback Mechanism:** A feedback mechanism will be necessary to gather user feedback and feed it back into the iterative improvements to help refine the model's ability.
- 8) **Regulatory Compliance:** Compliance with the pertinent data privacy laws as well as with ethical considerations around deploying the AI, particularly concerning audio data coming from diverse populations.

3.2 FUNCTIONAL REQUIREMENTS

3.2.1 Multilingual Audio Data Processing

Multilingual Audio Data Processing is the second most important feature whereby the massive language models can understand and process audio in any of the languages of India. Advanced speech recognition technologies could be used to transcribe the spoken language into written form correctly and in a manner reflective of multiple dialects and accents endemic across India.

The system will employ sophisticated algorithms that can take raw audio signals as input, allowing it to work well in adverse acoustic environments with high performance. There will also be the development of more noise-robust models to retain their performance even when background noise is present.

Interactive applications are useful only if they can process inputs in real time so that the responses come through immediately for the user. Not the least of which is the variability in datasets with richly labeled audio samples that will surely augment training for this model, thereby making it more generalizable across languages. Such an approach can seamlessly create a natural user experience of multilingual contexts at large, which may significantly advance the potential of artificial general intelligence to perceive human language.

3.2.2 Speech Recognition Capabilities

The Speech Recognition Capabilities of this project focus on the development of advanced speech-recognition systems covering vast arrays of Indian languages. It uses the most advanced neural networks and techniques to handle all the different phonetic and linguistic nuances present in various dialects of their regions.

The large multilingual audio datasets containing standard and colloquial speech will be used to train the model. Strong algorithms will be employed so that the model interprets the context, intonation, and emotions; therefore, a wide spectrum of speech inputs must be properly interpreted.

Moreover, the technology has real-time recognition, making it an interactive application that responds to queries instantly. By supporting voice-activated interfaces and improving accessibility for diverse backgrounds where people speak, this enhances the technology in terms of speech recognition and takes a step closer to filling communication gaps and promoting more inclusive interactions to further the cause of artificial general intelligence.

3.2.3 Language Model Integration

The main objective of the project is to extend large language models to understand and process multilingual audio inputs while focusing in particular on the Indian context. Integration will come in the form of advanced architectures that marry the strengths of audio processing with advanced natural language understanding.

It will aim to design a sound framework that will easily integrate the output from speech recognition into LLMs. Since the model is aligned with several linguistic structures and idioms, the integrated system would capture and represent the nuances of several Indian languages to a tee.

This integration further facilitates the functionalities of contextual understanding, generation of dialogue, and even sentiment analysis in real time, thereby making the user experience even more interactive. This creation aims to make AI more intuitive and responsive to decode and transmit text in human-like form from any audio input. This consistent strategy will lead to the effective use of LLMs and also advance toward the achievement of artificial general intelligence, as there will be a deepening understanding of more languages and dialects.

3.2.4 Contextual Understanding and Response Generation

It is an important characteristic of the project that would complement the learning abilities of LLMs regarding Indian multilingual audio. This might even enable AI to understand speech as it actually is said, taking into account the rich context of cultural and situational subtleties behind Indian multilingualism.

It will extract meaning, sentiment, and intent from audio inputs and take into account the larger context of the conversation. That kind of deep contextual awareness helps the model differentiate

between nearly identical phrases that can carry totally different implications due to the situation or the people speaking them.

Therefore, it will function together with contextual understanding, and thus this machine will produce coherent and contextually valid responses. Moreover, it will utilize the integrated LLMs in such a way that the AI will produce responses that are meaningful but relevantly related to the user's linguistic and cultural background. This would eventually result in more effective engagement and satisfaction for the users; hence, more effective interactions would be facilitated.

In the bigger picture, this should ideally lead to an AI that does not understand only a few languages but can actually answer in ways that evoke a more sophisticated sense of context, thereby opening up the possibility of even more advanced conversational agents and further contributions toward artificial general intelligence.

3.2.5 User Interface for Interaction

Regarding the User Interface for Interaction, this project shall be user-friendly and interactive in terms of engagement with the enhanced LLMs. Navigation and accessibility are intuitive, and irrespective of the user's language competence, communication can occur without any issues. It will accommodate multiple Indian languages. Both input and output will be available in various Indian languages, making it inclusive as the system will automatically understand the user's language.

It will be part of the interface, enabling users to receive and utilize audio inputs; they may work with voice commands and integrate this with sophisticated speech recognition, wherein any speech can be understood, recognized and encoded. The design aims at users who prefer to use their voice. Culturally sensitive interactive visual elements will guide the user through interactions, and there will be real-time responses from the system to the user's inputs.

It could use contextual feedback to allow it to provide prompts and suggestions based on the user's interactions, helping them find what they seek through complex queries. Also, this user interface will include accessible features that will ensure that everyone can use it, i.e., not just users but also those with different disabilities. Overall, this UI aims to enhance the effectiveness of multilingual audio understanding for the progress of artificial general intelligence.

3.2.6 Feedback and Adaptation Mechanism

The paramount importance of this mechanism in the project is its gradual improvement of the performance of the multilingual audio understanding system. This mechanism enables the model to learn from interactions with users as it captures feedback regarding how accurate and relevant those respective responses are. With explicit feedback, the system may receive it in the form of ratings or corrections from users, which the system applies to optimize its understanding and improve further interactions.

Another mechanism will be a dynamic learning mechanism, through which the model learns the preferences and speech patterns of individual users over time, recognizes shortcomings through analysis of interaction data, and adjusts its algorithms to make it more personalized.

In truth, this iterative process actually strengthens the responsiveness of the model to their continuous efforts at building trust among its users, as they can see how things improve concerning how their input is processed and understood. In a nutshell, it has been set to ensure the system remains agile and relevant in its capability to effect advancements regarding artificial general intelligence areas.

3.2.7 Cross-Lingual Transfer Learning

Cross-lingual transfer learning is also a basic component of this project; this will enable knowledge in one language to be transferred for improvement over others within the multilingual audio understanding system. Using pre-trained models and then adapting them to Indian languages bridges these gaps in data availability as well as linguistic diversity.

This would involve training high-resource languages, extracting relevant features and patterns, and transferring this knowledge to low-resource Indian languages. Accordingly, the model thus produced will be more robust in tackling the complications of dialects, accents, and many other linguistic nuances found across India.

With cross-lingual transfer learning, the system enhances efficiency in terms of labeled data for every language and promotes better understanding and generation of contextual responses. The efficiency is maintained to be versatile as well as effective for the understanding of multilingual audio inputs toward the project's goal of advancing artificial general intelligence.

3.2.8 Performance Evaluation and Metrics

Performance evaluation and metrics are essential to evaluate the system's efficiency in this project for the multilingual audio understanding system. A comprehensive set of evaluation criteria will be put in place that measures performance across accuracy, robustness, and user satisfaction levels.

The consideration of metrics includes the Word Error Rate (WER), which assesses the accuracy of speech recognition, and a BLEU or ROUGE score used to measure the quality of the generated responses in other languages. Other measures of contextual understanding will also be applied to assess what kind of interpretation and response the system has to a given input from the user.

The usability and effectiveness of the system will be measured against user feedback regarding how easy it is to use in real-world situations. Ensuring that both quantitative and qualitative methods are used for measurement will ensure that standards for the performance of the developed system have been met; in terms of language, they will suit the Indian linguistic landscape. This rigorous evaluation process will

be able to point out areas for improvement and help make continuous refinements to enhance the overall experience for users as well as improve the system's capability.

3.2.9 Data Privacy and Security Measures

It goes without saying that data privacy and security measures are integral to this project, considering the audio data handled and the personal interactions it involves. Thus, a multi-layer security framework will be in place to ensure the integrity of user information and adherence to any relevant regulations.

All audio data will be encrypted, both at rest and in transit, applying industry-standard encryption protocols to prevent unauthorized access. Means of access control and protection against unauthorized and unlawful access to users' data will be ensured, while confidentiality measures will be applied when handling data.

Before collecting the data, users will be asked to give permission, while policies for the use, storage, and processing of audio data will be clearly shown. For users' enhanced privacy, some anonymizing techniques will be employed to diminish the risk of re-identification.

Regular audits and security assessments will be conducted so that vulnerabilities present in the system can be identified and necessary security measures updated. Through data privacy and security, the project ensures building trust with users and provides a safe user interaction space, thus allowing for effortless and sound multilingual audio understanding.

3.2.10 Scalability and Resource Management

Of great importance to consider for this project is scalability and resource management, as it aims to enhance multilingual audio understanding in LLMs. This would require designing a cloud architecture that scales dynamically with resource allocation based on growing data volumes or increased interactions with users. This would allow the varied audio input from different languages to be processed efficiently so the system remains responsive even at peak usage.

Resource management will also include load balancing to avoid the uneven distribution of workload across servers to optimize performance and reduce latency. Containerization technologies will also be used to streamline the launching of different components within the system; thus, allowing for easier updates and maintenance.

The project will integrate monitoring tools that will be used to monitor the performance of the system and resource utilization in real time. This is to enable proactive adjustments to resource allocation to ensure that computational resources are used efficiently and not over-provisioned or underutilized. Emphasis on scalability and resource management will ensure high levels of performance from the delivered project that, therefore, supports evolving user demands.

3.3 EXTERNAL INTERFACE REQUIREMENTS

3.3.1 User Interface Requirements

The user interface requirements for the project will then be used to design an intuitive and accessible platform to be utilized by users in their communication with the multilingual audio understanding system. It should support multilingual interfaces, allowing flexible switching between various Indian languages. It should clearly present non-semantic elements such as navigation buttons and menus in terms of accessing features such as speech recognition and submitting feedback.

The design should be responsive, ensuring that the application performs correctly on a variety of devices—from small smartphones to larger tablets and desktops. The visual design should be simple but intriguing. It must focus on usability and provide users with settings for customizing their voice feedback preferences and transcription formats. Screens and text size adjustments must be made accessible by facilitating compatibility with screen readers and more.

The UI should enhance the user experience through real-time feedback and correctly contextual information that is not intuitively cumbersome but clear.

3.3.2 API Specifications

The necessary endpoints and functionalities by which the multilingual audio understanding system will interface with applications outside its own will be defined in these API specifications. An example is a speech recognition endpoint that accepts audio input, processes it, and returns transcriptions in the required language; this speech recognizer may support different audio formats, such as encrypted or compressed audio, and deal with different accents. An API will dynamically detect user input and respond in the same language, enabling seamless adaptation to user preferences.

The contextual understanding API will provide access to model capabilities in terms of intent understanding and improve the accuracy of responses. It will feed the understood speech and context for response generation. Finally, it will provide a feedback submission API so that users can report any transcription and response inaccuracies, allowing the system to continue improving.

A performance metrics API will also share information pertaining to the performance of the system, in terms of its hits and response times; such information will greatly be required for monitoring and for purposes of operational optimization. All APIs will be documented to enable clear guidelines on integration requests, response structures, error handling, and security, all of which ensure robust and scalable operations.

3.3.3 Data Input/Output Interfaces

The input/output interfaces designed for the project will ensure that the system for multilingual audio understanding has an interface with other external components it might communicate with. Input support will, therefore, include multiple formats of the same category, like WAV, MP3, and FLAC, to enable

audio files to be uploaded or live audio to be streamed for real-time processing. Similarly, the interface will enable support for other languages and dialects to capture different user inputs and recognize them aptly.

The output will consist of transcriptions in the target language, augmented with metadata that should include information like confidence scores and language identifications. This output will be available in plain text as well as JSON for structured output and can be easily coupled with other applications by developers. In addition, the system will produce context-aware responses, which can then be forwarded back to the user with the goal of adding more interactivity to the applications utilizing this model.

These interfaces will be user-friendly; they will include error handling, validation checks, and other features. Mechanisms for providing feedback about inaccuracies can be offered to the user; this will continually enhance performance and reliability. All in all, these interfaces will ensure effective data flow and thus help the project improve multilingual audio understanding for advanced applications.

3.3.4 Security Protocols

Security protocols of the project will thus be a crucial determinant in protecting user data as well as guaranteeing the sound integrity of the multilingual audio understanding system. It will implement encryption in the industry to secure sensitive information or data transmission between different servers and clients, particularly Transport Layer Security, which encrypts data between the client's server and ensures that audio files and transcriptions are transferred securely.

Access controls will limit data access to only authorized users. Roles will be created, and access permissions will be established through role-based access management, thus preventing unauthorized access to sensitive data and system functionalities. Improved authentication mechanisms with multi-factor authentication will ensure that multiple forms of verification are presented before users access the system.

In order to address the concerns that data privacy brings, the project will commit to following all relevant regulations pertaining to user consent and data collection and processing in accordance with GDPR, as well as other regional data protection laws. Meanwhile, techniques for audio recording anonymization will be pursued to remove identifiable information, thereby considering users' rights regarding data privacy.

System security will be audited regularly with vulnerability assessments to determine potential threats and ensure robustness against emerging security challenges. Building on these security approaches, the project will establish a trustworthy environment for its users by enhancing confidence in the multilingual audio understanding capabilities.

3.3.5 Third-Party Integration Requirements

Third-party integration requirements will focus on integrating third-party services into the tools and applications for the project to incorporate external services and tools into the multilingual audio understanding system, thereby making it more efficient and extending its functionality in the process. This integration will allow the system to use appropriate technologies and data sources to make the user experience much more robust.

Some of the key integrations will be cloud-based speech recognition APIs, which will provide advanced processing capacity and access to large-scale language models that will enable the system to learn new languages or dialects quickly for all Indian languages, supporting greater recognition accuracy. It will likely leverage multilingual models for real-time understanding and response to further enrich the user experience.

Indeed, continuous training and improvement of the model will also derive from integrations with machine learning platforms that enable it to read new linguistic data and learn from user interactions to adapt models that improve their performance over time. By integrating data analytics tools, insights into user behavior and the performance of the system will be gained, which will be used to make improvements in a data-driven manner.

The project will take into account compatibility with current user platforms, including mobile apps and web interfaces, to ensure that integration does not unfavorably impact workflows. Further ensuring that third-party integrations will be efficient, secure, and scalable is the establishment of clear APIs and data exchange protocols by the project for the success of this multilingual audio understanding initiative.

3.3.6 Compatibility with Existing Systems

Compatibility with the already existing systems will lay the foundation for delivering an effective project for multilingual audio enhancement. It should, therefore, support smooth integration with the already existing infrastructure, such as older legacy systems, user devices, and all available applications.

Hence, this will focus on adopting widely known standards and protocols for information exchange—most importantly, RESTful APIs and WebSockets. In that respect, the new functions can easily communicate with existing applications in a manner that would not necessitate changes to the existing systems.

Thus, the multilingual audio understanding system is designed to be flexible for use on any type of web, mobile, or desktop platform and accommodate any operating system and device. This allows access from any of these different types of devices without compatibility issues.

Thorough testing stages will include integration tests that may occur with the current systems. Ensuring the new solution improves and enriches existing workflows will make the project result in a

smooth transition, encouraging acceptance by the users and reducing possible disruption in daily operations. Compatibility will probably dominate the changes to maximize the impact and effectiveness of the project in the greater framework of the technological environment.

3.3.7 Error Handling and Reporting Mechanisms

Error handling and reporting mechanisms are part of the project, allowing for the development of multifunctional audio understanding in many languages. They ensure that the system responds gracefully to unexpected situations, providing users with a good interaction that also yields positive results while maintaining the system's operational integrity.

It will be through such protocols that the system will implement error detection at a deeper level, which might arise from processing audio input, speech recognition, or any other interaction with the language model; hence, all types of real-time errors can be detected. Prespecified strategies concerning the handling of the errors themselves include automatic retries, fallback options, or sending a request to clarify the user's intent for better understanding.

An error message from a self-explanatory user interface will better equip the user to understand the nature of the problem and guide them on the next steps to be undertaken. This will increase not only the level of user satisfaction but also recovery times.

The logging and reporting will be quite detailed for the developers and system administrators; this application captures error types, frequency, and contextual information, which will allow proper analysis for the detection of recurring issues. It will guide improvements in the functionality and performance of the system in the future.

On the whole, such error handling and reporting will be pertinent in keeping the system reliable, gaining confidence from users, and allowing further development work in the project.

3.4 NON FUNCTIONAL REQUIREMENTS

3.4.1 Performance Requirements

Project performance specifications will focus on the efficiency of multilingual audio processing and real-time interaction with the system. The speech recognition accuracy shall be over 90% for various Indian languages and dialects, and the latency in response generation should be within the desired limits of under 200 milliseconds. Besides, in order to handle various user interactions over multiple audio streams without sacrificing response time even under high load, the model needs to support parallel processing of many audio streams. In doing this, it should consider resource usage metrics like CPU/GPU consumption and memory, while also keeping in perspective that optimal levels of current performance may suffice for scaling up easily whenever demand from users increases. Therefore, the overall effectiveness of the system should be supported by ease of use, fast response, and generally an easy user experience while facilitating effective communication in a multicultural setting.

3.4.2 Scalability Requirements

Essentially, the scaling requirements for the project relate to how a system can scale up with an increase in user demand and, accordingly, the total volume of data. Horizontal scaling must be supported through an increase in servers or resources as the scale grows to handle larger user bases without requiring too many reconfigurations. It also has to be able to support an expanding database of multilingual audio feeds when more languages and dialects are incorporated. Additionally, if a number of users are logged in at a particular moment, the system must operate lag-free, and speech recognition and response generation must be as accurate as possible. Flexibility is key to long-term sustainability and to supporting the never-ending evolution of the needs of different environments.

3.4.3 Security Requirements

Thus, the safety requirements for the project are related to protecting sensitive user data as well as the integrity of the system. This will involve providing a robust protocol for the encryption of both in-transit and at-rest data, ensuring that audio inputs and user interactions are protected from malicious activities. Access controls should be implemented so that only authenticated users interface with the system, and their role-based permissions and access are restricted for sensitive functionalities. Periodic security audits and vulnerability assessments must be conducted to identify potential threats and eliminate them. This will ensure that the appropriate data protection regulations—including GDPR and CCPA—are followed in terms of respecting and maintaining the privacy of users at all stages of the information lifecycle. Trust in the multilingual audio understanding system will thus arise from the proactive nature of security.

3.4.4 Reliability and Availability

As such, reliability and availability are the two primary aspects of the project for the multilingual audio understanding system to operate appropriately under varied conditions uniformly. In addition, fault tolerance can be achieved in the system. If malfunctions occur due to failures or bugs in hardware and software, the system will still operate correctly. Scheduled maintenance and updates will be conducted to identify weak areas and optimize performance. Availability and capability requirements demand that the system be constantly on and available to users 24/7, with as short downtime as possible. This is accomplished through load balancing and redundancy, ensuring that whenever usage hits peak times, the system can always handle concurrent requests without slowing down in performance. It is thus designed to provide users with a secure and successful experience, fostering confidence in its ability.

3.4.5 Usability Requirements

Generally, the usability requirements of the project are to make the interface intuitive and user-friendly so that users can easily engage and relate to the multilingual audio understanding system. The design is simple and does not pose a problem in navigating the application; therefore, technicality is never a barrier when dealing with the application or system. Such elements might include clearly visible layouts, easy flows, features accessible to every user according to their needs, full tutorials on how to onboard, and comprehensive help documentation to assist users in understanding its functionalities. It

should also have a feedback mechanism through which users can report issues or recommend changes. Although usability has been given more importance in relation to the project, maximum user satisfaction and wide usage of the system will be ensured, thereby making it effective for its users.

3.4.6 Compliance and Regulatory Standards

The project is more sensitive because of the processing and interaction nature of audio data and users. Therefore, this system has to adhere strictly to compliance and regulatory guidelines, meeting all applicable data protection laws like the GDPR for European privacy and India's Personal Data Protection Bill for comparable personal information collection, storage, and processing activities. Furthermore, the platform must actively adhere to accessibility guidelines, as proposed by WCAG, in order to facilitate accessibility for individuals with various categories of disabilities. Rules related to speech recognition technology and AI applications are also necessary, as they are industry-specific. There must be periodic audits and in-depth evaluations concerning compliance and the procurement of required certificates in order to generate confidence and trust in users in terms of the security of the system and the ethical use of data. When all the compliance and regulatory requirements are addressed comprehensively, the project would gain increased credibility towards the responsible deployment of AI.

3.4.7 Maintainability and Supportability

This project's main concentration area will be on maintainability and supportability to ensure that the system is long-lasting and functional, along with user satisfaction. The system shall be module-based, and its updates shall be easily incorporated without causing much disruption to the system. Documentation and coding standards will also be defined so that onboarding for new developers will be easier, and time spent troubleshooting will be minimized. The system will have automated testing and continuous integration practices to identify problems early, ensuring that the system remains robust even after updates. Supportability will refer to available resources for users and access to those materials—user manuals, FAQs, and a responsive helpdesk able to provide timely real-time assistance. Regular monitoring and feedback mechanisms are in place, so gathering user insights will enable continuous improvement and emerging issues will be resolved early. Therefore, these solutions for high maintainability and supportability will be introduced into the project to ensure it has a sustainable and adaptive system that can respond to any changes in user needs or technological advancements.

3.5 SYSTEM REQUIREMENTS

3.5.1 Software Requirements

- 1) **Operating System:** *Linux or Windows (specific distribution/version as required)*
- 2) **Programming Languages:** *Python, Bash (Shell Scripting)*
- 3) **Frameworks and Libraries:**
 - *Machine Learning: TensorFlow, PyTorch*
 - *Natural Language Processing: Hugging Face Transformers*
 - *Audio Processing: Librosa, PyDub*

- 4) **Database Management System:** MongoDB (JSONL Format)
- 5) **API Development:** Flask, FastAPI, or Django for building RESTful services
- 6) **Containerization and Virtualization:** Docker or Kubernetes for deployment
- 7) **Version Control:** Git for source code management
- 8) **Development Tools:** IDEs like VSCode, or Jupyter Notebook
- 9) **Testing Frameworks:** PyTest, Unittest for unit and integration testing
- 10) **Monitoring Tools:** TenorBoard, Weights & Biases (WandB)

3.5.2 Hardware Requirements

- 1) **Server Specifications:**
 - CPU: Multi-core processor, i.e., Intel i7/i9, etc.
 - RAM: At least 16 GB; 32 GB+ preferably for heavy processing
 - Storage: SSD with a capacity of at least 1 TB to accommodate large datasets (in case of larger ones).
- 2) **GPU:** NVIDIA GPU with CUDA support like NVIDIA Tesla V100 (VRAM - 32GB) or higher, for training models and using them in pipelines
- 3) **Network Infrastructure:** A high-speed internet connection for smooth data transfer and API interactions.
- 4) **Development Machines:** Laptops or desktops of almost similar specification to the server for development and testing
- 5) **Backup Solutions:** External storage or cloud solutions for data redundancy and backups

3.6 ANALYSIS MODEL: SDLC MODEL

This SDLC model is the best fit for improving LLMs with Indian multilingual audio understanding because it deals with all the intrinsic and dynamic natures of the project at hand. Agile's iterative development allows teams to incrementally develop or modify features, which enables rapid adaptation to the problems that many diversified languages and audio data might create. Agile gave us the ability to work multidisciplinary with linguists, audio engineers, and AI developers, among other disciplines that are crucial for supporting knowledge incorporation in specialties. This becomes a principal requirement for making a robust system.

Agile, for its part, focuses on rapid prototyping, which has encouraged teams to experiment with various methodologies and techniques of multilingual audio processing and testing. Continuous testing and integration ensure that each enhancement is thoroughly checked in respect to performance and quality, thus providing feedback early enough to adjust the design. The iteration of feedback will allow the development of anticipated problems early on but also ensure that evolving technology meets user needs and expectations. Agile offers a flexible framework by which teams can navigate the optimization challenges of LLMs in AGI, encouraging innovation and responsiveness from all phases of the project lifecycle.

CHAPTER 4

SYSTEM DESIGN

4.1 SYSTEM ARCHITECTURE




Figure 4.1: System Architecture

The above diagram shows an end-to-end pipeline to develop a multilingual AI system that has the capability to produce and understand Indian language text as well as handle both audio and text modalities. The system begins with the user input phase, where Indian language text or audio is input by users. These are channeled to respective processing modules—the Text Processing Module in the case of text and the Audio Processing Module in the case of audio input. The system can suitably process multimodal language data thanks to the two-input structure. The inputs pass through the Preprocessing and Dataset Preparation block, the first step towards building a successful language model.

In this stage, the raw language data are retrieved by processing through data collection and processed in an Indian language-specific preprocessing pipeline. The steps include noise reduction techniques specific to different Indian pronunciations for cleaner audio training and alignment purposes. While this is being done, the continuation field generation module creates linguistic coherence at the sentence and phrase levels, crucial in Indian languages to capture natural language flow. The audio-text alignment is then done to align the audio and text data in a way where multimodal training can be done suitably. These factors help the process of forming a dataset, which is the basis for model training. After the creation of a dataset, the Training and Integration process is initialized.

In this process, fine-tuning of large language models (LLMs) on Indian languages is done according to the processed datasets. The model contains a multimodal integration module through which the integration of audio and text features is carried out in an efficient manner to enable enhanced understanding. Apart from this, for better performance, a cross-modal attention component has been integrated, through which the system will be able to focus on comparable features in both the audio and text domains. This helps towards the formation of a more contextual knowledge of the relationship between the audio and the text, especially under the linguistic atmosphere of Indian languages. The outcome of this stage is the creation of multilingual text outputs, which are capable of emulating the linguistic, syntactic, and phonetic forms of Indian languages. The final block in the architecture deals with Deployment and Applications, so that the trained models are deployable in real-world applications.

It begins with optimization and aggregation of feedback, which improves the multilingual model. Optimizing performance metrics is employed in order to possess high accuracy and efficiency across languages. Scalability and resource management for AGI are also managed by the system to enable the models to be deployed at scale. Upon optimization, the models move to the deployment phase, where they are incorporated into various real-world applications. These include Indian user accessibility features, voice assistants, real-time translation systems, and learning platforms tailored to the Indian ecosystem. Each submission is driven by the long-term goal of enhancing AI-powered communication, learning, and accessibility across India's expansive linguistic spectrum.

4.2 DATA FLOW DIAGRAM




Figure 4.2: Data Flow Diagram

The above Data Flow Diagram illustrates a multimodal processing system that integrates audio and text inputs to produce intelligent outputs in a number of processing steps. It illustrates the data path from input to delivery, with a focus on the processing pipeline and feedback loops.

The two main inputs are Audio and Text. Both of these streams of data are handled independently. Audio streams are processed by the Audio Module for features, and tokenization and normalization are processed by the Text Module. Multimodal systems are able to process different types of inputs in parallel well to derive useful features.

Following the initial processing, audio and text data go through the Preprocessing Pipeline for operations such as noise reduction and alignment. In this process, data is quality-checked since it is created in structured datasets to be trained and utilized. The data is then stored in the Multilingual Dataset, which is the system database of multilingual information.

The Training Phase trains the model on batches of data. The trained model is fed into the Multimodal Integration module, which also receives processed text and audio features from their modules. This is important because it integrates information from modalities based on fusion strategies and weighting schemes for a common representation.

The features are forwarded to the Cross-Modal Attention module, where attention is calculated and cross-modal representations are formed. The attention enables the system to concentrate on the relevant aspects of every modality based on information from others. The representation is forwarded to the Contextual Understanding module, where vagueness is removed and the semantic value of the input is enhanced.

The Output Generator generates appropriate text or speech outputs based on the processed context. They are provided to the end user via the Application layer, which exists in the guise of a Voice Assistant, Translation System, Accessibility Tool, or Educational Platform.

The diagram shows a feedback loop where users provide input into the Feedback System. The system checks for correctness and provides suggestions on how to improve. The Deployment Manager uses these to optimize resources and application performance. This ensures that the system is always being improved based on user satisfaction and actual usage. The diagram illustrates the two-way system with input to output data flow and user input adding functionality over time. The feedback loop allows the system to learn and adapt based on real-world use.

4.3 BASE LLM (ULTRAVOX) ARCHITECTURE




Figure 4.3: *Ultravox Architecture* [17]

The above diagram of the Ultravox Architecture is composed to handle audio and text inputs for the creation of intelligent, context-based responses. It starts by processing text through a Text Tokenizer and then a Text Embedder, which maps tokens to a 4096-dimensional embedding.

Simultaneously, audio input with 16 kHz sampling is fed through a highly optimized Audio Encoder (~300M parameters) to generate a 768-dimensional embedding. The audio representation is then mapped by a low-parameter Projector (~20M parameters) into the 4096-dimensional space employed for text.

After the alignment, the embeddings of text and audio are combined into a single representation. This combined embedding is input into a fine-tuned LLaMA 3 model (70B/400B parameters) with input dimension 4096, which is responsible for generating the streaming text output.

The design accommodates a conversational history structure, retaining previous user and assistant interactions. This structure allows multimodal, real-time interaction and is appropriate for smart voice assistants that can interpret inputs via both text and voice.

4.4 USE CASE DIAGRAM




Figure 4.4: Use Case Diagram

The above use case diagram shows interaction between the key actors—Administrators and Users—and the major functionality of the system, where both of them have direct access to the functionalities. The figure illustrates this dual role of the system in supporting end-user functionality and system administration functionality.

The users utilize four significant sets of features - Voice Assistant Features for processing voice/text input and command recognition; Translation Features for cross-language translation in real-time; Accessibility Features offering text-to-speech and speech-to-text conversion; and Educational Features that adjust to learning mode and create exercises. The Educational feature depicts the capability of the system as an adaptive learning system, featuring adaptive content delivery for individualized needs. It demonstrates the system's adaptability in educational usage.

Administrators can carry out operations like model deployment, performance monitoring, realignment of resources, and feedback collection. The interface makes it easy to maintain and tune the system over time. The organization of this scheme is quite similar to the entity relationship diagram, where multiple applications logically inherit from a root class, and system administration is taken care of by special components.

4.5 ENTITY RELATIONSHIP DIAGRAM




Figure 4.5: Entity Relationship Diagram

The above diagram depicts that Ultravox system is a modular, object-oriented design that integrates audio and text inputs, processes them through a centralized model, and delivers contextually accurate outputs with strong error-handling. It begins with two main input modules: `Audio_Input` and `Text_Input`. `Audio_Input` accepts raw audio, extracting key metadata like `audio_file`, `language_detected`, `sample_rate`, `duration`, and `format`. It provides methods such as `preprocess_audio()`, `detect_language()`, `validate_input()`, `get_audio_metadata()`, and `segment_audio()` to normalize, verify, and segment audio inputs.

Similarly, `Text_Input` manages textual data, extracting attributes such as `text_content`, `language_detected`, `word_count`, `encoding`, and `format`. Its routines—`preprocess_text()`, `detect_language()`, `validate_input()`, `get_text_metadata()`, and `segment_text()`—mirror those of `Audio_Input` for consistency. Both inputs feed into the core `Ultravox_Model`, which integrates audio and language processing via two internal components: `Audio_Encoder` and `Language_Model`, and uses a `confidence_score` and `model_config` for optimization.

`Audio_Encoder` extracts acoustic embeddings using its `encoder_type` and `encoder_params`, with methods like `encode_features()`, `process_embeddings()`, and `validate_encoding()`. Meanwhile, `Language_Model` handles comprehension and response generation using its `model_type`, `model_params`, and `context_length`, with support from `process_input()`, `generate_output()`, and `manage_context()`.

Processing control is handled by the `Task_Processor`, which manages task execution using `task_type`, `task_config`, `task_priority`, and `is_active`. Key functions include `process_task()`, `analyze_sentiment()`, `schedule_task()`, and `validate_output()`. Post-processing, the `Output_Generator` formats and validates final responses using `output_format`, `format_config`, and methods such as `generate_response()`, `format_output()`, and `validate_response()`.

Finally, the `Error_Handler` ensures system resilience. It manages `error_type`, `error_message`, and `error_code`, and uses `handle_error()`, `log_error()`, and `generate_error_response()` for comprehensive error control. Overall, Ultravox is a robust architecture supporting multimodal processing, scalable task execution, and stable, high-quality outputs.

4.6 UNIFIED MODELING LANGUAGE (UML) DIAGRAM




Figure 4.6: Unified Modeling Language (UML) Diagram

The above UML class diagram depicts the complete speech recognition system and the behind-the-scenes multimodal solution. The distributed architecture is broken across four broad areas of function - input processing, data preparation, model structure, and application deployment.

Audio_Processing_Module and Text_Processing_Module conduct input processing and extract input features from input sources. Preprocessing_Pipeline conducts required operations such as noise removal and audio-text alignment prior to processing by the Multilingual Dataset class, which processes language-specific sample data.

The model's intelligence is located at the core in the Training_Phase, Multimodal_Integration, Cross_Modal_Attention, and Contextual_Understanding classes. They work to integrate various modalities and convert complex inputs into attention mechanisms and contextual understanding.

Deployability and system output are controlled by classes Deployment_Manager, Feedback_System, and Output_Generator, which all enable response generation, performance measures collection, and optimization of resource allocation. This allows a feedback loop for ongoing improvement.

One of the most striking aspects of this design is its flexibility of inheritance in its implementations. The Application base class is inherited by four application-specific implementations - Voice_Assistant, Translation_System, Accessibility_Tool, and Educational_Platform, each of which has domain-specific functionality.

The diagram is graphically depicted, showing functionality and data passing through directed class relationships and demonstrating a clean system design with top-level functionality and maintainability. Modularity enables independent construction of the individual components of the system with system integrity guaranteed, ideally for resale or research.

4.7 ACTIVITY DIAGRAM




Figure 4.7: Activity Diagram

The above end-to-end processing activity diagram shows a top-level AI system that is capable of processing both text and audio modalities. The process begins with an Input Processing step where the input data is text or audio and processed as such. The second is Preprocessing, where text is tokenized and normalized and audio features are extracted and noise filtered out. These two parallel processes converge at an alignment step where audio and text are aligned.

The process then moves on to Data Management, i.e., contextualization field construction, loading pre-processed data into a training set, and set balancing. Then comes the training, where batches are available and the model is validated. Performance is verified against thresholds set - below threshold, the parameters are adjusted and the retraining is performed; above, the process moves on to Integration.

In Integration, the model is optimized, modalities are combined, and cross-modal attention mechanisms are calculated. The system transitions to Understanding & Generation, in which it calculates cross-modal representations, understands context, disambiguates, and generates correct outputs in textual or speech form.

The Feedback & Deployment section illustrates how answers are constructed and delivered to users, with feedback collection mechanisms that compute accuracy statistics and provide recommendations.

Lastly, Application Specific Processing optimizes resources and branches into four application-specific clusters: Voice Assistant, Translation System, Accessibility Tool, and Educational Platform - each with its own particular processing needs before they converge at a Complete Processing node.

This diagram best illustrates the richness of a multimodal AI system capable of processing multiple inputs, pushing them through intricate pipelines, and producing contextually appropriate outputs for various application domains.

4.8 SEQUENCE DIAGRAM




Figure 4.8: Sequence Diagram

The above sequence diagram shows the interaction flow of a multimodal AI system handling both audio and text inputs. The diagram depicts seven major elements: Audio Processing Module, Text Processing Module, User, Application, Contextual Understanding, Multimodal Integration, Feedback System, and Output Generator.

The flow starts by the user sending a request for text or audio to the application. The application sends the input accordingly—audio input to the Audio Processing Module in order to extract audio features and text input to the Text Processing Module to extract text features. The features extracted for both of the modalities are then sent to the Multimodal Integration component.

The Multimodal Integration module integrates these single characteristics into a single processed multimodal input, which is forwarded to the Contextual Understanding module. This module generates a contextualized representation of the input that is semantically relevant and meaningful. The Output Generator uses this contextualized representation and constructs a suitable response, which is output and returned by the application to the user.

The last component in the sequence is the feedback loop, in which the user gives feedback to the response. The application gathers this feedback and sends it to the Feedback System, which analyzes it and produces improvement ideas. These ideas are sent back to the application in order to improve future interaction. This entire flow demonstrates how various specialized entities interact in sequence to process multimodal inputs and improve continuously with the feedback of the user.

4.9 DEPLOYMENT DIAGRAM




Figure 4.9: Deployment Diagram

The above diagram shows an in-depth system architecture diagram for what looks like a machine learning or AI application infrastructure. The following sections provide a detailed description of each component and explain how they interact within the overall system.

The architecture consists of different distinct layers that are complementary in nature to give a complete solution. The topmost client layer contains the Web/Mobile Interface which the users interact with directly. The interface communicates with an API Client component which handles requests and responses between the user interface and backend services.

Below the Client Layer is the Application Servers level, where API Servers implemented in Python process incoming client requests. The servers are the system's general coordination point. They are connected to a Cache component, which helps improve performance by caching most frequently accessed data or results to reduce processing time and database load.

The Model Processing layer is the system's primary computational component. It's made up of Ultravox Servers which are GPU-based, meaning this system does computationally heavy operations like machine learning model inferencing or training. These servers offload some loads to Task Processors, which most likely do specialized processing tasks or job scheduling.

For data persistence, there are two independent databases for the Data Storage layer - one is Model Storage for storing machine learning models and associated data, and the other is a Main Database which supposedly contains application data, user data, and other persistent storage needs.

The system has a robust Monitoring layer with TensorBoard/WandB tools to graphically view and monitor machine learning model performance and experiment runs, supplemented by a Logging System which logs system activity, errors, and operational events for analysis and debugging.

There are several interdependencies between components that are represented by solid and dashed lines. Solid lines represent primary data flows or primary paths of communication, while dashed lines symbolize secondary relationships, monitoring, or secondary data flows. The two-way arrows between a few components indicate two-way communication.

This architecture follows modern design practices with clear separation of concerns - client interfaces, application logic, computation processing, data storage, and monitoring are all independent but connected. The system appears to be architected to enable machine learning workloads at scale with appropriate pieces for working with models, running tasks effectively, and monitoring performance.

CHAPTER 5

PROJECT PLAN

5.1 ESTIMATES

5.1.1 Reconciled Estimates

Reconciled estimates thus form the very bedrock for the successful management of any project that targets improvements in large language models with multilingual audio understanding. Essentially, the reconciliation of preliminary cost estimates with actual expenses amounts to comparing against the details of expenditures made, thus providing an overarching view of the health of finances from a project perspective. This is to ensure that cost tracking for hardware, software, and human resources does not exceed the budget set and contributes to completing every important milestone.

The timelines of various phases in the team's definitions, such as data collection, model training, and integration of all components, should be indicated clearly. In such definitions, it will be easier to spot bottlenecks and make adjustments in due time. This approach is important simply because handling diverse audio datasets with complex computations requires processing multiple advanced algorithms.

Regular performance evaluation is essential for reconciliation. With cyclic comparison to the estimated ones, time and costs incurred can be traced against the standard for identifying trends as well as any issues that may arise. This may, therefore, lead to a conclusion that the realization of certain set activities has taken up more resources than anticipated, perhaps due to poor training, additional infrastructure required, or even the goals of the project. In this respect, the feedback loop is perceived to ensure continuous refinements and optimization over the project's lifecycle.

Another crucial point is effective communication among the team members. Reconciled estimate management will provide required transparency with trust. By reporting progress and issues to maintain shared expectations regarding progress, accountability, transparency results in enhanced collaboration and sounder decision-making. This allows team members to contribute significantly based on available real-time data.

The reconciled estimates thus provide a living framework of support for the project's adaptability and resilience. With a clear and well-defined understanding of financial and temporal parameters, the team would be enabled to pivot whenever new challenges arise in terms of data quality, technological limitations, or constraints in resources. Indeed, this is the kind of strategic agility that is important for carrying out project objectives and propelling artificial intelligence in multilingual audio understanding.

5.1.2 Project Resources

Major project resources comprise all important elements required for the successful improvement of large language models with multilingual audio understanding. These include human resources, such as data scientists and machine learning engineers, as well as the technologies that comprise the majority of this type of venture. The most important factor behind such complex algorithms for sophisticated audio processing and understanding is a highly skilled team of people - data scientists, machine learning engineers, linguists, and software developers.

Technological resources include high-performance computing infrastructure, high-powered GPUs for training models, and efficient processing of audio data. Cloud storage solutions are needed to manage large multilingual audio datasets. The project will also require software tools and frameworks for building and training models, such as TensorFlow and PyTorch. Robust APIs for integration with existing systems will also add functionality to the project.

It requires a significant amount of well-curated data at a large scale. It needs to leverage data from many languages and dialects for proper audio consumption and processing accuracy. More importantly, curating collaborations with linguistic experts will help ensure the data is curated correctly, representing more genuine use cases.

Thus, support and maintenance resources are of inevitable importance to its long-term existence. Documentation, user training, and a helpdesk will be essential for guiding users in making navigational use of the new system. The effective management of these resources means that the project can achieve the set objectives and make a significant contribution to the advancement of artificial intelligence and multilingual understanding.

5.2 RISK MANAGEMENT

5.2.1 Risk Identification

- 1) **Technical Risks:** These entail risks from the complexity of the design and integration of leading-edge technologies. There is a failure to achieve efficient output in speech recognition, and some errors might be brought about by this problem of generalizing to other languages. Interoperability can also be a risk in terms of compatibility between audio processing abilities and existing language models, which may influence final performance.
- 2) **Data Risks:** Such data-related risks include inadequacies in terms of either the quality or the quantity of the datasets related to multilingual audio. Perhaps the training data are not adequate to enable generalization well across different languages and dialects. Other risks include data privacy and security due to handling sensitive or personally identifiable information within the audio data.
- 3) **Resource Risks:** As mentioned, some of the project-specific risks fall into the category of resource allocation - funding and skilled personnel or technological infrastructure. If the skills needed cannot be provided within the organization, then there might be a delay in the timelines of the project, or in worse cases, the model might not be implemented optimally. Finally, if the vendors for the third-party tools and services have outages or disruptions, this may cause operational risk.
- 4) **Operational Risks:** It encompasses project management and the risk of its implementation. Misaligned coordination among team members or even communication can lead to misaligned goals and inefficiencies. Moreover, other unexpected challenges that may arise during the deployment phase can also affect user acceptance and the usability of the system itself.

- 5) **Regulatory Risks:** In addition, the project shall address compliance with legal and regulatory standards regarding data usage and AI technologies. Non-compliance would leave the project open to legal implications and harm its reputation. Thus, identification of such risks at an early stage is essential in order to appropriately implement mitigation strategies.

5.2.2 Risk Analysis

- 1) **Technical Risks:** Technical risks are directly related to the speech recognition element being integrated into the language model. It is very possible that the speech recognition may not be accurate in certain instances, impacting both the user experience and the overall performance of the system. Moreover, incorporating multiple technologies makes the process highly complex and may cause a decline in performance if not implemented with due care.
- 2) **Data Risks:** The quality and availability of data are significant issues for project success. Even biased data could lead to failed training, as a model may not function properly when used in other languages. Failure to secure data and non-compliance with regulatory policies such as GDPR poses extreme threats because the misuse of data may occur without users' knowledge, which may incur penalties from the law, leading to further loss of user trust.
- 3) **Resource Risks:** Resource allocation is very important in the implementation and execution of any project. Budgets usually tend to underestimate, creating a financial bottleneck in the development process, which affects execution. The unavailability of skilled personnel also poses a risk, as it may cause undue delays in the project or result in lower quality work. Third-party services are risky if those service providers start facing operational problems.
- 4) **Operational Risks:** This will focus on managing the performance of the project and its implementation. Lack of communication among team members might lead to inappropriate objective setting that can affect effectiveness. Another possible risk is inadequate testing before the launch, which might lead to lower user satisfaction and lower rates of adoption.
- 5) **Regulatory Risks:** Legal and regulatory compliance is crucial. A violation of data protection laws or other industry-specific regulations might bring legal consequences or a negative reputation to the project. Furthermore, regular auditing and consulting with lawyers who can provide guidance on compliance with relevant laws are also important in avoiding such risks.

5.2.3 Overview of Risk Mitigation, Monitoring, Management

- 1) **Risk Mitigation:** The identified risks will be prevented proactively through proactive measures. Some of the measures include having deep algorithms in place for identifying correct speech, high-quality and diverse datasets that prevent any kind of bias, and other advanced data security protocols to safeguard

user information. Apart from this, collaboration between team members also reduces the prospect of operational risks because it saves a lot of time in communication and helps keep the goals aligned.

- 2) **Risk Monitoring:** Monitoring should be continuous and able to adapt to changes in conditions. Periodic reviews will also be carried out to determine whether the measures adopted to mitigate risks are appropriate and whether potential emerging risks can be identified. Metrics and performance indicators will facilitate the process of monitoring by the team and allow decisions based on facts. The feedback loops during user testing will also enable the early emergence of potential issues in the development phase.
- 3) **Risk Management:** A governance framework structured for the project will determine specific roles and responsibilities in terms of risk management tasks, involving the identification of risks through a risk register as well as the development of plans for responses within each category of risk. Regular review meetings with the team members will ensure that risk issues are addressed collectively; hence, there is a realization of shared responsibility within the team and the development of proactive problem-solving skills among its members.

5.3 Project Schedule

5.3.1 Project Task Set

- 1) It collects requirements for functional and non-functional requirements during the discovery of user needs and expectations.
- 2) Suitable multilingual audio was collected and pre-processed to guarantee quality and consistency.
- 3) Implement speech models compatible with multilingual audio, with the best possible combinations of language models and contextual understanding in design.
- 4) Develop user-friendly interfaces through which interaction with the system is possible so that the system can reach people in easy and accessible ways.
- 5) Mechanisms for harvesting user feedback and updating models based on user behavioral patterns will also be needed.
- 6) Another approach could be through cross-lingual transfer learning methods whereby data collected from a source language is used to boost performance in the target language, along with model fine-tuning where possible.
- 7) The critical metrics and evaluation criteria for assessing the performance of the model should be finalized. Cross-validation should be conducted for testing and validation.

- 8) The system should have built-in security measures for protecting user data, privacy, and norms of usage.
- 9) There should be compatibility with other running platforms and systems so that access to the production environment may be required at some point.
- 10) Tools for performance analysis of the system should be implemented. Because the nature of data and the needs of users keep changing, these models should be updated and maintained.

5.3.2 Timeline Chart




Figure 5.3.2: Summarized Timeline Chart

5.4 TEAM ORGANIZATION

5.4.1 Team Structure

- **Team Lead (Aniruddha Birage)**
- **Team of 4 Members (Aniruddha Birage, Aarush Balkundi, Chiranjeev Patil and Tanay Thatte)**
- **Dr. Arati Deshpande (Internal Guide/Mentor)**
- **Dr. Saswati Rabha (Industry Guide/Mentor)**
- **Mr. Chintan Parikh (Co-Industry Guide/Mentor)**

5.4.2 Management Reporting and Communication

As part of our structured management reporting and communication in the project, we apply a structured approach to ensure that all team members, along with our guides, work in consonance with one another. We have group meetings in collaboration with the project that alternate between virtual and actual gatherings. We virtually meet once every week with our external guide, Dr. Saswati Rabha and

Mr. Chintan Parikh, and, with the help of our internal guide, Dr. Arati Deshpande, we also have a weekly meeting.

We keep track of ourselves every week on an Excel sheet with key performance indicators such as how many tasks are completed and action items resulting from our respective meetings. This gives us a transparent view of what we have been doing and highlights those aspects of the work that need attention. This forms a basis upon which to judge our path and keep up with the project objectives.

Above all, we use communication tools such as messaging platforms and shared documents, with an interdependent understanding, to share knowledge and information in real time. We then use these tools to provide transparency while enhancing fast decision-making on the implementation of plans immediately. We also make sure that there is provision for periodic updates within the team about the status of the project as well as changes that may eventually take place in terms of timelines or objectives.

Structured management reporting and communication of such a nature that we can adapt to ever-changing project needs ensures coordination, engagement, and responsiveness among our team members. Thus, it holds a very important place in our path to success.

CHAPTER 6

SOFTWARE TESTING

6.1 TYPES OF TESTING

- 1) **Functional Testing:** Testing whether audio inputs are properly transcribed in various Indian languages; whether the model correctly identifies the language that is spoken; whether the LLM generates contextually and grammatically accurate output to audio-transcribed input and whether the model can comprehend user intent expressed through voice.
- 2) **Model Evaluation Testing:** Testing translations or summarizations with BLEU, ROUGE, and METEOR scores. Assessing speech recognition outputs based on Word Error Rate (WER). F1 Score, Precision, and Recall measurement for intent classification or recognition.
- 3) **Multilingual Testing:** Testing the understanding consistency between multiple Indian languages like Hindi, English, etc. Verifying the capacity of the system to deal with sentences that alternate between two or more languages within a conversation (code-switching).
- 4) **Performance Testing:** Measuring the latency from audio input to LLM response. Testing the number of concurrent requests the system can process (throughput). Assessing system performance as loads increase with different language inputs (scalability).
- 5) **Robustness and Edge Case Testing:** Testing model response with background noise, muddled speech, and low mic quality. Assessing comprehension across regional dialects and accents. Testing the system's graceful handling of stuttering, false starts, and truncated sentences.
- 6) **User Experience Testing:** Checking if the LLM engages in consistent multi-turn conversation. Testing for the appropriateness and cultural correctness of responses so that responses remain respectful and appropriate.
- 7) **A/B Testing:** Contrasting the ability of various configurations of LLMs, i.e., base model vs. fine-tuned models, for multilingual comprehension and response generation.
- 8) **Integration Testing:** Confirming seamless and precise end-to-end operation of the system from audio input to speech-to-text, language identification, LLM processing, and output response generation.

6.2 TEST CASES AND TEST RESULTS

- 1) **Audio Input Identification (Speech-to-Text)**
 - **Test Case:** Normal pronunciation, standard Hindi audio input.
 - **System Response:** Perfect Hindi transcription with words repeatedly spoken.
 - **Test Case:** Noisy Hindi audio input.
 - **System Response:** Transcription free from the noise's interference.

- **Test Case:** Code-switching audio (e.g., Hindi-English mixture).
- **System Response:** Both languages are identified perfectly by the transcription.
- **Test Case:** English input with fast speech.
- **System Response:** Correct transcription preserving context and word intact.
- **Test Case:** Low-resource language (e.g., Maithili) input.
- **System Response:** Correct transcription adequate, with error rate analysis.

2) LLM Understanding and Generation of Response

- **Test Case:** Hindi audio query to know the weather update.
- **System Response:** Contextually appropriate weather response in Hindi.
- **Test Case:** Multilingual audio prompt to tell a story.
- **System Response:** Well-crafted story generated with tone and linguistic variation preserved.
- **Test Case:** Ambiguous audio question.
- **System Response:** LLM asks for clarification or gives several interpretations.

3) Multilingual Generalization and Bias Management

- **Test Case:** Question posed in several Indian languages.
- **System Response:** Same answers in different languages, independent of regional bias.
- **Test Case:** Dialectal variation (e.g., Marathi and Konkani).
- **System Response:** LLM understands context and responds accordingly.

4) AGI-Style Reasoning and Understanding

- **Test Case:** Logical reasoning question in English.
- **System Response:** Correct and logically sound response, with reasoning evidence.
- **Test Case:** Cross-language summarization (Hindi audio, English output).
- **System Response:** Short, accurate English summary of Hindi content.
- **Test Case:** Emotionally nuanced speech input.
- **System Response:** Response demonstrates comprehension of emotional tone and intent.

CHAPTER 7

RESULTS

7.1 OUTCOMES

- 1) **Enhanced Cross-Cultural and Multi-Lingual NLP Models:** Adding Indian multi-lingual audio datasets, LLMs would be able to comprehend and process various Indian languages more effectively. This would potentially lead to efficient communication tools that would make AI systems more user-friendly for the masses in India and other multi-lingual nations.
- 2) **Improved Speech-to-Text and Text-to-Speech Technology:** The project may bring improvements in audio-to-text and text-to-speech technology, especially for Indian languages. This will enhance voice assistants, transcription, and accessibility tools.
- 3) **Improved Contextual Awareness in AGI Models:** Merging audio comprehension, particularly in challenging and multi-language contexts, can improve AGI models to grasp various human communications. This will result in an improved AGI that can react in a way that addresses linguistic and cultural variations.
- 4) **Language Diversity Representation:** With a focus on Indian languages, this project would be able to greatly add to the representation of under-represented languages in AI models, which will make them more inclusive and decrease biases against Western Languages and other commonly spoken languages.
- 5) **Better Human-AI Interaction:** Better audio understanding across many Indian languages would make AI systems better at having more natural, human-like interactions across different linguistic contexts, leading to better user experiences and accessibility.
- 6) **Cross-Lingual Transfer Learning:** The integration of multi-lingual audio would also facilitate cross-lingual transfer learning, whereby knowledge in one language is used to improve other languages, enhancing model performance for low-data languages overall.
- 7) **Social Impact and Accessibility:** This endeavor can contribute significantly to closing India and other such areas' digital divide by enhancing accessibility of AI for regional and less represented language speakers.
- 8) **Potential Commercial Applications:** Commercial applications may involve products for Indian markets, including voice-based virtual assistants, AI-driven content moderation software, and customer service bots that can process multi-lingual audio inputs.
- 9) **Challenges in Generalization of Data and Model:** The possible output could be the inability to obtain high-quality, diverse, and annotated multi-lingual audio data for all Indian languages, which would impact the training of models. Furthermore, the development of well-generalizing models across the various linguistic and cultural settings in India can prove to be a challenge.

- 10) **Progress towards AGI:** Through the inclusion of sophisticated multi-lingual audio comprehension, the project might help advance the general objective of AGI, making systems capable of understanding and communicating with people in more diverse and flexible manners.

7.2 SCREENSHOTS




Figure 7.2.1: Model Output with Hindi Text Input




Figure 7.2.2: Model Output with English Text Input




Figure 7.2.3: Model Output with Hinglish Text Input




Figure 7.2.4: Model Output with Hindi Audio Input

CHAPTER 8

OTHER SPECIFICATIONS

8.1 ADVANTAGES

- 1) **Inclusivity:** Enhances the possibility of AI systems conversing across linguistically diverse backgrounds, so the more such does happen, the stronger is the possibility to implement AI for less-English-speaking populations-like the Indian subcontinent.
- 2) **Better Contextual Understanding:** Added audio comprehension support with model contextually relevant responses.
- 3) **Improved Performance:** It will have the ability to develop AI/ML systems that may understand the dialects and nuances regionally to improve performance in real-world applications.
- 4) **Development of AGI:** As multilinguality is focused, it can thus learn a more diverse dataset based on various cultural contexts and communication styles.
- 5) **Deeper Involvement from the User's End:** This would create much more meaningful user experiences that could be more in tune with international trends towards adaptive AI systems.

8.2 LIMITATIONS

- 1) **Lack of Data:** Low-quality regional language audio databases constraint training and the accuracy of models.
- 2) **Dialectal Variation:** Variation in dialects and accents. Thus, speech becomes unclear, and the possibilities of errors often increase.
- 3) **Resource Intensive:** Training and processing multilingual models require heavy computational resources. Therefore, the approach is inaccessible to less privileged settings.
- 4) **Integration Issues:** The technical issues arise when multilingual audio processing is merged with already existing language models, taking up a lot of development time.
- 5) **User Adaptation:** Users who like text-centric interfaces will require time to adapt to a multilingual AI system wherein they would notice a low level of engagement at the start itself.

8.3 APPLICATIONS

- 1) **Multilingual Virtual Assistants:** Multilinguality in voice-activated assistants, multiple Indian languages, so that a user can provide more personalized and accessible services.
- 2) **Language Learning Tools:** Audio-input-based AI tools assist users in learning Indian languages through real-time conversation practice, improving engagement and retention.

- 3) **Speech-to-Text Applications:** There are high transcriptions of Indian languages developed for various applications and purposes. They are significantly applicable in education, healthcare, legal services, etc.
- 4) **Accessibility Tools:** There are tools for the deaf and dumb people who access through converting audio content into sign language or text for clearer understanding and access to information.
- 5) **Customer Support Systems:** These language-based chatbots can understand and, consequently respond easily, in various languages, which really heightens customer service in many different regions.

CHAPTER 9

CONCLUSION AND FUTURE WORK

9.1 CONCLUSION

Advancing Indian multilingual audio understanding with large language models is a big step toward achieving more inclusive, effective artificial general intelligence. It means we can then develop systems capable of intelligent understanding and responses across a wide range of languages and dialects of India through the integration of advanced speech recognition capabilities with robust language processing.

Furthermore, this research will help bridge gaps in terms of accessibility because it helps linguistically diverse users to readily interact with technology. Such applications as virtual assistants, customer support systems, and so on give a glimpse into the possibilities of practical applications that might be implemented to enhance the user experience even further. This transformation creates higher user engagement, leading to the wider acceptance of AI technologies across multiple industries.

While we move forward, there will be a sharp focus on improvement and fine-tuning of the system. On an overall basis, regular assessments will continue, and the system will be kept responsive to users' necessities as well as technological improvements. There will be a lot of teamwork involved within the team, and it will not just be mentors providing guidance, ensuring that we avoid problems and capitalize on the given opportunity. This project, in general, is a significant step forward toward a future when the AI system not only happens to be intelligent but also linguistically and culturally aware.

9.2 FUTURE WORK

The directions for future work in the improvement of large language models with Indian multilingual audio understanding will encompass key elements toward the long-term goal of continuous growth and improvement. For example, the dataset would have to expand through the addition of more regional languages and dialects so the model may further have a good understanding and process diversified input with respect to linguistic content. This would be accomplished by tapping local linguistic expertise and the community to create rich, representative audio samples.

Further advanced algorithms would include increased accuracy and higher comprehension for the speech recognizer. Deep learning concepts such as transformers and recurrent neural networks would be implemented in this model to understand the subtle aspects of language usage along with intonation. Real-time learning would be incorporated into this system to adapt and become better over time with user interaction and feedback.

The project will also attempt to develop user-centric applications that would exploit the enhanced model in concrete educational, health, or customer-service environments. These may then be piloted and refined to fit the needs of more diverse populations by using user feedback during pilot runs.

Finally, partnerships with industry experts and academic institutions shall be crucial to scaling up the project. Innovation will be fueled by cross-functional and inter-institutional collaboration. That is how

the developments shall occur in a direction compatible with current technological trends and users' expectations. This forward-looking strategic focus shall assist fully in exploiting the potential of intelligent and culturally enabled AI systems.

CHAPTER 10

APPENDIX

10.1 APPENDIX A

10.1.1 Feasibility Analysis

- 1) **Technical Feasibility:** The technologies utilized in the project are established technologies for processing natural language and audio recognition. By utilizing cutting-edge models and frameworks, and by integrating rich multilingual data sources, including languages specific to India, we will ensure strong training and fine-tuning of the system.
- 2) **Economic Feasibility:** Conducting a cost-benefit analysis, the project at hand promises possible profitability and economic feasibility. The increasing demand for support services or cross-lingual support in educational sectors, healthcare facilities, and customer service sectors assures a potential market. Although the infrastructure and human resources need to be invested first, the promising aspect is that the facility would generate potential revenues and save in the long term through automation and more users.
- 3) **Operational Feasibility:** This project is perfectly aligned with its diverse linguistic profile, which will continue to grow with the increasing needs for AI solutions. Focusing on local languages and dialects can be very useful for creating an operationally feasible system that blends well with the myriad applications in vogue. The solution being developed through collaboration with native partners, like educational institutes and tech-based companies, will make it more effective for actual implementation while fully addressing the practical needs of the people.
- 4) **Legal and Ethical Feasibility:** The project should be capable of achieving legal and ethical feasibility. Ensuring data privacy is crucial for the success of the project; hence, we must meet compliance requirements. For this purpose, we will implement strict measures for security and ethics regarding user data. Such measures will ensure conformity with the use of data according to local laws. The involvement of legal and ethics experts will help navigate these complex issues and create public trust.

10.2 APPENDIX B

10.2.1 Survey Paper Details

Paper Status: Published

Name of Journal: International Research Journal of Engineering and Technology - IRJET

Page Numbers: 21

DOI: 10 October 2024

Link: <https://www.irjet.net/archives/V11/i10/IRJET-V11I10116.pdf>

10.3 APPENDIX C

10.3.1 Plagiarism Report

The plagiarism report for the project report has been attached herewith.

Similarity: 10%

REFERENCES

- [1] Arun Babu, Changhan Wang, Andros Tjandra, Kushal Lakhotia, Qiantong Xu, Naman Goyal, Kritika Singh, Patrick von Platen, Yatharth Saraf, Juan Pino, et al. “XLS-R: Self-supervised cross-lingual speech representation learning at scale”. In: arXiv preprint arXiv:2111.09296 (2021).
- [2] Alexei Baevski, Henry Zhou, Abdelrahman Mohamed, and Michael Auli. “Wav2vec 2.0: A Framework for Self-Supervised Learning of Speech Representations”. In: Proceedings of the 34th International Conference on Neural Information Processing Systems. 2020.
- [3] Junwen Bai, Bo Li, Yu Zhang, Ankur Bapna, Nikhil Siddhartha, Khe Chai Sim, and Tara N. Sainath. “Joint Unsupervised and Supervised Training for Multilingual ASR”. In: 2022 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP). 2022.
- [4] Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. “Language Models are Few-Shot Learners”. In: Advances in Neural Information Processing Systems. 2020.
- [5] Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E. Gonzalez, Ion Stoica, and Eric P. Xing. “Vicuna: An Open-Source Chatbot Impressing GPT-4 with 90%* ChatGPT Quality”. In: (2023).
- [6] Chung-Cheng Chiu, James Qin, Yu Zhang, Jiahui Yu, and Yonghui Wu. “Self-supervised learning with random-projection quantizer for speech recognition”. In: Proceedings of the 39th International Conference on Machine Learning. 2022.
- [7] Aakanksha Chowdhery, Sharan Narang, Jacob Devlin, Maarten Bosma, Gaurav Mishra, Adam Roberts, Paul Barham, Hyung Won Chung, Charles Sutton, Sebastian Gehrmann, et al. “Palm: Scaling language modeling with pathways”. In: arXiv preprint arXiv:2204.02311 (2022).
- [8] Yu-An Chung, Yu Zhang, Wei Han, Chung-Cheng Chiu, James Qin, Ruoming Pang, and Yonghui Wu. “w2v-BERT: Combining Contrastive Learning and Masked Language Modeling for Self-Supervised Speech Pre-Training”. In: 2021 IEEE Automatic Speech Recognition and Understanding Workshop (ASRU). 2021
- [9] Alexis Conneau, Alexei Baevski, Ronan Collobert, Abdelrahman Mohamed, and Michael Auli. “Unsupervised Cross-lingual Representation Learning for Speech Recognition”. In: Interspeech. 2021.
- [10] Xiang Lisa Li and Percy Liang. “Prefix-Tuning: Optimizing Continuous Prompts for Generation”. In: Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers). 2021.

- [11] Vineel Pratap, Qiantong Xu, Anuroop Sriram, Gabriel Synnaeve, and Ronan Collobert. “MLS: A LargeScale Multilingual Dataset for Speech Research”. In: Interspeech. 2020.
- [12] Yuan Gong, Hongyin Luo, Alexander H Liu, Leonid Karlinsky, and James Glass. “Listen, Think, and Understand”. In: arXiv preprint arXiv:2305.10790 (2023).
- [13] Neil Houlsby, Andrei Giurgiu, Stanislaw Jastrzebski, Bruna Morrone, Quentin De Laroussilhe, Andrea Gesmundo, Mona Attariyan, and Sylvain Gelly. “Parameter-Efficient Transfer Learning for NLP”. In: Proceedings of the 36th International Conference on Machine Learning. Vol. 97. 2019.
- [14] Edward J Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. “LoRA: Low-Rank Adaptation of Large Language Models”. In: International Conference on Learning Representations. 2022.
- [15] Taku Kudo and John Richardson. “SentencePiece: A simple and language independent subword tokenizer and detokenizer for Neural Text Processing”. In: Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing: System Demonstrations. 2018.
- [16] Ke Li, Jay Mahadeokar, Jinxi Guo, Yangyang Shi, Gil Keren, Ozlem Kalinli, Michael L. Seltzer, and Duc Le. “Improving fast-slow Encoder based Transducer with Streaming Deliberation”. In: International Conference on Acoustics, Speech and Signal Processing (ICASSP). 2023.
- [17] Fixie AI Team, "Ultravox Model Architecture", Google Slides, [Online]. Available: <https://docs.google.com/presentation/d/1ey81xuuMzrJaBwztb\Rq24Cit37GQokD2aAes\KkGVI/edit>. [Accessed: Apr. 21, 2025].

Document Information

Analyzed document	PROJECT_REPORT_BE.pdf (D209872348)
Submitted	2025-04-22 07:16:00 UTC+02:00
Submitted by	Arati
Submitter email	ardeshpande@pict.edu
Similarity	10%
Analysis address	ardeshpande.pict@analysis.urkund.com

Sources included in the report

W	URL: https://WWW.coursehero.com/file/238757413/FYP-Final-Reportpdf/ Fetched: 2025-04-22 07:16:00		1
W	URL: https://WWW.coursehero.com/file/236179213/BEproject-2nd-sem-report-3pdf/ Fetched: 2025-04-22 07:17:00		1
W	URL: https://www.irjet.net/archives/V11/i10/IRJET-V11I10116.pdf Fetched: 2025-04-22 07:16:00		103
W	URL: https://WWW.coursehero.com/file/236179261/BlckBookReport-Finalpdf/ Fetched: 2025-04-22 07:17:00		1
W	URL: https://myscale.com/blog/ultimate-guide-to-evaluate-rag-system/?ref=chitika.com Fetched: 2025-04-22 07:16:00		1
W	URL: https://www.jarrar.info/publications/TKM24.pdf Fetched: 2025-04-22 07:16:00		1
W	URL: https://arxiv.org/html/2504.04576v1 Fetched: 2025-04-22 07:16:00		2
W	URL: https://ai.radensa.ru/wp-content/uploads/2024/11/2411.03350v1.pdf Fetched: 2025-04-22 07:16:00		2
W	URL: http://arxiv.org/pdf/2502.12900 Fetched: 2025-04-22 07:16:00		1
W	URL: https://api.repository.cam.ac.uk/server/api/core/bitstreams/85884c04-d76c-4b8f-9589-2904fab926cb/content Fetched: 2025-04-22 07:16:00		1
W	URL: https://arxiv.org/html/2504.07754v1 Fetched: 2025-04-22 07:16:00		1