

Linear Task Master Specification

REP-5

Rehan Pathan (Founding Backend Lead)

OpenAPI Spec Changefeed Poller Engine

Build the real-time background service that polls vendor OpenAPI spec changefeeds (OpenAI, Stripe, Gemini) every 15 minutes to catch breaking contract changes.

ACCEPTANCE CRITERIA

- Cron worker set up using Next.js API route (/api/cron/poll-vendors).
- Parses JSON/YAML OpenAPI schemas and computes semantic diffs.
- Triggers event pipeline when breaking schema changes are detected.
- 100% typed TypeScript models with zero 'any' types.

REP-6

Sneha (Founding Full-Stack Lead)

Volatile RAM Vault & YC-Level Landing Page Polish

Lead the security buffer layer (0% disk persistence) and refine src/app/page.tsx into a YC P26 benchmark landing page inspired by heyhyper.ai and linear.app.

ACCEPTANCE CRITERIA

- In-memory code streaming buffer with ~24ms purge cycle.
- Polish landing page with high-contrast brutalist design and floating header.
- 100% Next.js static compilation & 60fps Framer Motion animations.
- Pass zero-log audit verifying customer code is never written to disk.

REP-7

Jey Subhash (Founding AI & Compiler Lead)

AST Compiler Engine & TypeScript Call-Site Parser

Build the deterministic TypeScript AST parsing engine using official TypeScript Compiler API. Parse consumer codebases and generate accurate syntax transformations.

ACCEPTANCE CRITERIA

- Parse AST trees across multi-file TypeScript / Next.js codebases.
- Locate 100% of deprecated call sites (e.g. openai.ChatCompletion.create -> openai.chat.completions.create).
- 0% AI syntax hallucinations—transformations must be 100% deterministic.
- Unit test suite covering top 5 OpenAI & Stripe breaking change migrations.

REP-8

Sachin (Founding Full-Stack Engineer)

Automated GitHub PR Generator & Interactive IDE Showcase

Build the automated Octokit integration to open clean Pull Requests with AST refactored patches, and build the interactive web dashboard IDE diff preview card (/app).

ACCEPTANCE CRITERIA

- Octokit GitHub App integration (/api/github/pr).
- Automatically generate PR title, impact summary, and affected call site breakdown.
- Build interactive diff viewer component in /app showing red/green code diffs.
- Connect GitHub OAuth workflow for 1-click repository authorization.

REP-9

Sanjay Nanda N J (Founding Systems Architecture Lead)

Distributed Systems High-Availability Architecture

Architect the enterprise-grade distributed processing pipeline, queue worker fault tolerance, worker pool auto-scaling, and SOC2-compliant encryption layer.

ACCEPTANCE CRITERIA

- Technical Architecture RFC for high-concurrency webhook ingestion.
- Queue worker retry & dead-letter queue (DLQ) specification.
- Security & SOC2 compliance isolation blueprint.