

Last login: Tue Jun 23 15:02:01 on ttys002
adityadave@Adityas-MacBook-Air-3 ~ % cd /Users/adityadave/PE/PE-Daywise-Work-Tracker/23-JUNE/Q8
adityadave@Adityas-MacBook-Air-3 Q8 % python3 script.py
Running 1/10...
Running 2/10...
Running 3/10...
Running 4/10...
Running 5/10...
Running 6/10...
Running 7/10...
Running 8/10...
Running 9/10...
Running 10/10...

```
=====
10TH RUN OUTPUT
=====
SET
WARNING: Log 1: Planner Input:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
    {ALIAS
      :aliasname all_nations
      :colnames <>
    }
  :eref
    {ALIAS
      :aliasname all_nations
      :colnames ("o_year" "volume" "nation")
    }
  :rtekind 1
  :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTY
          :alias <>
        :eref
          {ALIAS
            :aliasname part
            :colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
          }
        :rtekind 0
        :relid 17550
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCI true
        :securityQuals <>
      }
      {RANGETBLENTY
        :alias <>
      :eref
        {ALIAS
          :aliasname supplier_secure
          :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
        }
      :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
            {ALIAS
              :aliasname s
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname s
              :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
            }
          :rtekind 0
          :relid 17562
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCI true
          :securityQuals <>
        }
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 17562
        :inh true
        :requiredPerms 2
        :checkAsUser 10
      }
    )
  }
}
```

```

:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1700
:varitypmid 983946
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
){FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:constitypmid -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
){SUBLINK
:sublinktype 0
:sublinkid 0
:testexpr <>
:opername <>
:subselect
{QUERY
:commandtype 1
:querysource 0
:canSetTag true
:utilitystmt <>
:resultrelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17539
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17545
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
):rteperminfos (
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17545
:inh true
:requiredPerms 2

```

```

:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
{OPEXP
:opno 1054
:opfuncid 1040
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 8
0 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 ]

```

```

    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname s_supkey
  :ressortgroupref 0
  :resorigtbl 17562
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 1042
  :vartypmod 29
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname s_name
  :ressortgroupref 0
  :resorigtbl 17562
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 1043
  :vartypmod 44
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location -1
  }
  :resno 3
  :resname s_address
  :ressortgroupref 0
  :resorigtbl 17562
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 4
  :location -1
  }
  :resno 4
  :resname s_nationkey
  :ressortgroupref 0
  :resorigtbl 17562
  :resorigcol 4
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 5
  :vartype 1042
  :vartypmod 19
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location -1
  }
  :resno 5
  :resname s_phone
  :ressortgroupref 0
  :resorigtbl 17562

```

```

:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 17562
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 17562
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17691
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate"
"l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
}
:rtekind 0
:relid 17603
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17603
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

    }
}
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {SUBLINK
      :subLinkType 0
      :subLinkId 0
      :testexpr <>
      :operName <>
      :subselect
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks false
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :cteList <>
          :rtable (
            {RANGETBLENTY
              :alias
                {ALIAS
                  :aliasname o
                  :colnames <>
                }
              :eref
                {ALIAS
                  :aliasname o
                  :colnames ("o_orderkey" "o_custkey" "o_orders
                    tatus" "o_totalprice" "o_orderdate" "o_orderp
                    riority" "o_clerk" "o_shippriority" "o_commen
                    t")
                }
              :rtekind 0
              :relid 17591
              :inh true
              :relkind r
              :rellockmode 1
              :perminfoindex 1
              :tablesample <>
              :lateral false
              :inFromC1 true
              :securityQuals <>
            }
          )
        }
      :rteperminfos (
        {RTEPERMISSIONINFO
          :relid 17591
          :inh true
          :requiredPerms 2
          :checkAsUser 10
          :selectedCols (b 8 13)
          :insertedCols (b)
          :updatedCols (b)
        }
      )
    }
  )
}
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
      )
    }
  )
}
:location -1
}
{SCALARARRAYOPEXP
  :opno 1054
  :opfuncid 1048
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 100
  :args (
    {VAR
      :varno 1
      :varattno 6
      :vartype 1042
      :vartypmod 19
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
    {ARRAYEXP
      :array_typeid 1014
      :array_collid 100
      :element_typeid 1042
    }
  )
}

```

```

        :elements (
            {CONST
            :consttype 1042
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 49 45 85 8
2 71 69 78 84 ]
            }
            {CONST
            :consttype 1042
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 10 [ 40 0 0 0 50 45 72 7
3 71 72 ]
            }
        )
        :multidims false
        :list_start -1
        :list_end -1
        :location -1
    }
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTY
    :alias
    {ALIAS
    :aliasname ps
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname ps
    :colnames ("ps_partkey" "ps_suppkey" "ps_avai
lqty" "ps_supplycost" "ps_comment")
    }
    :rtekind 0
    :relid 17572
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :laterall false
    :inFromCl true
    :securityQuals <>
    }
)
}
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 17572
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
    }
)
}
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF

```

```

:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
)
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
)
{OPEXP
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname 1_returnflag
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname 1_linestatus
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname 1_shipdate
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname 1_commitdate
:ressortgroupref 0
:resorigtbl 17603
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13

```

```

:varstype 1002
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 17003
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:varstype 1042
:varstypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 17003
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:varstype 1042
:varstypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 17003
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:varstype 1043
:varstypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 17003
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reldid 17695
:relkind r
:rellockmode 1
:perminfoindex 3
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
}
:rtkind 0
:reldid 17591
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer_secure
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
}
:rtkind 1
:subquery
{QUERY
:commandType 1

```

```

:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
    {ALIAS
      :aliasname c
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname c
      :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
        "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 17580
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 17580
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 1756
      :opfuncid 1720
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 1700
          :vartypmod 983846
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location -1
        }
        {FUNCEXP
          :funcid 1740
          :funcresulttype 1700
          :funcresultset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 23
              :consttypmod -1
              :constcollid 0
              :constlen 4
              :constbyval true
              :constisnull false
              :location -1
              :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
          )
          :location -1
        }
      )
    }
  )
}
:location -1
}
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTY
        :alias
        {ALIAS
          :aliasname n
          :colnames <>
        }
        :eref
        {ALIAS
          :aliasname n
          :colnames ("n_nationkey" "n_name" "n_regionke
            y" "n_comment")
        }
        :rtekind 0
        :relid 17539

```

```

:inh true
:relkind r
:rellockmode 1
:permindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment"
)
}
:rtekind 0
:relid 17545
:inh true
:relkind r
:rellockmode 1
:permindex 2
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
)
:rteperinfos (
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17545
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 1054
:opfuncid 1048
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100

```

```

:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1014
    :array_collid 100
    :element_typeid 1042
    :elements (
      {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 69 85 82 7
          9 80 69 ]
        }
      {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 65 77 69 8
          2 73 67 65 ]
        }
      )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingDual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 17508
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 1043
      :vartypmod 29
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
  }
)
:resno 2

```

```

:resname c_name
:ressortgroupref 0
:resorigtbl 17580
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 17580
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 17580
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 17580
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 17580
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 17580
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1043
:vartypmod 121
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 17580
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17686
:inh false
:relkind v
:rellockmode 1
:perminfoindex 5
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 17539
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 17539
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtekind 0
:relid 17545
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17550
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17691
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17695
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17591
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17686
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
}
)

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17545
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 760
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 772
}
)
:location 770
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 810
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 822
}
)
:location 820
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 860
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 4
:varattnosyn 1
:location 873
}
)
:location 871
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:sargs (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 912
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 924
}
}
:location 922
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:sargs (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 962
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 976
}
}
:location 974
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:sargs (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 1019
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 1036
}
}
:location 1034
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:sargs (
{VAR
:varno 8
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 1076
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1085
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]

```

```

    }
}
:location 1083
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 1120
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 1134
}
)
:location 1132
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 1177
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1202
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 1189
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 1177
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1224
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
:location 1189
}
}
:location 1189
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{RELABELTYPE
:arg
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 1265
}
:resulttype 25
:resulttypmod -1
:resultcollid 100
:relabelformat 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 1274
        :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
}
:location 1272
}
}
:location 806
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 259
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 269
}
}
:location 251
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 1760
:opfuncid 1726
:opresulttype 1700
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 317
}
{OPEXP
:opno 1759
:opfuncid 1725
:opresulttype 1700
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 340
}
}
:location 338
}
}
:location 333
}
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 1042
:vartypmod 29

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 387
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 17539
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
}
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 1761
:opfuncid 1727
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2114
:aggtype 1700
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 1700)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1700
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 1
        :varattno 3
        :varatype 1042
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 97
        }
        {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 106
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
        }
    }
    :location 104
}
:result
{VAR
:varno 1
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 119
}
:location 92
}
)
:defresult
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 147
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 71
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 67
}
{AGGREF
:aggfnoid 2114
:aggtype 1700
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 1700)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 168
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 164
}
)
:location 162
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>

```

```

:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
)

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=6199 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2: After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtables (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname all_nations
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname all_nations
        :colnames ("o_year" "volume" "nation")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 0
    :inh false
    :relkind <>
    :rellockmode 0
    :perminfoindex 0
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("o_year")
      }
    :rtekind 9
    :groupexprs (
      {FUNCEXP
        :funcid 6199
        :funcresulttype 1700
        :funcresultset false
        :funcvariadic false
        :funcformat 3
        :funccollid 0
        :inputcollid 100
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 259
            :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
          }
          {VAR
            :varno 6
            :varattno 5
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 5
            :location 269
          }
        )
      }
    :location 251
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
  {ALIAS
    :aliasname part
    :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
      "p_container" "p_retailprice" "p_comment")
  }
:rtekind 0
:relid 17550
:inh false
:relkind r
:rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier_secure
:colnames ("s_supplekey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17691
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_supplekey" "l_linenumbe" "l_qua
ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
l_shipmode" "l_comment")
}
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17695
:inh false
:relkind v
:rellockmode 1
:perminfoindex 3
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
}
:rtekind 0
:relid 17591
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer_secure
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17686
:inh false
:relkind v
:rellockmode 1
:perminfoindex 5
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 17539
:inh false
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 17539
:inh false
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtekind 0
:relid 17545
:inh false
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

}
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17562
:inh false
:relkind r
:rellockmode 1
:perminfoindex 9
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17539
:inh false
:relkind r
:rellockmode 1
:perminfoindex 10
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17545
:inh false
:relkind r
:rellockmode 1
:perminfoindex 11
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_supkey" "l_linenum" "l_qua
ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
l_shipmode" "l_comment")
}
:rtekind 0
:relid 17603
:inh false
:relkind r
:rellockmode 1
:perminfoindex 12
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 17591
:inh false
:relkind r
:rellockmode 1
:perminfoindex 13
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 17572
:inh false
:relkind r
:rellockmode 1
:perminfoindex 14
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c

```

```

        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
    }
}
:rtekind 0
:relid 17580
:inh false
:relkind r
:rellockmode 1
:perminfoindex 15
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 17539
:inh false
:relkind r
:rellockmode 1
:perminfoindex 16
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtekind 0
:relid 17545
:inh false
:relkind r
:rellockmode 1
:perminfoindex 17
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17550
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17691
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17695
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17591
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17686
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17545
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17562
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
}

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17545
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17603
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17591
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17572
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17580
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17539
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17545
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 3
}
){JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 11
}
)
:quals (
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 6
:location -1
}
){CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
)
}
:rg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 12
}
){RANGETBLREF
:rtindex 13
}
)
:quals <>
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 12
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
{VAR
:varno 11
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 4
:location -1
}
}
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 12
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 3
:location -1
}
{VAR
:varno 13
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
}
:location -1
}
{OEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 13
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 0 69 85 82 79 80 69 ]
}
}
:location -1
}
}
:alias <>
:rtindex 0
}
{JOINEXPR
:jointype 4
:isNatural false
:larg
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 14
}
)
:quals <>
}
:rarg
{RANGETBLREF
:rtindex 15
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 15
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 15
:varattnosyn 1
:location -1
}
{VAR
:varno 14
:varattno 1
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 14
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
{SCALARARRAYOPEXPR
:opno 1054
:opfuncid 1048
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 15
    :varattno 6
    :vartype 1042
    :vartypmod 19
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 15
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 1014
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 48 [ -64 0 0 0 1 0 0 0 0 0 0 0 18 4 0 0 2 0 0
0 1 0 0 0 48 0 0 0 49 45 85 82 71 69 78 84 40 0 0 0 50 4
5 72 73 71 72 0 0 ]
    }
)
:location -1
}
}
:alias <>
:rtindex 0
}
:rarg
{RANGETBLREF
:rtindex 16
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 16
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 16
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 14
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 14
    :varattnosyn 2
    :location -1
    }
)
:location -1
}
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 16
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 16
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 14
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 14
    :varattnosyn 3
    :location -1
    }
)
:location -1
}
}
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 16
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 16
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 ]
}
}
:location -1
}
)
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 6
}
{JOINEXPR
:jointype 4
:isNatural false
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 17
}
)
:quals (
{OEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 17
:varattno 6
:varstype 1700
:varstypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 17
:varattnosyn 6
:location -1
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
}
:location -1
}
)
}
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 18
}
{RANGETBLREF
:rtindex 19
}
)
:quals <>
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 18
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 18
:varattnosyn 1
:location -1
}
{VAR
:varno 17
:varattno 4
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 17
:varattnosyn 4
:location -1
}
)
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 18
:varattno 3
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 18
:varattnosyn 3
:location -1
}
{VAR
:varno 19

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 19
:varattnosyn 1
:location -1
}
}
:location -1
}
{SCALARARRAYOPEXPR
:opno 1054
:opfuncid 1048
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 19
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 19
:varattnosyn 2
:location -1
}
{CONST
:consttype 1014
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 48 [ -64 0 0 0 1 0 0 0 0 0 0 0 18 4 0 0 2 0 0 0
1 0 0 0 40 0 0 0 69 85 82 79 80 69 0 0 44 0 0 0 65 77 69 82
73 67 65 0 ]
}
}
:location -1
}
}
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 8
}
{RANGETBLREF
:rtindex 9
}
{RANGETBLREF
:rtindex 10
}
)
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 760
}
{VAR
:varno 14
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 14
:varattnosyn 2
:location -1
}
}
)
:location 770
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
{VAR
:varno 14
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 14
:varattnosyn 3
:location -1
}
}
)
:location 820
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 14
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 14
:varattnosyn 1
:location -1
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 873
}
)
:location 871
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 912
}
{VAR
:varno 17
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 17
:varattnosyn 1
:location -1
}
)
:location 922
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 17
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 17
:varattnosyn 4
:location -1
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 976
}
)
:location 974
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 8
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location 1019
}
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location 1036
}
)
:location 1034
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR

```

```

:varno 10
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location 1076
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1085
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
}
:location 1083
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 4
:location -1
}
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 1134
}
}
:location 1132
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 1177
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1202
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
}
:location 1189
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 1177
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1224
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
}
:location 1189
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{RELABELTYPE
:arg
{VAR
:varno 3
:varattno 5
:vartype 1043
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 1265
    }
    :resulttype 25
    :resulttypmod -1
    :resultcollid 100
    :relabelformat 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1274
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78 79 68
73 90 69 68 32 83 84 69 69 76 ]
    }
    }
    :location 1272
    }
    }
    }
    :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 259
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 6
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 269
}
)
:location 251
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 1761
:opfuncid 1727
:opresulttype 1700
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2114
:aggtype 1700
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 1700)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXP
:casetype 1700
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OPEXP
:opno 1054
:opfuncid 1048
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 9
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 387
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 106
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 104
}
:result
{OPEXP
:opno 1760
:opfuncid 1726
:opresulttype 1700
:opresultset false
:opcollid 0
:inputcollid 0

```

```

:args (
  {VAR
    :varno 14
    :varattno 6
    :vartype 1700
    :vartypmod 983046
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 14
    :varattnosyn 6
    :location -1
  }
  {OPEXPR
    :opno 1759
    :opfuncid 1725
    :opresulttype 1700
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 0 -128 1 0 ]
      }
      {VAR
        :varno 14
        :varattno 7
        :vartype 1700
        :vartypmod 983046
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 14
        :varattnosyn 7
        :location -1
      }
    )
    :location 338
  }
  }
  :location 333
}
:location 92
}
)
:defaultresult
{CONST
  :consttype 1700
  :consttypmod -1
  :constcollid 0
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 0 -128 ]
}
:location 71
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 67
}
{AGGREF
  :aggfnoid 2114
  :aggtype 1700
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 1700)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
      :expr
      {OPEXPR
        :opno 1760
        :opfuncid 1726
        :opresulttype 1700
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 14
            :varattno 6
            :vartype 1700
            :vartypmod 983046
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 14
            :varattnosyn 6
            :location -1
          }
          {OPEXPR
            :opno 1759
            :opfuncid 1725
            :opresulttype 1700
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 8 [ 32 0 0 0 0 -128 1 0 ]
              }
              {VAR
                :varno 14
                :varattno 7
                :vartype 1700
                :vartypmod 983046
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 14

```

```

    :varattnosyn 7
    }
    }
    :location 338
  }
  }
  :location 333
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggsorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggttranso -1
:location 164
}
}
:location 162
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause (
  :SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 1752
  :sortop 1754
  :reverse_sort false
  :nulls_first false
  :hashable true
)
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  :SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 1752
  :sortop 1754
  :reverse_sort false
  :nulls_first false
  :hashable true
)
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
}

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 98 :opfuncid 67 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ((RELABELTYPE :arg {VAR :varno 3 :varattno 5 :vartype 1043 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 5 :location -1} :resulttype 25 :resulttypmod -1 :resultcollid 100 :relabelformat 2 :location -1) (CONST :consttype 25 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 26 [ 104 0 0 0 69 67 79 78 77 89 32 65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_rels (b 3) :required_rels (b 3) :incompatible_rels (b) :outer_rels (b 3) :right_rels (b 3) :orclause <> :rinfo_serial 24 :eval_cost.startup -1 :eval_cost.per_tupl e 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1994 2095) :left_em (EQUIVALENCEMEMBER :em_expr (RELABELTYPE :arg {VAR :varno 3 :varattno 5 :vartype 1043 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 5 :location -1} :resulttype 25 :resulttypmod -1 :resultcollid 100 :relabelformat 2 :location -1} :em_rels (b 3) :em_is_const false :em_is_child false :em_datatype 25 :em_jdomain (JOINDOMAIN :jd_rels (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUIVALENCEMEMBER :em_expr {CONST :consttype 25 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 26 [ 104 0 0 0 69 67 79 78 77 89 32 65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]}) :em_rels (b 3) :em_is_const true :em_is_child false :em_datatype 25 :em_jdomain (JOINDOMAIN :jd_rels (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq 1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}))

WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 98 :opfuncid 67 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args {VAR :varno 3 :varattno 5 :vartype 1043 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 5 :location -1} :resulttype 25 :resulttypmod -1 :resultcollid 100 :relabelformat 2 :location -1) (CONST :consttype 25 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 26 [ 104 0 0 0 69 67 79 78 77 89 32 65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_rels (b 3) :required_rels (b 3) :incompatible_rels (b) :outer_rels (b 3) :right_rels (b 3) :orclause <> :rinfo_serial 24 :eval_cost.startup -1 :eval_cost.per_tupl e 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1994 2095) :left_em (EQUIVALENCEMEMBER :em_expr (RELABELTYPE :arg {VAR :varno 3 :varattno 5 :vartype 1043 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 5 :location -1} :resulttype 25 :resulttypmod -1 :resultcollid 100 :relabelformat 2 :location -1} :em_rels (b 3) :em_is_const false :em_is_child false :em_datatype 25 :em_jdomain (JOINDOMAIN :jd_rels (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUIVALENCEMEMBER :em_expr {CONST :consttype 25 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 26 [ 104 0 0 0 69 67 79 78 77 89 32 65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]}) :em_rels (b 3) :em_is_const true :em_is_child false :em_datatype 25 :em_jdomain (JOINDOMAIN :jd_rels (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq 1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0)) | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 3 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 1098 :opfuncid 1098 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 6 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 5 :location -1} (CONST :consttype 1082 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 6) :required_rels (b 6) :incompatible_rels (b) :outer_rels (b 6) :right_rels (b 6) :orclause <> :rinfo_serial 22 :eval_cost.startup -1 :eval_cost.per_tupl e 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0)) (RESTRICTINFO :clause (OEXPR :opno 1096 :opfuncid 1088 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 6 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 5 :location -1} (CONST :consttype 1082 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 6) :required_rels (b 6) :incompatible_rels (b) :outer_rels (b 6) :right_rels (b 6) :orclause <> :rinfo_serial 23 :eval_cost.startup -1 :eval_cost.per_tupl e 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0)) | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 6 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 5 :location -1} (CONST :consttype 1082 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]}) :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 6 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 5 :location -1} (CONST :consttype 1082 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]}) :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 8 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varattnosyn 3 :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 8 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varattnosyn 3 :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 8 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varattnosyn 3 :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 8 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varattnosyn 3 :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 8 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varattnosyn 3 :location -
```

```

1 (VAR :varno 9 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 9 :varattnosyn 1 :location -1) | parallel_safe = true | reason =
2 PROPAREL_SAFE
3 WARNING: is_parallel_safe: INPUT qual = (({RESTRICINFO :clause (OEXPR :opno 1054 :ofuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ((VAR :varno 10 :varattno 2 :vartype
4 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 10 :varattnosyn 2 :location -1) (CONST :constype 1042 :constypmod -1 :constcollid 100 :constien -1 :c
5 onstbval false :constisnull false :location -1 :constval 8 [ 3 2 0 0 0 65 83 73 65 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakp
6 roof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_rels (b 10) :required_relds (b 10) :incompatible_relds (b) :outer_relds (b 10) :left_relds (b 10) :right_relds (b) :orclause < :rinfo
7 _serial 20 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies (a 426 2097) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 10 :varattno 2 :vartype 1042 :
8 vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 10 :varattnosyn 2 :location -1) :em_relds (b 10) :em_is_const false :em_is_child false :em_datatype 1042 :e
9 m_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUIVALENCEMEMBER :em_expr (CONST :constype 1042 :constypmod -1 :constcollid 100 :constien -1 :constbval f
10 alse :constisnull false :location -1 :constval 8 [ 3 2 0 0 0 65 83 73 65 ])) :em_relds (b 10) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14
11 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0) | parallel_safe =
12 true | reason = PROPAREL_SAFE
13 WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 10 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 10 :varattnosyn 1 :location -
14 1) | parallel_safe = true | reason = PROPAREL_SAFE
15 WARNING: is_parallel_safe: OUTPUT qual = (({RESTRICINFO :clause (OEXPR :opno 1054 :ofuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ((VAR :varno 11 :varattno 2 :vartype
16 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 2 :location -1) (CONST :constype 1042 :constypmod -1 :constcollid 100 :constien -1 :c
17 onstbval false :constisnull false :location -1 :constval 6 [ 2 4 0 0 0 -128 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof f
18 alse :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 11) :required_relds (b 11) :incompatible_relds (b) :outer_relds (b 11) :left_relds (b 11) :right_relds (b) :orclause < :rinfo
19 _serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies < :left_em < :right_em < :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bu
20 cksize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0) | parallel_safe = true | reason = PROPAREL_SAFE
21 WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 11 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 4 :location -
22 1) | parallel_safe = true | reason = PROPAREL_SAFE
23 WARNING: is_parallel_safe: OUTPUT qual = (({RESTRICINFO :clause (OEXPR :opno 1054 :ofuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ((VAR :varno 11 :varattno 6 :vartype
24 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 6 :location -1) (CONST :constype 1700 :constypmod -1 :constcollid 0 :constien -1 :c
25 onstbval false :constisnull false :location -1 :constval 6 [ 2 4 0 0 0 -128 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof f
26 alse :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 11) :required_relds (b 11) :incompatible_relds (b) :outer_relds (b 11) :left_relds (b 11) :right_relds (b) :orclause < :rinfo
27 _serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies < :left_em < :right_em < :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bu
28 cksize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0) | parallel_safe = true | reason = PROPAREL_SAFE
29 WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -
30 1) | parallel_safe = true | reason = PROPAREL_SAFE
31 WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -
32 1) | parallel_safe = true | reason = PROPAREL_SAFE
33 WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -
34 1) | parallel_safe = true | reason = PROPAREL_SAFE
35 WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 12 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 3 :location -1) | parallel_safe = true | reason =
36 PROPAREL_SAFE
37 WARNING: is_parallel_safe: INPUT qual = (({RESTRICINFO :clause (OEXPR :opno 1054 :ofuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ((VAR :varno 13 :varattno 2 :vartype
38 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 13 :varattnosyn 2 :location -1) (CONST :constype 1042 :constypmod -1 :constcollid 100 :constien -1 :c
39 onstbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 0 69 85 82 79 80 69 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof f
40 alse :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 13) :required_relds (b 13) :incompatible_relds (b) :outer_relds (b 13) :left_relds (b 13) :right_relds (b) :orclause < :rinfo
41 _serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies < :left_em < :right_em < :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bu
42 cksize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0) | parallel_safe = true | reason = PROPAREL_SAFE
43 WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 13 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 13 :varattnosyn 2 :location -1) | parallel_safe = true | reason = PROPAREL_SAFE
44 WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 13 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 13 :varattnosyn 2 :location -1) | parallel_safe = true | reason = PROPAREL_SAFE
45 WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 14 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnosyn 6 :locat
46 tion -1) (VAR :varno 14 :varattno 7 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnosyn 7 :location -1) (VAR :varno 14 :varattno
47 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnosyn 1 :location -1) (VAR :varno 14 :varattno 2 :vartype 23 :vartypmod -1 :varcollid
48 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnosyn 2 :location -1) (VAR :varno 14 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :
49 varreturningtype 0 :varnosyn 14 :varattnosyn 3 :location -1) | parallel_safe = true | reason = PROPAREL_SAFE
50 WARNING: is_parallel_safe: INPUT qual = (({RESTRICINFO :clause (SCALARARRAYOEXPR :opno 1054 :ofuncid 1048 :hashfuncid 0 :negfuncid 0 :useOr true :inputcollid 100 :args ((VAR :varno 15 :varattno 6 :vartype
51 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 15 :varattnosyn 6 :location -1) (CONST :constype 1014 :constypmod -1 :constcollid 100 :constien -1 :c
52 onstbval false :constisnull false :location -1 :constval 48 [ -64 0 0 1 0 0 0 0 0 0 18 4 0 2 0 0 1 0 0 0 48 0 0 9 45 85 82 71 69 78 84 40 0 0 50 45 72 73 71 72 0 0 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 15) :required_relds (
53 b 15) :incompatible_relds (b) :outer_relds (b 15) :right_relds (b) :orclause < :rinfo _serial 6 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies < :left_em < :right_em < :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0) | parallel_safe = true | reason = PROPAREL_SAFE
54 WARNING: is_parallel_safe: OUTPUT qual = (({RESTRICINFO :clause (SCALARARRAYOEXPR :opno 1054 :ofuncid 1048 :hash
```



```

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 14 :varratio 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 2 :location -1) (VAR :varno 16 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 1 :location -1) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 14 16) :required_relds (b 14 16) :incompatible_relds (b) :outer_relds (b) :left_relds (b 14) :right_relds (b 16) :orclause <> :rinfo_serial 28 :eval_cost.startup 0 :eval_cost.per_tuple 0 :norm_selc 6.24089385101519e-06 :outer_selc 1 :mergeofamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (VAR :varno 14 :varratio 2 :vartype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUALENCMEMBER :em_expr (VAR :varno 16 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 1 :location -1) :em_relds (b 16) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 6.495868627552877e-06 :right_bucketsize 6.24071693561328e-06 :left_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96) (RESTRICTINFO :clause (OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 14 :varratio 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 3 :location -1) (VAR :varno 16 :varratio 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 2 :location -1) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 14 16) :required_relds (b 14 16) :incompatible_relds (b) :outer_relds (b) :left_relds (b 14) :right_relds (b 16) :orclause <> :rinfo_serial 29 :eval_cost.startup 0 :eval_cost.per_tuple 0 :norm_selc 0.00012502955839229144 :outer_selc 1 :mergeofamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (VAR :varno 14 :varratio 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 3 :location -1) :em_relds (b 14) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUALENCMEMBER :em_expr (VAR :varno 16 :varratio 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 2 :location -1) :em_relds (b 16) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0004333333345130886 :right_bucketsize 0.0004333333345130886 :right_mcvfreq 0.0004333333345130886 :left_hashoperator 96 :right_hashoperator 96) | parallel_safe = true | reason = PROPAGALLES_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 14 :varratio 6 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnsyn 6 :location -1) (VAR :varno 14 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnsyn 7 :location -1) (VAR :varno 14 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnsyn 3 :location -1) (VAR :varno 15 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 15 :varattnsyn 1 :location -1) (VAR :varno 16 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 1 :location -1) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 14 16) :required_relds (b 14 16) :incompatible_relds (b) :outer_relds (b) :left_relds (b 14) :right_relds (b 16) :orclause <> :rinfo_serial 30 :eval_cost.startup 0 :eval_cost.per_tuple 0 :norm_selc 0.00588235294176747095 :outer_selc 1 :mergeofamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (VAR :varno 14 :varratio 6 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattnsyn 6 :location -1) :em_relds (b 14) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUALENCMEMBER :em_expr (VAR :varno 15 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 15 :varattnsyn 1 :location -1) :em_relds (b 14) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 1 :right_bucketsize 1 :left_mcvfreq 1 :right_mcvfreq 1 :left_hashoperator 96 :right_hashoperator 96) | parallel_safe = true | reason = PROPAGALLES_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 18 :varratio 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattnsyn 3 :location -1) (VAR :varno 18 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattnsyn 1 :location -1) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 18 19) :required_relds (b 18 19) :incompatible_relds (b) :outer_relds (b) :left_relds (b 18) :right_relds (b 19) :orclause <> :rinfo_serial 30 :eval_cost.startup 0 :eval_cost.per_tuple 0 :norm_selc 0.00588235294176747095 :outer_selc 1 :mergeofamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (VAR :varno 18 :varratio 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattnsyn 3 :location -1) :em_relds (b 18) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUALENCMEMBER :em_expr (VAR :varno 18 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattnsyn 1 :location -1) :em_relds (b 18) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 1 :right_bucketsize 1 :left_mcvfreq 1 :right_mcvfreq 1 :left_hashoperator 96 :right_hashoperator 96) | parallel_safe = true | reason = PROPAGALLES_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 18 :varratio 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattnsyn 4 :location -1) (VAR :varno 17 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 17 :varattnsyn 1 :location -1) (VAR :varno 18 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattnsyn 3 :location -1) (VAR :varno 15 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 15 :varattnsyn 1 :location -1) (VAR :varno 16 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varattnsyn 1 :location -1) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 17 18) :required_relds (b 17 18) :incompatible_relds (b) :outer_relds (b) :left_relds (b 17) :right_relds (b 18) :orclause <> :rinfo_serial 31 :eval_cost.startup 0 :eval_cost.per_tuple 0 :norm_selc 0.01176475882352941 :mergeofamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (VAR :varno 17 :varratio 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 17 :varattnsyn 4 :location -1) :em_relds (b 17) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUALENCMEMBER :em_expr (VAR :varno 18 :varratio 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattnsyn 3 :location -1) :em_relds (b 17) :em_is_const false :em_is_child false :em
```

```

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040

```

```
WARNING: is_parallel_safe: INPUT qual = {FUNCEXPR :rfuncid 6199 :funsresultype 1700 :funcretset false :funcvariadic false :formatnum 3 :funcollid 0 :inputcollid 100 :args {CONST :constntype 25 :constntype 1 :constcollid 100 :constlen 1 - :constnbval false :constnullfnl false :location -1 :constvaluel 8 [ 32 0 0 0 121 101 97 114 ]} {VAR :varno 6 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varattnumgrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 6 :varattnosyn 5 :location -1}} :location -1}
WARNING: max_parallel_hazard_walker: FuncExpr funcid=6199 propparallel=s (s=false r=restricted u=unsafe)
WARNING: is_parallel_safe: OUTPUT qual = {FUNCEXPR :rfuncid 6199 :funsresultype 1700 :funcretset false :funcvariadic false :formatnum 3 :funcollid 0 :inputcollid 100 :args {CONST :constntype 25 :constntype 1 :constcollid 100 :constlen 1 - :constnbval false :constnullfnl false :location -1 :constvaluel 8 [ 32 0 0 0 121 101 97 114 ]} {VAR :varno 6 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varattnumgrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 6 :varattnosyn 5 :location -1}} :location -1 | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {RESTRICINFO :clause (OPEXPR :opno 96 :opfuncid 65 :opresultype 16 :opretset false :opcollid 0 :inputcollid 0 :args {(VAR :varno 11 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 11 :varattnosyn 1 :location -1)} {VAR :varno 16 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrel s (b) :varlevelsup 2 :security_level 0 :num_base_rels 2 :clause_relds (b 11 16) :required_relds (b 11 16) :incompatible_relds (b) :outer_relds (b) :left_relds (b 11) :right_relds (b 16) :orclause <=> :info_serial 33 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selc 0.000125 :outer_selc -1 :mergeopfamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 11 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 11 :varattnosyn 1 :location -1) :em_relds (b 11) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19)) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 16 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 2 :security_level 0 :num_base_rels 2 :clause_relds (b 11 16) :required_relds (b 11 16) :incompatible_relds (b) :outer_relds (b) :left_relds (b 11) :right_relds (b 16) :orclause <=> :info_serial 33 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selc 0.000125 :outer_selc -1 :mergeopfamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 11 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 11 :varattnosyn 1 :location -1) :em_relds (b 11) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19)) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0009756525 :right_bucketsize 0.00043338752149994276 :left_mcvfreq 0 :right_mcvfreq 0.0004333333345130886 :left_hash_ heqoperator 96 :right_hashheqoperator 96}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {(VAR :varno 14 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 14 :varattnosyn 6 :loc ation -1} {VAR :varno 14 :varattno 7 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 14 :varattnosyn 7 :location -1} {VAR :varno 14 :varattn o 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 14 :varattnosyn 1 :location -1} {VAR :varno 15 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 15 :varattnosyn 1 :location -1} {VAR :varno 15 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 15 :varattnosyn 2 :location -1} {VAR :varno 15 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 15 :varattnosyn 3 :location -1} {VAR :varno 15 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 15 :varattnosyn 4 :location -1} {VAR :varno 15 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 15 :varattnosyn 5 :location -1} {VAR :varno 16 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 2 :location -1} {VAR :varno 16 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 3 :location -1} {VAR :varno 16 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 4 :location -1} {VAR :varno 16 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 5 :location -1} {VAR :varno 16 :varattno 6 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 6 :location -1} {VAR :varno 16 :varattno 7 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 7 :location -1} {VAR :varno 16 :varattno 8 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 8 :location -1} {VAR :varno 16 :varattno 9 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 9 :location -1} {VAR :varno 16 :varattno 10 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 10 :location -1} {VAR :varno 16 :varattno 11 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 11 :location -1} {VAR :varno 16 :varattno 12 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 12 :location -1} {VAR :varno 16 :varattno 13 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 13 :location -1} {VAR :varno 16 :varattno 14 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 14 :location -1} {VAR :varno 16 :varattno 15 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 15 :location -1} {VAR :varno 16 :varattno 16 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 16 :location -1} {VAR :varno 16 :varattno 17 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 17 :location -1} {VAR :varno 16 :varattno 18 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 18 :location -1} {VAR :varno 16 :varattno 19 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 19 :location -1} {VAR :varno 16 :varattno 20 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 20 :location -1} {VAR :varno 16 :varattno 21 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 21 :location -1} {VAR :varno 16 :varattno 22 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 22 :location -1} {VAR :varno 16 :varattno 23 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 23 :location -1} {VAR :varno 16 :varattno 24 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 24 :location -1} {VAR :varno 16 :varattno 25 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 25 :location -1} {VAR :varno 16 :varattno 26 :vartype 1082 :vartypmod -1 :varcollid 0 :varnulingsrels (b) :varlevelsup 0 :varreturningntype 0 :varnosyn 16 :varattnosyn 26 :location -
```



```

23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 9 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 9 :varattsn 1 :location -1) :em_relds (b 9) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0058823529411764705 :right_bucketsize 0.0058823529411764705 :left_mcvfreq 0 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :presulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 6 :varattno 2 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattsn 1 :location -1) (VAR :varno 9 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 9 :varattsn 1 :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 9 12) :required_relds (b 9 12) :incompatible_relds (b) :outer_relds (b) :left_relds (b 12) :right_relds (b 9) :orclause < :rinfo :serial 34 :eval_const_startup 0 :eval_const_per_tuple 0.0025 :norm_selc 0.0058823529411764705 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 12 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattsn 1 :location -1) :em_relds (b 12) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 9 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 9 :varattsn 1 :location -1) :em_relds (b 9) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0058823529411764705 :right_bucketsize 0.0058823529411764705 :left_mcvfreq 0 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 14 :varattno 6 :vartype 1700 :varattmpd 983046 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 6 :location -1) (VAR :varno 14 :varattno 7 :vartype 1700 :varattmpd 983046 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 7 :location -1) (VAR :varno 14 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 1 :location -1) (VAR :varno 15 :varattno 1 :location -1) (VAR :varno 15 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 15 :varattsn 1 :location -1) (VAR :varno 9 :varattno 2 :vartype 1042 :varattmpd 29 :varcollid 100 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 9 :varattsn 2 :location -1) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :presulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 6 :varattno 2 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattsn 2 :location -1) (VAR :varno 17 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 7 :location -1) (VAR :varno 14 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 1 :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 6 17) :required_relds (b 6 17) :incompatible_relds (b) :outer_relds (b) :left_relds (b 6) :right_relds (b 17) :orclause < :rinfo :serial 36 :eval_const_startup 0 :eval_const_per_tuple 0.0025 :norm_selc 0.333333333333334-06 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 6 :varattno 2 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattsn 2 :location -1) :em_relds (b 6) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 17 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 17 :varattsn 1 :location -1) :em_relds (b 17) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left true :hashjoinoperator 96 :left_bucketsize -1 :right_bucketsize 0.00048828125 :left_mcvfreq -1 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :presulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 6 :varattno 2 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattsn 2 :location -1) (VAR :varno 17 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 7 :location -1) (VAR :varno 14 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 1 :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 6 17) :required_relds (b 6 17) :incompatible_relds (b) :outer_relds (b) :left_relds (b 6) :right_relds (b 17) :orclause < :rinfo :serial 36 :eval_const_startup 0 :eval_const_per_tuple 0.0025 :norm_selc 0.333333333333334-06 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 6 :varattno 2 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattsn 2 :location -1) :em_relds (b 6) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 17 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 17 :varattsn 1 :location -1) :em_relds (b 17) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19))) :outer_is_left true :hashjoinoperator 96 :left_bucketsize -1 :right_bucketsize 0.00048828125 :left_mcvfreq -1 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 14 :varattno 6 :vartype 1700 :varattmpd 983046 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 6 :location -1) (VAR :varno 14 :varattno 7 :vartype 1700 :varattmpd 983046 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 7 :location -1) (VAR :varno 14 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 1 :location -1) (VAR :varno 18 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattsn 1 :location -1) (VAR :varno 18 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 18 :varattsn 1 :location -1) (VAR :varno 9 :varattno 2 :vartype 1042 :varattmpd 29 :varcollid 100 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 9 :varattsn 2 :location -1) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :presulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 6 :varattno 2 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattsn 2 :location -1) (VAR :varno 17 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 7 :location -1) (VAR :varno 14 :varattno 1 :vartype 23 :varattmpd -1 :varcollid 0 :varnullngrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varattsn 1 :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 6 17) :required_relds (b 6 17) :incompatible_relds (b) :outer_relds (b) :left_relds (
```

[illegible]

```

23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19)} :right_em {EQUIVALENCEMEMBER :em_expr (VAR :varno 8 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrel
(b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} :em_relds (b 8) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 6 8 9 10
11 12 13 14 15 16 17 18 19)} :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0058823529411764785 :right_bucketsize 0.0058823529411764785 :left_mcvfreq 0 :right_mcvfreq 0 :left_hashqepora
tor 96 :right_hashqepoperator 96)}
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause (OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 8 :varratno 1 :vartype 23 :v
artypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} (VAR :varno 8 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrel
s (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof fal
se :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 8 18) :required_relds (b 8 18) :incompatible_relds (b) :outer_relds (b) :left_relds (b 18) :right_relds (b 8) :orclause < :ri
nfo :serial 37 :eval_cost.startup 0 :eval_cost.per_tup 0.0025 :norm_selc 0.0058823529411764785 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 8 :varratno
1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} :em_relds (b 18) :em_is_const false :em_is_child false :em_data
type 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19)} :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 8 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrel
s (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} :em_relds (b 8) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 6 8 9 10
11 12 13 14 15 16 17 18 19)} :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0058823529411764785 :right_bucketsize 0.0058823529411764785 :left_mcvfreq 0 :right_mcvfreq 0 :left_hashqepora
tor 96 :right_hashqepoperator 96)} | parallel_safe = true | reason = PROPAGATE_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 14 :varratno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 6 :locat
ion -1} (VAR :varno 14 :varratno 7 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 7 :location -1} (VAR :varno 14 :varratno
6 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 3 :location -1} (VAR :varno 16 :varratno 2 :vartype 23 :vartypemod -1 :varcollid
0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varrattnsyn 2 :location -1} (VAR :varno 6 :varratno 5 :vartype 1882 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0
:varreturningtype 0 :varnosyn 6 :varrattnsyn 5 :location -1} (VAR :varno 8 :varratno 3 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn
3 :location -1}
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 14 :varratno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 6 :locat
ion -1} (VAR :varno 14 :varratno 7 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 7 :location -1} (VAR :varno 14 :varratno
6 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 3 :location -1} (VAR :varno 16 :varratno 2 :vartype 23 :vartypemod -1 :varcollid
0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varrattnsyn 2 :location -1} (VAR :varno 6 :varratno 5 :vartype 1882 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0
:varreturningtype 0 :varnosyn 6 :varrattnsyn 5 :location -1} (VAR :varno 8 :varratno 3 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn
3 :location -1}
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 8 :varratno 1 :vartype 23 :v
artypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} (VAR :varno 8 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels
(b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof fals
e :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 8 18) :required_relds (b 8 18) :incompatible_relds (b) :outer_relds (b) :left_relds (b 18) :right_relds (b 8) :orclause < :ri
nfo :serial 37 :eval_cost.startup 0 :eval_cost.per_tup 0.0025 :norm_selc 0.0058823529411764785 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 8 :varratno
1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} :em_relds (b 18) :em_is_const false :em_is_child false :em_data
type 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 6 8 9 10 11 12 13 14 15 16 17 18 19)} :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 8 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrel
s (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 1 :location -1} :em_relds (b 8) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 6 8 9 10
11 12 13 14 15 16 17 18 19)} :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0058823529411764785 :right_bucketsize 0.0058823529411764785 :left_mcvfreq 0 :right_mcvfreq 0 :left_hashqepora
tor 96 :right_hashqepoperator 96)}
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 11 :varratno 4 :varratno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varrattnsyn
4 :location -1} (VAR :varno 12 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varrattnsyn 1 :location -1} (VAR :varno 14 :varratno 6 :vartype
1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 6 :location -1} (VAR :varno 14 :varratno 7 :vartype 1700 :vartypemod 983846 :varcollid
0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 7 :location -1} (VAR :varno 14 :varratno 2 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :var
returningtype 0 :varnosyn 14 :varrattnsyn 2 :location -1} (VAR :varno 16 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varrattnsyn
1 :location -1} (VAR :varno 6 :varratno 5 :vartype 1882 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varrattnsyn 5 :location -1} (VAR :varno 8 :varratno 3 :v
artype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 8 :varrattnsyn 3 :location -1}
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 11 :varratno 4 :varratno 6 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varrattnsyn 4 :location
-1} (VAR :varno 12 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varrattnsyn 1 :location -1} (VAR :varno 14 :varratno 6 :vartype
1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 6 :location -1} (VAR :varno 14 :varratno 7 :vartype 1700 :vartypemod 983846 :varcollid
0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 14 :varrattnsyn 7 :location -1} (VAR :varno 14 :varratno 2 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :var
returningtype 0 :varnosyn 14 :varrattnsyn 2 :location -1} (VAR :varno 16 :varratno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 16 :varrattnsyn
1 :location -1} (VAR :varno 6 :varratno 5 :vartype 
```

[illegible]


```
WARNING: max_parallel_hazard_walker: FuncExpr funcid=6199 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: is_parallel_safe: OUTPUT qual = ((FUNCEXPR : funcid 6199 : funcresulttype 1700 : funcresultset false : funcvariadic false : funcformat 3 : funcncollid 0 : inputcollid 100 : args ((CONST : consttype 25 : consttypeid -1 : constcollid 100 : constlen -1 : constbyval false : constnull false : location -1 : constvalue 8 32 0 0 121 101 97 114 )) (VAR : varno 6 : varattno 5 : vartype 1082 : vartypmod -1 : varcollid 0 : varnullingrels (b) : varlevelsup 0 : varreturningtype 0 : varnosyns 6 : varattnos 5 : location -1) : location -1) (VAR : varno 9 : varattno 2 : vartype 1042 : vartypmod 29 : varcollid 100 : varnullingrels (b) : varlevelsup 0 : varreturningtype 0 : varnosyns 9 : varattnos 2 : location -1) (VAR : varno 14 : varattno 6 : vartype 1700 : vartypmod 983046 : varcollid 0 : varnullingrels (b) : varlevelsup 0 : varreturningtype 0
```

QUERY PLAN

riority, orders.o_comment

```

Buffers: shared hit=3
Worker 0: actual time=0.004..0.005 rows=2.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.004..0.005 rows=2.00 loops=1
Buffers: shared hit=1
-> Hash (cost=24.48..24.48 rows=1 width=4) (actual time=0.079..0.080 rows=5.00 loops=3)
Output: n1.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=6
Worker 0: actual time=0.102..0.102 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.108..0.109 rows=5.00 loops=1
Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.073..0.077 rows=5.00 loops=3)
Output: n1.n_nationkey
Hash Cond: (n1.n_regionkey = region.r_regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.095..0.098 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.101..0.105 rows=5.00 loops=1
Buffers: shared hit=2
-> Seq Scan on public.nation n1 (cost=0.00..11.70 rows=170 width=8) (actual time=0.034..0.036 rows=25.00 loops=3)
Output: n1.n_nationkey, n1.n_name, n1.n_regionkey, n1.n_comment
Buffers: shared hit=3
Worker 0: actual time=0.044..0.046 rows=25.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.051..0.053 rows=25.00 loops=1
Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.031..0.031 rows=1.00 loops=3)
Output: region.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.042..0.043 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.041..0.041 rows=1.00 loops=1
Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..12.12 rows=1 width=4) (actual time=0.025..0.026 rows=1.00 loops=3)
Output: region.r_regionkey
Filter: (region.r_name = 'ASIA'::bpchar)
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.035..0.036 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.034..0.034 rows=1.00 loops=1
Buffers: shared hit=1
-> Materialize (cost=57577.10..212869.35 rows=81 width=28) (never executed)
Output: l1.l_extendedprice, l1.l_discount, l1.l_orderkey, o.o_orderkey, s.s_nationkey, n.n_nationkey
-> Gather (cost=57577.10..212868.94 rows=81 width=28) (never executed)
Output: l1.l_extendedprice, l1.l_discount, l1.l_orderkey, o.o_orderkey, s.s_nationkey, n.n_nationkey
Workers Planned: 2
Workers Launched: 0
-> Hash Join (cost=56577.10..211860.84 rows=34 width=28) (never executed)
Output: l1.l_extendedprice, l1.l_discount, l1.l_orderkey, o.o_orderkey, s.s_nationkey, n.n_nationkey
Hash Cond: (ps.ps_suppkey = s.s_suppkey)
-> Parallel Hash Join (cost=56254.45..211514.38 rows=6260 width=28) (never executed)
Output: l1.l_extendedprice, l1.l_discount, l1.l_orderkey, l1.l_suppkey, o.o_orderkey, ps.ps_suppkey
Hash Cond: (ps.ps_partkey = part.p_partkey)
-> Parallel Hash Semi Join (cost=52118.60..204350.15 rows=800612 width=36) (never executed)
Output: l1.l_extendedprice, l1.l_discount, l1.l_orderkey, l1.l_partkey, l1.l_suppkey, o.o_orderkey, ps.ps_partkey, ps.ps_suppkey
Hash Cond: ((l1.l_partkey = ps.ps_partkey) AND (l1.l_suppkey = ps.ps_suppkey))
-> Parallel Hash Semi Join (cost=29783.66..153934.98 rows=800612 width=28) (never executed)
Output: l1.l_extendedprice, l1.l_discount, l1.l_orderkey, l1.l_partkey, l1.l_suppkey, o.o_orderkey
Hash Cond: (l1.l_orderkey = o.o_orderkey)
-> Parallel Seq Scan on public.lineitem l1 (cost=0.00..110073.98 rows=2000198 width=24) (never executed)
Output: l1.l_orderkey, l1.l_partkey, l1.l_suppkey, l1.l_inlinenum, l1.l_quantity, l1.l_extendedprice, l1.l_discount, l1.l_tax, l1.l_returnflag, l1.l_lines
tatus, l1.l_shipdate, l1.l_commitdate, l1.l_receiptdate, l1.l_shipinstruct, l1.l_shipmode, l1.l_comment
-> Parallel Hash (cost=27202.00..27202.00 rows=200133 width=4) (never executed)
Output: o.o_orderkey
-> Parallel Seq Scan on public.orders o (cost=0.00..27202.00 rows=200133 width=4) (never executed)
Output: o.o_orderkey
Filter: (o.o_orderpriority = ANY ('{1-URGENT,2-HIGH}'::bpchar[]))
-> Parallel Hash (cost=17373.33..17373.33 rows=266640 width=8) (never executed)
Output: ps.ps_partkey, ps.ps_suppkey
-> Parallel Seq Scan on public.partsupp ps (cost=0.00..17373.33 rows=266640 width=8) (never executed)
Output: ps.ps_partkey, ps.ps_suppkey
Filter: (ps.ps_availqty > 0)
-> Parallel Hash (cost=4129.33..4129.33 rows=522 width=4) (never executed)
Output: part.p_partkey
-> Parallel Seq Scan on public.part (cost=0.00..4129.33 rows=522 width=4) (never executed)
Output: part.p_partkey
Filter: ((part.p_type)::text = 'ECONOMY ANODIZED STEEL'::text)
-> Hash (cost=322.11..322.11 rows=43 width=12) (never executed)
Output: s.s_nationkey, s.s_suppkey, n.n_nationkey
-> Hash Semi Join (cost=24.50..322.11 rows=43 width=12) (never executed)
Output: s.s_nationkey, s.s_suppkey, n.n_nationkey
Hash Cond: (s.s_nationkey = n.n_nationkey)
-> Seq Scan on public.supplier s (cost=0.00..278.00 rows=7288 width=8) (never executed)
Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal, s.s_comment
Filter: (s.s_acctbal > '0'::numeric)
-> Hash (cost=24.48..24.48 rows=1 width=4) (never executed)
Output: n.n_nationkey
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (never executed)
Output: n.n_nationkey
Hash Cond: (n.n_regionkey = r.r_regionkey)
-> Seq Scan on public.nation n (cost=0.00..11.70 rows=170 width=8) (never executed)
Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
-> Hash (cost=12.12..12.12 rows=1 width=4) (never executed)
Output: r.r_regionkey
-> Seq Scan on public.region r (cost=0.00..12.12 rows=1 width=4) (never executed)
Output: r.r_regionkey
Filter: (r.r_name = 'EUROPE'::bpchar)
-> Seq Scan on public.nation n2 (cost=0.00..11.70 rows=170 width=108) (never executed)
Output: n2.n_nationkey, n2.n_name, n2.n_regionkey, n2.n_comment

Planning:
  Buffers: shared hit=328
Planning Time: 7.819 ms
Execution Time: 15.800 ms
(213 rows)

```

```

=====
BENCHMARK SUMMARY
=====
Runs           : 10
Average Planning : 8.434 ms
Average Execution : 17.629 ms

Generated Files:
  run10_explain.txt
  summary.txt
adityadave@Adityas-MacBook-Air-3 Q8 %

```