

```

Last login: Tue Jun  9 19:44:52 on ttys000
adityadave@Adityas-MacBook-Air-3 ~ % psql -d postgres
psql (18.4)
Type "help" for help.

postgres=# /c tpch
postgres=# \c tpch
You are now connected to database "tpch" as user "adityadave".
tpch=# select
        o_orderpriority,
        count(*) as order_count
from
        orders
where
        o_orderdate >= date '1994-01-01'
        and o_orderdate < date '1994-01-01' + interval '3' month
        and exists (
                select
                        *
                from
                        lineitem
                where
                        l_orderkey = o_orderkey
                        and l_commitdate < l_receiptdate
        )
group by
        o_orderpriority
order by
        o_orderpriority;

ERROR:  syntax error at or near "/"
LINE 1: /c tpch
        ^
tpch=# \l
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name Name
:indirection <>
:val
{COLUMNREF
:fields ("d" "datname")
:location 9
}
:location 9
}
{RESTARTGET
:name Owner
:indirection <>
:val
{FUNCALL
:funcname ("pg_catalog" "pg_get_userbyid")
:args (
{COLUMNREF
:fields ("d" "datdba")
:location 59
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 32
}
:location 32
}
{RESTARTGET
:name Encoding
:indirection <>
:val
{FUNCALL
:funcname ("pg_catalog" "pg_encoding_to_char")
:args (
{COLUMNREF
:fields ("d" "encoding")
:location 114
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 83
}
:location 83
}
{RESTARTGET
:name Locale\ Provider
:indirection <>
:val
{CASEEXPR
:casetype 0
:casecollid 0
:arg
{COLUMNREF
:fields ("d" "datlocprovider")
:location 148
}
:args (
{CASEWHEN
:expr
{A_CONST
:val "b"
:location 170
}
:result
{A_CONST
:val "builtin"
:location 179
}
:location 165
}
{CASEWHEN
:expr
{A_CONST
:val "c"
:location 194
}
:result
{A_CONST
:val "libc"
:location 203
}
:location 189
}
{CASEWHEN
:expr
{A_CONST
:val "i"
:location 215
}
:result
{A_CONST
:val "icu"
:location 224
}
}
}
}

```

```

        }
        :location 218
    }
    )
    :defresult <>
    :location 143
    }
    :location 143
    }
    {RESTARTGET
    :name Collate
    :indirection <>
    :val
    {COLUMNREF
    :fields ("d" "datcollate")
    :location 258
    }
    :location 258
    }
    {RESTARTGET
    :name CType
    :indirection <>
    :val
    {COLUMNREF
    :fields ("d" "datctype")
    :location 287
    }
    :location 287
    }
    {RESTARTGET
    :name Locale
    :indirection <>
    :val
    {COLUMNREF
    :fields ("d" "datlocale")
    :location 312
    }
    :location 312
    }
    {RESTARTGET
    :name ICU\ Rules
    :indirection <>
    :val
    {COLUMNREF
    :fields ("d" "daticurules")
    :location 339
    }
    :location 339
    }
    {RESTARTGET
    :name Access\ privileges
    :indirection <>
    :val
    {CASEEXPR
    :casetype 0
    :casecollid 0
    :arg <>
    :args (
    {CASEWHEN
    :expr
    {A_EXPR
    :name ("=")
    :lexpr
    {FUNCCALL
    :funcname ("pg_catalog" "array_length")
    :args (
    {COLUMNREF
    :fields ("d" "datacl")
    :location 405
    }
    {A_CONST
    :val 1
    :location 415
    }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 381
    }
    :rexpr
    {A_CONST
    :val 0
    :location 420
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 418
    }
    :result
    {A_CONST
    :val "\ (none\)"
    :location 427
    }
    :location 376
    )
    :defresult
    {FUNCCALL
    :funcname ("pg_catalog" "array_to_string")
    :args (
    {COLUMNREF
    :fields ("d" "datacl")
    :location 468
    }
    {A_CONST
    :val "\
    :location 478
    }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 441
    }
    :location 371
    }
    :location 371
    }
    )
    :fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname pg_catalog
    :rolname pg_database
    :inh true
    :relpersistence p
    :alias
    {ALIAS
    :aliasname d
    :colnames <>
    }
    :location 517
    }
    )
    :whereClause <>

```

```

:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
    :node
    {A_CONST
      :val 1
      :location 551
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:stmt_location 0
:stmt_len 552
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTe false
:isReturn false
:rtelist <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname d
      :colnames <>
    }
  }
:eref
  {ALIAS
    :aliasname d
    :colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
      stemplate" "datalogconn" "dataloginevt" "datconlimit" "datfroze"
      "id" "datminmid" "dattablespace" "datcollate" "datctype" "datlocale"
      "datcurules" "datcollversion" "datacl")
  }
:rtelkind 0
:relid 1262
:inh true
:relkind R
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1262
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11 12 20 21 22 23 25)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals <>
  }
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 9
    }
    :resno 1
    :resname Name
    :ressortgroupref 1
    :resorigtbl 1262
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {FUNCEXP
      :funcid 1642
      :funcresulttype 19
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 950
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 3
          :vartype 26
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 3
          :location 59
        }
      )
    }
  }
)
}

```

```

)
:location 32
}
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:varatype 23
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXP
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:varatype 18
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
}
:args (
{CASEWHEN
:expr
{OPEXP
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXP
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:constitypmmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 0 ]
}
)
:location 165
}
}
:result
{CONST
:consttype 25
:constitypmmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
}
{CASEWHEN
:expr
{OPEXP
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXP
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:constitypmmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 194
:constvalue 1 [ 99 0 0 0 0 0 0 0 ]
}
)
:location 189
}
}
:result
{CONST
:consttype 25
:constitypmmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 203
:constvalue 8 [ 32 0 0 0 108 105 98 99 ]
}
:location 189
}
}
{CASEWHEN
:expr

```

```

{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 0 ]
}
)
:location 210
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 7 [ 28 0 0 0 105 99 117 ]
}
:location 210
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location 143
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 258
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}

```

```

{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
)
:defaultresult
{FUNCEXPR
:funcid 395
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 468
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 5 [ 20 0 0 0 10 ]
}
)
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>

```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname d
:colnames <>
}
:eref
{ALIAS
:aliasname d
:colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "datallowconn" "datloginvt" "datconnlimit" "datfroze
id" "datminxid" "dattablespace" "datcollate" "datctype" "datlocale"
"datcurules" "datcollversion" "datacl")
}
:rtkind 0
:relid 1262
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1262
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11 12 20 21 22 23 25)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 ]
}
)
}
:location 165
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 194
:constvalue 1 [ 99 0 0 0 0 0 0 ]
}
)
}
:location 189
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 203
:constvalue 8 [ 32 0 0 0 108 105 98 99 ]
}
:location 189
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 ]
}
)
}

```

```

    )
    :location 210
  }
  :result
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 224
  :constvalue 7 [ 28 0 0 0 105 99 117 ]
  }
  :location 210
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location 143
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 258
}
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
}
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcset false
:funcvariadic false
:funcformat 0
}
}
}
}
}

```

```

:funccollid 0
:inputcollid 0
:args (
  (VAR
    :varno 1
    :varattno 18
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 18
    :location 405
  )
  (CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 415
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  )
)
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
}
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
}
:override 0
:resno 9
:resname Access\ privileges
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
  }
)

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname d
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname d
      :colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "dataallowconn" "dsthasloginevt" "datconnlimit" "datfrozens
id" "datminmxid" "dattablespace" "datcollate" "datctype" "datlocale"
"datcurules" "datcollversion" "datacl")
    }
    :rtekind 0
    :relid 1262
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1262
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11 12 20 21 22 23 25)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 9
    }
    :resno 1
    :resname Name
    :ressortgroupref 1
    :resorigtbl 1262
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {FUNCEXP
      :funcid 1642
      :funcresulttype 19
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 950
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 3
          :vartype 26
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 3
          :location 59
        }
      )
      :location 32
    }
    :resno 2
    :resname Owner
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {FUNCEXP
      :funcid 1597
      :funcresulttype 19
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 950
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 4
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 4
          :location 114
        }
      )
      :location 83
    }
    :resno 3
    :resname Encoding
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
{TARGETENTRY

```

```

:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 0 ]
}
)
:location 165
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 194
:constvalue 1 [ 99 0 0 0 0 0 0 0 ]
}
)
:location 189
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 203
:constvalue 8 [ 32 0 0 0 0 108 105 98 99 ]
}
:location 189
}
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 0 ]
}
)
:location 210
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 7 [ 28 0 0 0 0 105 99 117 ]
}
:location 210
}
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location 143
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 258
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true

```

```

        :constisnull false
        :location 415
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 381
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 420
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 418
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 427
    :constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
    }
    :location 376
    }
    )
    :defresult
    {FUNDEXPR
    :funcid 395
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 18
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 18
    :location 468
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 478
    :constvalue 5 [ 20 0 0 0 10 ]
    }
    )
    :location 441
    }
    :location 371
    }
    :resno 9
    :resname Access\ privileges
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 552
    }
    )
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowfuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTe false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname d
:colnames <>
}
:eref
{ALIAS
:aliasname d
:colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "dataallowconn" "dathasloginevt" "datconnlimit" "datfroze
id" "datminmxid" "dattablespace" "datcollate" "datctype" "datlocale"
"datcurules" "datcollversion" "datacl")
}
:rtekind 0

```

```

:relid 1262
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1262
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11 12 20 21 22 23 25)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
:args (
{CASEWHEN
:expr
{OPEXP

```

```

:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typeMod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 170
    :constvalue 1 [ 98 0 0 0 0 0 0 0 ]
  }
)
:location 165
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 179
  :constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
{CASEWHEN
:expr
{OEXPR
  :opno 92
  :opfuncid 61
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 18
      :typeMod -1
      :collation 0
    }
    {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location 194
      :constvalue 1 [ 99 0 0 0 0 0 0 0 ]
    }
  )
}
:location 189
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 203
  :constvalue 8 [ 32 0 0 0 108 105 98 99 ]
}
:location 189
}
{CASEWHEN
:expr
{OEXPR
  :opno 92
  :opfuncid 61
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 18
      :typeMod -1
      :collation 0
    }
    {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location 215
      :constvalue 1 [ 105 0 0 0 0 0 0 0 ]
    }
  )
}
:location 210
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 224
  :constvalue 7 [ 28 0 0 0 105 99 117 ]
}
:location 210
}
)
:resno 4
:resname Locale\ Provider
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
  :varno 1
  :varattno 13
  :vartype 25
  :vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 258
}
:resno 5
:resname Collate
:ressortgrouppref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
}
:resno 6
:resname CType
:ressortgrouppref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
}
:resno 7
:resname Locale
:ressortgrouppref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
}
:resno 8
:resname ICU Rules
:ressortgrouppref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
}
:location 418
}
:result
{CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 427
        :constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
    }
    :location 376
}
)
:defaultresult
{FUNCEXPR
:funcid 395
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args {
    {VAR
    :varno 1
    :varattno 18
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 18
    :location 468
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 470
    :constvalue 5 [ 20 0 0 0 10 ]
    }
    }
    :location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause {
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 1.07
:plan.total_cost 1.075
:plan.plan_rows 2
:plan.plan_width 344
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist {
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname Name
    :ressortgroupref 1
    :resorigtbl 1262
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 2
    :resname Owner
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr

```

```

{VAR
:varno -2
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.06
:scan.plan.plan_rows 2
:scan.plan.plan_width 344
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 1
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1

```

```

        :constbyval true
        :constisnull false
        :location 170
        :constvalue 1 [ 98 0 0 0 0 0 0 0 ]
    }
}
:location 165
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 194
:constvalue 1 [ 99 0 0 0 0 0 0 0 ]
}
)
}
:location 189
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 203
:constvalue 8 [ 32 0 0 0 108 105 98 99 ]
}
:location 189
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 0 ]
}
)
}
:location 210
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 7 [ 28 0 0 0 105 99 117 ]
}
:location 210
}
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:varstype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattsyn 13
:location 258
}
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
}
:defresult
{FUNCEXPR
:funcid 395
:funcresulttype 25
:funcresultset false

```

```

:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 18
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 18
    :location 468
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 478
    :constvalue 5 [ 20 0 0 0 10 ]
  }
)
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortCollidx ( 1)
:sortOperators ( 660)
:collations ( 950)
:nullsFirst ( false)
}

```

Name	Owner	Encoding	Locale Provider	List of databases		Locale	ICU Rules	Access privileges
				Collate	Ctype			
postgres	adityadave	UTF8	libc	en_IN.UTF-8	en_IN.UTF-8			
template0	adityadave	UTF8	libc	en_IN.UTF-8	en_IN.UTF-8			=c/adityadave +
template1	adityadave	UTF8	libc	en_IN.UTF-8	en_IN.UTF-8			adityadave=CtC/adityadave +
testing	adityadave	UTF8	libc	en_IN.UTF-8	en_IN.UTF-8			=c/adityadave +
tpch	adityadave	UTF8	libc	en_IN.UTF-8	en_IN.UTF-8			adityadave=CtC/adityadave+
								alice=c/adityadave

(5 rows)

tpch=# \c tpch
You are now connected to database "tpch" as user "adityadave".

```

tpch=# select
      o_orderpriority,
      count(*) as order_count
from
  orders
where
  o_orderdate >= date '1994-01-01'
 and o_orderdate < date '1994-01-01' + interval '3' month
 and exists (
    select
      *
    from
      lineitem
    where
      l_orderkey = o_orderkey
      and l_commitdate < l_receiptdate
  )
group by
  o_orderpriority
order by
  o_orderpriority;

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:  {RAWSTMT
:stmt
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{REXTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_orderpriority")
:location 15
}
}
:location 15
}
{REXTARGET
:name order_count
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 40
}
}
:location 40
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam orders
:inh true
:relpersistence p
:alias <>
:location 77
}
)
:whereClause
{BOOLEXP

```

```

:boolop and
:args (
  {A_EXPR
    :name (">=")
    :lexpr
      {COLUMNREF
        :fields ("o_orderdate")
        :location 98
      }
    :rexpr
      {TYPECAST
        :arg
          {A_CONST
            :val "\1994-01-01"
            :location 118
          }
        :typeName
          {TYPENAME
            :names ("date")
            :typeOid 0
            :setof false
            :pct_type false
            :typmods <>
            :typemod -1
            :arrayBounds <>
            :location 113
          }
        :location -1
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 110
  }
  {A_EXPR
    :name ("<")
    :lexpr
      {COLUMNREF
        :fields ("o_orderdate")
        :location 143
      }
    :rexpr
      {A_EXPR
        :name ("+")
        :lexpr
          {TYPECAST
            :arg
              {A_CONST
                :val "\1994-01-01"
                :location 162
              }
            :typeName
              {TYPENAME
                :names ("date")
                :typeOid 0
                :setof false
                :pct_type false
                :typmods <>
                :typemod -1
                :arrayBounds <>
                :location 157
              }
            :location -1
          }
        :rexpr
          {TYPECAST
            :arg
              {A_CONST
                :val "\3"
                :location 186
              }
            :typeName
              {TYPENAME
                :names ("pg_catalog" "interval")
                :typeOid 0
                :setof false
                :pct_type false
                :typmods (
                  {A_CONST
                    :val 2
                    :location 190
                  }
                )
                :typemod -1
                :arrayBounds <>
                :location 177
              }
            :location -1
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 175
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 155
  }
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARTARGET
            :name <>
            :indirection <>
            :val
              {COLUMNREF
                :fields (
                  {A_STAR
                  }
                )
                :location 264
              }
            :location 264
          }
        )
      }
    :fromClause (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 311
      }
    )
  }
  :whereClause
    {BOOLEXP
      :boolop and
      :args (
        {A_EXPR
          :name ("=")
          :lexpr
            {COLUMNREF
              :fields ("l_orderkey")
              :location 366
            }
          :rexpr
            {COLUMNREF
              :fields ("o_orderkey")
              :location 379
            }
          :rexpr_list_start 0

```

```

:rexpr_list_end 0
:location 377
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("i_commitdate")
:location 418
}
}
:rexpr
{COLUMNREF
:fields ("i_receiptdate")
:location 433
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 431
}
}
:location 414
}
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 208
}
}
:location 139
}
}
:groupClause (
{COLUMNREF
:fields ("o_orderpriority")
:location 474
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("o_orderpriority")
:location 507
}
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:stmt_location 0
:stmt_len 522
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 15
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 98
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 110
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
)
:location 110
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 143
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 162
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 186
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 175
}
)
:location 155
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtckind 0
:relid 16566

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 366
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 379
}
)
:location 377
}
{OPEXP
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 418
}
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 433
}
)
:location 431
}
)
:location 414
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 264
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 2
:location 264
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 264
}
:resno 3
:resname 1_supplekey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 264
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 264
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 264
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 264
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 264
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 264
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 264
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 264
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 264
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 264
}
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 264
}
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 264
}
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 264
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
    }
  }
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
  }
  :location 208
  }
  :location 139
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 28
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 40
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0

```

```

:stmt_len 522
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("o_orderpriority")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 15
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 1098
          :opfuncid 1090
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 5
              :vartype 1082
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 5
              :location 98
            }
            {CONST
              :consttype 1082
              :consttypmod -1
              :constcollid 0
              :constlen 4
              :constbyval true
              :constisnull false
              :location 118
              :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
            }
          )
          :location 110
        }
        {OPEXP
          :opno 2345
          :opfuncid 2338
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 5
              :vartype 1082
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 5
              :location 143
            }
          )
        }
      )
    }
  }
  {OPEXP

```

```

:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 162
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 186
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
  }
)
:location 175
}
}
:location 155
}
{SUBLINK
:sublinkType 0
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rttable (
  {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname lineitem
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
        mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
        "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
        " "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
        t")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
      23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
}
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 366
      }
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 379
      }
    )
  }
:location 377
}
)
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```

```

        :args (
          {VAR
            :varno 1
            :varattno 12
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 12
            :location 418
          }
          {VAR
            :varno 1
            :varattno 13
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 13
            :location 433
          }
        )
      :location 431
    }
  )
  :location 414
}

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 264
    }
  }
  :resno 1
  :resname 1_orderkey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 1
  :resjunk false
}
{TARGETENTRY
  :expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 264
  }
}
  :resno 2
  :resname 1_partkey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 2
  :resjunk false
}
{TARGETENTRY
  :expr
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 264
  }
}
  :resno 3
  :resname 1_supplekey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 3
  :resjunk false
}
{TARGETENTRY
  :expr
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 264
  }
}
  :resno 4
  :resname 1_linenummer
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 4
  :resjunk false
}
{TARGETENTRY
  :expr
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 264
  }
}
  :resno 5
  :resname 1_quantity
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 5
  :resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 264
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 264
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 264
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 264
}
:resno 9
:resname 1_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 264
}
:resno 10
:resname 1_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 264
}
:resno 11
:resname 1_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 264
}
:resno 12

```

```

:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 264
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 264
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 264
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 264
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:location 208
}
}
:location 139
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false

```

```

}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind 0
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 40
  }
  :resno 2
  :resname order_count
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 522
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("o_orderpriority")
      }
    :rtekind 9
  }
  :groupexprs (
    {VAR
      :varno 1
      :varattno 6
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 15
    }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
}
)
:rteperinfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
  }
)

```

```

:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varstype 1082
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 98
}
{CONST
:consttype 1082
:conststypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 118
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
)
:location 110
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varstype 1082
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 143
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:conststypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 162
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:conststypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 186
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 175
}
)
:location 155
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rttable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
):rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 366
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 379
}
)
:location 377
}
{OPEXP
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 418
}
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 433
}
)
:location 431
}
)
:location 414
}
):mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 264
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 264
}
:resno 2

```

```

:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 264
}
:resno 3
:resname 1_suppley
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 264
}
:resno 4
:resname 1_linenumbr
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 264
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 264
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 264
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 264
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 264
}
:resno 9
:resname 1_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 264
}
:resno 10
:resname 1_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 264
}
:resno 11
:resname 1_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 264
}
:resno 12
:resname 1_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 264
}
:resno 13
:resname 1_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 264
}
:resno 14
:resname 1_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 264
}
:resno 15
:resname 1_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

        :varattno 16
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location 264
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 208
}
}
:location 139
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 40
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 522
}
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("o_orderpriority")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 15
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 1098
        :opfuncid 1098
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 5
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 98
          }
          {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 118
            :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
          }
        )
        :location 110
      }
      {OPEXP
        :opno 2345
        :opfuncid 2338
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 5
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 143
          }
          {OPEXP
            :opno 1076
            :opfuncid 2071
            :opresulttype 1114
            :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 162
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 186
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
  }
)
:location 175
}
}
:location 155
}
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname lineitem
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
}
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
}
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 366
      }
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 379
      }
    )
  }
  :location 377
}
{OPEXP
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 12

```

```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 418
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 433
    }
    }
    :location 431
    }
    )
    :location 414
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 264
}
:resno 1
:resname 1_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 264
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 264
}
:resno 3
:resname 1_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 264
}
:resno 4
:resname 1_linenum
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 264
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 264
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 264
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 264
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 264
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 264
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 264
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 264
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 264
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 264
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 264
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 264
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:location 208
}
}
:location 139
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF

```

```

:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 40
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 522
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 190048.87486384757
:plan.total_cost 190098.02996159755
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
   :resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 2
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
   :resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 0

```

```

:aggtransno 0
:location 40
}
:resno 2
:resname order_count
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 198048.87486384757
:plan.total_cost 198097.91996159757
:plan.plan_rows 12
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 189048.85100941005
:plan.total_cost 189096.51108941002
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 0
:aggtransno 0
:location 40
}
:resno 2
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 189048.85108941005
:plan.total_cost 189064.72108941004
:plan.plan_rows 6348
:plan.plan_width 9
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3

```

```

:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 149649.05416666667
:join.plan.total_cost 188647.90866666666
:join.plan.plan_rows 6346
:join.plan.plan_width 9
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 22585
:scan.plan.plan_width 13
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 379
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 98
}
)
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 118
}
}
)

```

```

        :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
    }
}
:location 110
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 143
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]
}
)
}
:location 155
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 135974.79166666666
:plan.total_cost 135974.79166666666
:plan.plan_rows 833461
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 833461
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 366
}
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location 418
}
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location 433
}
)
:location 431
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 366
}
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 2000306.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 379
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 366
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 379
}
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 1
:aggsplit 6
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 9

```