

Last login: Wed Jun 17 15:33:43 on ttys002
psql -d **d**
adityadave@Adityas-MacBook-Air-3 ~ % psql -d tpch
psql (18.4)
Type "help" for help.

tpch=# SET ROLE alice;
SET

tpch=> **SELECT count(*)**

FROM lineitem_secure;

WARNING: **Log is Planner Input:**

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
 {RANGEBLENTTRY
 :alias <>
 :eref
 {ALIAS
 :aliasname lineitem_secure
 :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_status" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
 }
 :rtekind 1
 :subquery
 {QUERY
 :commandType 1
 :querySource 0
 :canSetTag true
 :utilityStmt <>
 :resultRelation 0
 :hasAggs false
 :hasWindowFuncs false
 :hasTargetSRFs false
 :hasSubLinks true
 :hasDistinctOn false
 :hasRecursive false
 :hasModifyingCTE false
 :hasForUpdate false
 :hasRowSecurity false
 :hasGroupRTE false
 :isReturn false
 :cteList <>
 :rtable (
 {RANGEBLENTTRY
 :alias
 {ALIAS
 :aliasname l
 :colnames <>
 }
 :eref
 {ALIAS
 :aliasname l
 :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
 }
 :rtekind 0
 :relid 16566
 :inh true
 :relkind r
 :rellockmode 1
 :perminfoindex 1
 :tablesample <>
 :lateral false
 :inFromCl true
 :securityQuals <>
 }
)
 :rteperminfos (
 {RTEPERMISSIONINFO
 :relid 16566
 :inh true
 :requiredPerms 2
 :checkAsUser 10
 :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
 :insertedCols (b)
 :updatedCols (b)
 }
)
 :jointree
 {FROMEXPR
 :fromlist (
 {RANGEBLREF
 :rindex 1
 }
)
 :quals
 {SUBLINK
 :subLinkType 0
 :subLinkId 0
 :testexpr <>
 :opName <>
 :subselect
 {QUERY
 :commandType 1
 :querySource 0
 :canSetTag true
 :utilityStmt <>
 :resultRelation 0
 :hasAggs false
 :hasWindowFuncs false
 :hasTargetSRFs false
 :hasSubLinks false
 :hasDistinctOn false
 :hasRecursive false
 :hasModifyingCTE false
 :hasForUpdate false
 :hasRowSecurity false
 :hasGroupRTE false
 :isReturn false
 :cteList <>
 :rtable (
 {RANGEBLENTTRY
 :alias
 {ALIAS
 :aliasname s
 :colnames <>
 }
 :eref
 {ALIAS
 :aliasname s
 :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
 }
 :rtekind 0
 :relid 16541
 :inh true
 :relkind r
 :rellockmode 1

```

        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
}
:rtperminfos (
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 13)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
:quals
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [-24 3 0 0 0 0 0 0]
        }
    )
    :location -1
    }
    }
    :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname 1_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
)

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname 1_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8

```

```

:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16991
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16991
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
{fromlist {
{RANGEtblREF
cxtindex 1
}
}
:quals <>
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 28
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 7
}
}
:resno 1
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}
)

```

WARNING: max_parallel_hazard_walker: FuncExpr funcid=316 propparallel= (s=safe r=restricted u=unsafe)

WARNING: Log 2 : After pull up At starting of Path Generation:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTe false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
){CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
)
WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OPEXPR :opno 674 :opfuncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OPEXPR :opno 674 :opfuncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 3: At the starting of Plan creation:
DETAIL: {PATH
```

```

:pathtype 339
:parent_relds (b 1)
:pathtarget
  {PATHTARGET
    :exprs <>
    :sortgrouprefs ()
    :cost.startup 0
    :cost.per_tuple 0
    :width 0
    :has_volatile_expr 0
  }
:required_outer (b)
:parallel_aware false
:parallel_safe true
:parallel_workers 0
:rows 8196
:disabled_nodes 0
:startup_cost 0
:total_cost 343
:pathkeys <>
}

```

WARNING: Log 2 : After pull up At starting of Path Generation:

```

DETAIL:  QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem_secure
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 16991
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16991
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {FROMEXPR
        :fromlist (
          {RANGETBLREF
            :rtindex 2
          }
        )
        :quals (
          {PARAM
            :paramkind 1
            :paramid 0
            :paramtype 16
            :paramtypmod -1
            :paramcollid 0
            :location -1
          }
        )
      }
    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2803
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
      }
    }
)

```

```

:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 1
:aggtransno -1
:location 7
}
:resno 1
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {PARAM :paramkind 1 :paramid 0 :paramtype 16 :paramtypemod -1 :paramcollid 0 :location -1} :is_pushed_down true :can_join false :pseudocons
tant true :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 0 :clause_relds (b) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b) :left_
relds (b) :right_relds (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :h
ashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})
WARNING: max_parallel_hazard_walker: Param paramid=0 in_safe_list=1 → reason=outer_reference
WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {PARAM :paramkind 1 :paramid 0 :paramtype 16 :paramtypemod -1 :paramcollid 0 :location -1} :is_pushed_down true :can_join false :pseudocons
tant true :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 0 :clause_relds (b) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b) :left_
relds (b) :right_relds (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :
hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({AGGREF :aggfnoid 2803 :aggtype 20 :aggcollid 0 :inputcollid 0 :aggtranstype 20 :aggargtypes <> :aggdirectargs <> :args <> :aggorder <> :aggdistinct <> :aggfilt
er <> :aggstar true :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ({AGGREF :aggfnoid 2803 :aggtype 20 :aggcollid 0 :inputcollid 0 :aggtranstype 20 :aggargtypes <> :aggdirectargs <> :args <> :aggorder <> :aggdistinct <> :aggfil
ter <> :aggstar true :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 3: At the starting of Plan creation:
DETAIL: (AGGPATH
:path.pathtype 365
:parent_relds (b)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe false
:path.parallel_workers 0
:path.rows 1
:path.disabled_nodes 0
:path.startup_cost 136975.04768301614
:path.total_cost 136975.05768301614
:path.pathkeys <>
:subpath
{GATHERPATH
:path.pathtype 368
:parent_relds (b)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe false
:path.parallel_workers 0
:path.rows 2
:path.disabled_nodes 0
:path.startup_cost 136974.79083333333
:path.total_cost 136975.00083333335
:path.pathkeys <>
:subpath
{AGGPATH
:path.pathtype 365
:parent_relds (b)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe true
:path.parallel_workers 2
:path.rows 1
:path.disabled_nodes 0
:path.startup_cost 135974.79083333333
:path.total_cost 135974.80083333334
:path.pathkeys <>
:subpath
{PATH
:pathtype 339
:parent_relds (b 2)
:pathtarget
{PATHTARGET
:exprs <>
:sortgrouprefs <>
:cost.startup 0
:cost.per_tuple 0
:width 0
:has_volatile_expr 0
}
:required_outer (b)
:parallel_aware true
:parallel_safe true
:parallel_workers 2
:rows 2500383
:disabled_nodes 0
:startup_cost 0
:total_cost 129723.83333333334
:pathkeys <>
}
:aggstrategy 0
:aggsplit 6
:numGroups 1
:transitionSpace 0
:groupClause <>
:qual <>
}
:single_copy false
:num_workers 2
}
:aggstrategy 0
:aggsplit 9
:numGroups 1
:transitionSpace 0
:groupClause <>
:qual <>
}
)

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL:      {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded true
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 136975.04768301614
:plan.total_cost 136975.05768301614
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 0
:aggtransno 0
:location 7
}
:resno 1
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 136974.79083333333
:plan.total_cost 136975.00083333335
:plan.plan_rows 2
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 135974.79083333333
:plan.total_cost 135974.80083333334
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0

```

```

:aggtransno 0
:location 7
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 129723.83333333334
:plan.plan_rows 2500383
:plan.plan_width 0
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist <>
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 0
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
:resno 12
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanreldid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0 1)
:plan.allParam (b 0 1)
:resconstantqual (
{PARAM
:paramkind 1
:paramid 0
:paramtype 16
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0 1)
:plan.allParam (b 0 1)
:aggstrategy 0
:aggssplit 6
:numcols 0
:grpcolidx ()
:grpoperators ()
:grpcollations ()
:numgroups 1
:transitionSpace 0
:aggParams (b)
:groupingsets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:num_workers 2
:rescan_param 1
:single_copy false
:invisible false
:initParam (b 0)
}
:plan.righttree <>
:plan.initPlan (
{SUBPLAN
:sublinkType 0
:testexpr <>

```

```

:paramIds <>
:plan_id 1
:plan_name InitPlan\ 1
:firstColType 2278
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse true
:parallel_safe true
:setParam (1 0)
:parParam <>
:args <>
:startup_cost 0
:per_call_cost 0.041849682772083945
}
)
:plan_extParam (b)
:plan_allParam (b 0)
:aggstrategy 0
:aggsplit 9
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:partPruneInfos <>
:rttable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 16991
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:unprunableRelids (b 1 2 3)
:permInfos (
{RTEPERMISSIONINFO
:relid 16991
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 13)
:insertedCols (b)
:updatedCols (b)
}
)
:resultRelations <>
:appendRelations <>
:subplans (
{SESCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 0
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist <>
:scan.plan.qual (

```

```

{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
)
:rewindPlanIDs (b)
:rowMarks <>
:relationOids (o 16991 16566 16541)
:invalidItems <>
:paramExecTypes (o 16 0)
:utilityStmt <>
:stmt_location 0
:stmt_len 36
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL: {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 135974.79083333333
:plan.total_cost 135974.80083333334
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
}
:plan.qual <>
:plan.lefttree
{RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 129723.83333333334
:plan.plan_rows 2500383
:plan.plan_width 0
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist <>
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 0
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
}
}
}
}
}

```

```

        :location -1
    }
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 701
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 15
:resname <
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
:resno 16
:resname <
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <
:scan.plan.lefttree <
:scan.plan.righttree <
:scan.plan.initPlan <
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanreldid 2
}
:plan.righttree <
:plan.initPlan <
:plan.extParam (b 0 1)
:plan.allParam (b 0 1)
:resconstantqual (
{PARAM
:paramkind 1
:paramid 0
:paramtype 16
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:plan.righttree <
:plan.initPlan <
:plan.extParam (b 0 1)
:plan.allParam (b 0 1)
:aggstrategy 0
:aggssplit 6
:numcols 0
:grpColIdx <
:grpOperators <
:grpCollations <
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <
:chain <
}
:partPruneInfos <
:rttable (
{RANGETBENTRY
:alias <
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtkind 1
:subquery <
:security_barrier false
:reldid 16991
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname l
:colnames <
}
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtkind 0
:reldid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <
:lateral false
:inFromCl true
:securityQuals <
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
}
:rtkind 0
:reldid 16541
:inh false
:relkind r

```

```

:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:unprunableRelids (b 1 2 3)
:permInfos (
  {RTEPERMISSIONINFO
    :relid 16991
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:resultRelations <>
:appendRelations <>
:subplans (
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 343
    :scan.plan.plan_rows 8196
    :scan.plan.plan_width 0
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 5
    :scan.plan.targetlist <>
    :scan.plan.qual (
      {OPEXPR
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 3
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 6
            :location -1
          }
          {CONST
            :consttype 701
            :consttypmod -1
            :constcollid 0
            :constlen 8
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
          }
        )
        :location -1
      }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 3
  }
)
:rewindPlanIDs (b)
:rowMarks <>
:relationOids <>
:invalItems <>
:paramExecTypes (o 16 0)
:utilityStmt <>
:stmt_location -1
:stmt_len -1
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL: {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 25
:planTree
  {AGG
    :plan.disabled_nodes 0
    :plan.startup_cost 135974.79083333333
    :plan.total_cost 135974.80083333334
    :plan.plan_rows 1
    :plan.plan_width 8
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 2
    :plan.targetlist (
      {TARGETENTRY
        :expr
          {AGGREF
            :aggfnoid 2803
            :aggtype 20
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 20
            :aggargtypes <>
            :aggdirectargs <>
            :args <>
            :aggorder <>
            :aggdistinct <>
            :aggfilter <>
            :aggstar true
            :aggvariadic false
            :aggkind n
            :aggpresorted false
          }
        }
      )
    }
  }
}

```

```

:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
:plan.qual <>
:plan.lefttree
{RESULT
{plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 129723.83333333334
:plan.plan_rows 2500383
:plan.plan_width 0
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist <>
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 0
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 701
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 701
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:varitypmmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 10
:vartype 25
:varitypmmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 11
:vartype 1082
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 12
:vartype 1082
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}

```

```

    }
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0 1)
:plan.allParam (b 0 1)
:resconstantqual {
{PARAM
:paramkind 1
:paramid 0
:paramtype 16
:paramtypmod -1
:paramcollid 0
:location -1
}
}
}
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0 1)
:plan.allParam (b 0 1)
:aggstrategy 0
:aggssplit 6
:numcols 0
:grpColIdx <>
:grpOperators <>
:grpCollations <>
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
}
:partPruneInfos <>
:rttable {
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
}

```

```

:rtkind 1
:subquery <>
:security_barrier false
:relid 16991
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtkind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
}
:rtkind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:unprunableRelids (b 1 2 3)
:permInfos (
{RTEPERMISSIONINFO
:relid 16991
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 13)
:insertedCols (b)
:updatedCols (b)
}
)
:resultRelations <>
:appendRelations <>
:subplans (
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 0
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist <>
:scan.plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
)
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}

```