

Last login: Wed Jun 17 10:52:15 on ttys002

```
adityadave@Adityas-MacBook-Air-3 ~ % psql -d tpch
psql (18.4)
Type "help" for help.
```

```
tpch=# SET ROLE alice;
```

```
SET
```

```
tpch=> select
sum(l_extendedprice * l_discount) as revenue
from
  lineitem
where
  l_shipdate >= date '1993-01-01'
and l_shipdate < date '1994-03-01' + interval '1' year
and l_discount between 0.06 - 0.01 and 0.06 + 0.01
and l_quantity < 10;
```

WARNING: Log 1: Planner Input:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname lineitem
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbar" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
  }
  }
:rtekind 0
:reloid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
  :sublinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname s
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname s
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :reloid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
  )
  }
:rteperminfos (
  {RTEPERMISSIONINFO
  :reloid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 0 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
}
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
}
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  }
  }
  }
}
```

s.s_suppkey = lineitem.l_suppkey

```

    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
  }
  :location -1
}
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
}
{jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
{quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

s.s_acctbal > 1000

```

{VAR
:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 84
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 103
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
)
:location 95
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 124
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 142
:constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 166
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
}
:location 155
}
)
:location 135
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 676
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 183
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 1759
:opfuncid 1725
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 202
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 209
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
)
}
)
:location 207
}
)
:location -1
}

```

I_shipdate >= DATE '1993-01-01'

I_shipdate < DATE '1994-03-01' + INTERVAL '1' year

I_discount >= 0.05

```

)
:location 194
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 183
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 1758
:opfuncid 1724
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 218
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 225
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
}
:location 223
}
:location -1
}
)
:location 194
}
)
:location 194
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 238
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 251
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 249
}
)
:location 120
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

I_discount <= 0.07

I_quantity < 10

```

{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 15
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 33
}
}
:location 31
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 11
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 253
}
)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1746 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1746 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=316 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=316 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctlist <>
:rttable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals (

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}

```

WARNING: is_parallel_safe: INPUT qual = ({RESTRICINFO :clause {OPEXPR :opno 674 :opfuncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [0 0 0 0 0 64 -113 64]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_s_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_relds (b 1) :right_relds (b) :orclause <> :rinfo_serial 2 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {RESTRICINFO :clause {OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_s_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_relds (b 1) :right_relds (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} :em_relds (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1)}} :right_em {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_relds (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICINFO :clause {OPEXPR :opno 674 :opfuncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [0 0 0 0 0 64 -113 64]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_s_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_relds (b 1) :right_relds (b) :orclause <> :rinfo_serial 2 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {RESTRICINFO :clause {OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_s_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_relds (b 1) :right_relds (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} :em_relds (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1)}} :right_em {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_relds (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = false | reason = PROPAGATE_SAFE

WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPAGATE_SAFE

WARNING: Log 3: At the starting of Plan creation:

```

DETAIL:
{PATH
:pathtype 339
:parent_relds (b 1)
:pathtarget
  {PATHTARGET
    :exprs <>
    :sortgrouprefs (1)
    :cost.startup 0
    :cost.per_tuple 0
    :width 0
    :has_volatile_expr 0
  }
:required_outer (b)
:parallel_aware false
:parallel_safe false
:parallel_workers 0
:rows 1
:disabled_nodes 0
:startup_cost 0
:total_cost 368
:pathkeys <>
}

```

WARNING: Log 2 : After pull up At starting of Path Generation:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 0 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
```

```

}

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {OEXPR :opno 674 :opfncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} (CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [ 0 0 0 0 0 64 -113 64 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relids (b 1) :required_relids (b) :outer_relids (b) :left_relids (b 1) :right_relids (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0))
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause {OEXPR :opno 674 :opfncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} (CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [ 0 0 0 0 0 64 -113 64 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relids (b 1) :required_relids (b 1) :incompatible_relids (b) :outer_relids (b) :left_relids (b 1) :right_relids (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1)
)
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1
)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1)
)
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1
)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 3: At the starting of Plan creation:
DETAIL: {PATH
:pathtype 339
:parent_relids (b 1)
:pathtarget
{PATHTARGET
:exprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
)
:sortgrouprefs ( 0)
:cost.startup 0
:cost.per_tuple 0
:width 4
:has_volatile_expr 0
}
:required_outer (b)
:parallel_aware false
:parallel_safe true
:parallel_workers 0
:rows 8196
:disabled_nodes 0
:startup_cost 0
:total_cost 343
:pathkeys <>
}

WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetFlag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityquals ((
{ALTERNATIVESUBPLAN
:subplans (
{SUBPLAN
:subLinkType 0
:testexpr <>
:paramids <>
:plan_id 1
:plan_name SubPlan\ 1
:firstColType 2278
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse true
:parallel_safe false
:setParam <>
:parParam (i 0)
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:startup_cost 0
:per_call_cost 368
}
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
}
}
}
}

```

```

:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
:paramids (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 363.49
:per_call_cost 0.0025
}
)
))
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals (
  {OEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 84
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 103
        :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
      }
    )
  }
  :location 95
}
{OEXPR
  :opno 2345
  :opfuncid 2338
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 11
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 11
      :location 124
    }
    {CONST
      :consttype 1114
      :consttypmod -1
      :constcollid 0
      :constlen 8
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
    }
  )
}
:location 135
}
{OEXPR
  :opno 675
  :opfuncid 298
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 7
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
    }
  )
}

```

This is the same as what we gave to the planner as input because it is a simple query; only constant folding has happened

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 183
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
}
}
:location 194
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 183
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
}
}
:location 194
}
{OEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 238
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
}
:location 249
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 15
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 33
}
}
:location 31
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```



```

:pathtype 339
:parent_relids (b 1)
:pathtarget
{PATHTARGET
  :exprs (
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 15
    }
    {VAR
      :varno 1
      :varattno 7
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 7
      :location 33
    }
  )
  :sortgroupprefs <>
  :cost.startup 0
  :cost.per_tuple 0
  :width 16
  :has_volatile_expr 0
}
:required_outer (b)
:parallel_aware false
:parallel_safe false
:parallel_workers 0
:rows 54750
:disabled_nodes 0
:startup_cost 0
:total_cost 2208578300.7
:pathkeys <>
}
:aggstrategy 0
:aggsplit 0
:numGroups 1
:transitionSpace 0
:groupClause <>
:qual <>
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL: {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 31
:planTree
{AGG
  :plan.disabled_nodes 0
  :plan.startup_cost 2208578574.45
  :plan.total_cost 2208578574.46
  :plan.plan_rows 1
  :plan.plan_width 8
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 0
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 701
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
            {OPEXPR
              :opno 594
              :opfuncid 216
              :opresulttype 701
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno -2
                  :varattno 6
                  :vartype 701
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 6
                  :location 15
                }
                {VAR
                  :varno -2
                  :varattno 7
                  :vartype 701
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 7
                  :location 33
                }
              )
            }
          }
        :location 31
      )
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno 0
}
}

```

```

:aggtransno 0
:location 11
}
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <=
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2208578300.7
:scan.plan.plan_rows 54750
:scan.plan.plan_width 16
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 1
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <=
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <=
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <=
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <=
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <=
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}

```

```

    }
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location -1
    }
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 84
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 103
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
)
:location 95
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 103
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
}
)
)

```

```

:location 194
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 183
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
}
)
:location 194
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 238
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location 249
}
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opFuncId 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 363.49
:per_call_cost 0.0025
)
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 124
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false

```

```

        :location -1
        :constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
    }
}
:location 135
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggssplit 0
:numcols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:partPruneInfos <>
:rttable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:unprunableRelids (b 1 2 3)
:permInfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:resultRelations <>
:appendRelations <>
:subplans <>
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
)
:rewindPlanIDs (b)
:rowMarks <>
:relationOids (o 16566 16541 16541)
:invalidItems <>
:paramExecTypes (o 23 23)
:utilityStmt <>
:stmt_location 0
:stmt_len 253
}

```

```

revenue
-----
35640314.63039999
(1 row)

```

tpch=>