

```

Last login: Wed Jun 17 18:55:13 on ttys000
adityadave@Adityas-MacBook-Air-3 ~ % psql -d tpch
psql (18.4)
Type "help" for help.

tpch=# SET ROLE alice;
SET
tpch=> select
      sum(l_extendedprice * l_discount) as revenue
from
  lineitem_secure
where
  l_shipdate >= date '1993-01-01'
  and l_shipdate < date '1994-03-01' + interval '1' year
  and l_discount between 0.06 - 0.01 and 0.06 + 0.01
  and l_quantity < 10;
WARNING:  Logix Planner Input:
DETAIL:   {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
:alias <>
:eref
  {ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
:alias
  {ALIAS
:aliasname l
:colnames <>
}
}
:eref
  {ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
:rtable 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:opName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
:alias
  {ALIAS
:aliasname s
:colnames <>
}
}
:eref
  {ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
}
}
}
}

```

```

    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
  )
  :location -1
  }
  {OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
      }
    )
    :location -1
  )
  :location -1
  }
  :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>

```

```

        :returningOldAlias <>
        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname 1_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname 1_supplekey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname 1_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname 1_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname 1_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname 1_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13

```

```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location -1
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location -1
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location -1
    }
    :resno 15
    :resname l_shipmode
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 15
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location -1
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDepts <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 16984
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    }
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16984
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    }
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR

```

```

:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 91
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 110
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
}
:location 102
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 131
}
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 149
:constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 173
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
}
:location 162
}
}
:location 142
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 190
}
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 1759
:opfuncid 1725
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 209
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 216
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
}
:location 214
}
}
:location -1
}
)

```

```

:location 201
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 190
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 1758
:opfuncid 1724
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 225
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 232
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
}
:location 230
}
}
:location -1
}
}
:location 201
}
)
:location 201
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 245
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 258
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
}
:location -1
}
}
:location 256
}
}
:location 127
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREG
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 15
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 33
}
}
:location 31
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggnos -1
:aggtransno -1
:location 11
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 260
}

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1746 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1746 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=316 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=316 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelists <>
:table (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 16984
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname l
:colnames <>
}
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16984
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
}
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 2
}
)
:quals <>
}
:rarg
{RANGETBLREF
:rtindex 3
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
)
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
)
:location -1

```

lineitem SEMI JOIN supplier

s.s_suppkey = l.l_suppkey

s.s_acctbal > 1000

```

    }
    :alias <>
    :rtindex 0
  }
)
:quals (
  {OEXPR
  :opno 1098
  :opfuncid 1098
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1002
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location -1
    }
    {CONST
    :consttype 1002
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 110
    :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
    }
  )
  :location 102
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 11
  :vartype 1002
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 11
  :location -1
  }
  {CONST
  :consttype 1114
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
  }
)
:location 142
}
{OEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 7
  :location -1
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
  }
)
:location 201
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 7
  :location -1
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
  }
)
:location 201
}
{OEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false

```

I_shipdate >= DATE '1993-01-01'

I_shipdate < TIMESTAMP '1995-03-01 00:00:00'

I_discount >= 0.05

I_discount <= 0.07

L_quantity < 10

```
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location -1
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
  }
)
:location 256
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 2
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 6
                :location -1
              }
              {VAR
                :varno 2
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 7
                :location -1
              }
            )
            :location 31
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 11
    }
    :resno 1
    :resname revenue
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:smt_location 0
:smt_len 260
}
```

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OPEXPR :opno 1098 :opfuncid 1090 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 2 :varattno 11 :vartype 1 082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 11 :location -1} {CONST :consttype 1082 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [4 -10 -1 -1 -1 -1 -1]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 2) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b) :left_relds (b 2) :right_relds (b) :orclause <> :rinfo_serial 3 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {RESTRICTINFO :clause {OPEXPR :opno 2345 :opfuncid 2338 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 2 :varattno 11 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 11 :location -1} {CONST :consttype 1114 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :location -1 :constvalue 8 [0 96 104 6 38 117 -1 -1]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 2) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b) :left_relds (b 2) :right_relds (b) :orclause <> :rinfo_serial 4 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {RESTRICTINFO :clause {OPEXPR :opno 675 :opfuncid 298 :opres

[illegible]

```

:subpath
{HASHPATH
:jpath.path.pathtype 359
:parent_relids (b 2 3)
:jpath.path.pathtarget
{PATHTARGET
:exprs (
{VAR
:varno 2
:varattno 6
:vartype 781
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 781
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:sortgrouprefs <>
:cost.startup 0
:cost.per_tuple 0
:width 16
:has_volatile_expr 0
}
:required_outer (b)
:jpath.path.parallel_aware false
:jpath.path.parallel_safe true
:jpath.path.parallel_workers 2
:jpath.path.rows 32898
:jpath.path.disabled_nodes 0
:jpath.path.startup_cost 445.45
:jpath.path.total_cost 161895.430125
:jpath.path.pathkeys <>
:jpath.jointype 4
:jpath.inner_unique false
:jpath.outerjoinpath
{PATH
:pathtype 339
:parent_relids (b 2)
:required_outer (b)
:parallel_aware true
:parallel_safe true
:parallel_workers 2
:rows 40139
:disabled_nodes 0
:startup_cost 0
:total_cost 160978.625
:pathkeys <>
}
:jpath.innerjoinpath
{PATH
:pathtype 339
:parent_relids (b 3)
:required_outer (b)
:parallel_aware false
:parallel_safe true
:parallel_workers 0
:rows 8196
:disabled_nodes 0
:startup_cost 0
:total_cost 343
:pathkeys <>
}
:jpath.joinrestrictinfo (
{RESTRICTINFO
:clause
{OPENPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}
:location -1
}
:is_pushed_down true
:can_join true
:pseudoconstant false
:has_clone false
:is_clone false
:leakproof false
:has_volatile 2
:security_level 0
:num_base_rels 2
:clause_relids (b 2 3)
:required_relids (b 2 3)
:incompatible_relids (b)
:outer_relids (b)
:left_relids (b 2)
:right_relids (b 3)
:orclause <>
:rinfo_serial 8
:eval_cost.startup 0
:eval_cost.per_tuple 0.0025
:norm_selec 0.0001
:outer_selec 0.8196
:mergeopfamilies (o 1976)
:left_em
{EQUIVALENCEMEMBER
:em_expr
{VAR
:varno 2
:varattno 3
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    :em_relds (b 2)
    :em_is_const false
    :em_is_child false
    :em_datatype 23
    :em_jdomain
    {JOINDOMAIN
     :jd_relds (b 2 3)
    }
}
:right_em
{EQUIVALENCEMEMBER
 :em_expr
 {VAR
  :varno 3
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 1
  :location -1
 }
 :em_relds (b 3)
 :em_is_const false
 :em_is_child false
 :em_datatype 23
 :em_jdomain
 {JOINDOMAIN
  :jd_relds (b 2 3)
 }
 }
:outer_is_left false
:hashjoinoperator 96
:left_bucketsize 0.024892499371162558
:right_bucketsize 0.00012201073694485115
:left_mcvfreq 0.000399999998989515007
:right_mcvfreq 0
:left_hasheqoperator 96
:right_hasheqoperator 96
}
)
:path_hashclauses (
{RESTRICTINFO
 :clause
 {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
   {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
   }
   {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
   }
  )
 :location -1
 }
}
:is_pushed_down true
:can_join true
:pseudoconstant false
:has_clone false
:is_clone false
:leakproof false
:has_volatile 2
:security_level 0
:num_base_rels 2
:clause_relds (b 2 3)
:required_relds (b 2 3)
:incompatible_relds (b)
:outer_relds (b)
:left_relds (b 2)
:right_relds (b 3)
:orclause <>
:info_serial 8
:eval_cost.startup 0
:eval_cost.per_tuple 0.0025
:norm_selec 0.0001
:outer_selec 0.8196
:mergeopfamilies (o 1976)
:left_em
{EQUIVALENCEMEMBER
 :em_expr
 {VAR
  :varno 2
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 3
  :location -1
 }
 :em_relds (b 2)
 :em_is_const false
 :em_is_child false
 :em_datatype 23
 :em_jdomain
 {JOINDOMAIN
  :jd_relds (b 2 3)
 }
 }
:right_em
{EQUIVALENCEMEMBER
 :em_expr
 {VAR
  :varno 3
  :varattno 1
  :vartype 23
  :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:em_relds (b 3)
:em_is_const false
:em_is_child false
:em_datatype 23
:em_jdomain
{JOINDOMAIN
:jd_relds (b 2 3)
}
}
:outer_is_left false
:hashjoinoperator 96
:left_bucketsize 0.024892499371162558
:right_bucketsize 0.00012201073694485115
:left_mcvfreq 0.000399999998989515007
:right_mcvfreq 0
:left_hasheqoperator 96
:right_hasheqoperator 96
}
)
:num_batches 1
:inner_rows_total 8196
}
:aggstrategy 0
:aggssplit 6
:numGroups 1
:transitionSpace 0
:groupClause <>
:qual <>
}
:single_copy false
:num_workers 2
}
:aggstrategy 0
:aggssplit 9
:numGroups 1
:transitionSpace 0
:groupClause <>
:qual <>
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL: {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded true
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 163060.13512500003
:plan.total_cost 163060.14512500004
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggster false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 0
:aggtransno 0
:location 11
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 163059.920125
:plan.total_cost 163060.13012500003
:plan.plan_rows 2
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 162059.920125
:plan.total_cost 162059.930125
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (0 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 701
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
{VAR
:varno -2
:varattno 2
:vartype 701
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:location 31
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location 11
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 161895.430125
:join.plan.plan_rows 32898
:join.plan.plan_width 16
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 160978.625
:scan.plan.plan_rows 40139
:scan.plan.plan_width 20
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 11
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 12
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 2
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 13
        :location -1
        }
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1098
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 110
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
)
:location 102
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8

```

```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
    }
)
:location 142
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
}
)
:location 201
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
}
)
:location 201
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location 256
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 2
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreld 3
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
)
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}
)

```

```

    }
    }
    :location -1
  }
}
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggsplit 6
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 9
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:partPruneInfos <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem_secure
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 16984
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
}
)
:unprunableRelids (b 1 2 3)
:permInfos (
  {RTEPERMISSIONINFO
    :relid 16984
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)

```

```

    }
    {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
    }
  }
)
:resultRelations <>
:appendRelations <>
:subplans <>
:rewindPlanIDs (b)
:rowMarks <>
:relationOids (o 16984 16566 16541)
:invalItems <>
:paramExecTypes (o 0)
:utilityStmt <>
:stmt_location 0
:stmt_len 260
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:
 DETAIL: {PLANNEDSTMT

```

:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 162059.920125
:plan.total_cost 162059.930125
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:location -1
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 0
:aggtransno 0
:location -1
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 161895.430125
:join.plan.plan_rows 32898
:join.plan.plan_width 16
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3

```

```

:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 160978.625
:scan.plan.plan_rows 40139
:scan.plan.plan_width 20
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 11
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
:resno 11
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 -1 ]
}
)
)

```

```

)
:location -1
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:varbyte 1082
:varbyte 1082
:varbyte 1082
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{CONST
:consttype 1114
:consttypemod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
}
)
:location -1
}
{OEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 7
:varbyte 701
:varbyte 701
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 701
:consttypemod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
}
)
:location -1
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 7
:varbyte 701
:varbyte 701
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 701
:consttypemod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
}
)
:location -1
}
{OEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:varbyte 701
:varbyte 701
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{CONST
:consttype 701
:consttypemod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 2
}
:join.plan.righttree

```

```

{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SESCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggssplit 6
:numCols 0
:grpColIdx <>
:grpOperators <>
:grpCollations <>
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:partPruneInfos <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem_secure
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 16984
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname l
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
)
:unprunableRelids (b 1 2 3)
:permInfos (
  {RTEPERMISSIONINFO
    :relid 16984
    :inh true
    :requiredPerms 2
    :checkAsUser 0
  }
)

```

```

:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
}
:resultRelations <>
:appendRelations <>
:subplans <>
:rewindPlanIDs (b)
:rowMarks <>
:relationOids <>
:invalItems <>
:paramExecTypes (o 0)
:utilityStmt <>
:stmt_location -1
:stmt_len -1
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:
DETAIL: {PLANNEDSTMT

```

:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 162059.920125
:plan.total_cost 162059.930125
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 0
:aggtransno 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 161895.430125
:join.plan.plan_rows 32898
:join.plan.plan_width 16
:join.plan.parallel_aware false
}

```

```

:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 7
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 7
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 160978.625
  :scan.plan.plan_rows 40139
  :scan.plan.plan_width 20
  :scan.plan.parallel_aware true
  :scan.plan.parallel_safe true
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 4
  :scan.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
      :resno 2
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
      :resno 3
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
      }
      :resno 4
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
    }
  )
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}

```

```

    }
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false

```

```

        :location -1
        :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
    }
}
:location -1
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location -1
    }
    {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
    }
)
:location -1
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
    }
)
:location -1
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
    }
)
:location -1
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location -1
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
    }
)
:location -1
}
}
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)

```

```

:scan.scanrelid 2
}
:join.plan.righttree
{WASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggssplit 0
:numCols 0
:grpCollidx <>
:grpOperators <>
:grpCollations <>
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:partPruneInfos <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem_secure
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 16984
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname l
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:unprunableRelids (b 1 2 3)
:permInfos (
  {RTEPERMISSIONINFO
    :relid 16984

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:resultRelations <>
:appendRelations <>
:subplans <>
:rewindPlanIDs (b)
:rowMarks <>
:relationOids <>
:invalidItems <>
:paramExecTypes (o 0)
:utilityStmt <>
:stmt_location -1
:stmt_len -1
}

      revenue
-----
35640314.6303999
(1 row)

tpch=>

```