

Last login: Wed Jun 17 15:52:32 on ttys000

```
psql
adityadave@Adityas-MacBook-Air-3 ~ % psql -d tpch
psql (18.4)
Type "help" for help.
```

```
tpch=# SET ROLE alice;
SET
tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT count(*)
FROM lineitem;
WARNING:  Log 1: Planner Input:
DETAIL:   {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :sublinkType 0
        :sublinkId 0
        :testexpr <>
        :operName <>
      }
      {SUBSELECT
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks false
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :ctelist <>
        }
        {Rtable
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16541
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        }
      )
    }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 13)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
  :jointree
    {FROMEXPR
      :fromList (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
    :quals
      {FUNCEXP
        :funcid 17003
        :funcresulttype 16
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
        )
        :location -1
      }
    }
  }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
```

```

:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
)
:rtperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggtnoid 2003
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggssplit 0
        :aggno -1
        :aggtransno -1
        :location 43
      }
    :resno 1
    :resname count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: max_parallel_hazard_walker: FuncExpr funcid=17003 propparallel=u (s=safe r=restricted u=unsafe)
 WARNING: Log 2 : After pull up At starting of Path Generation:
 DETAIL: QUERY:

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (

```

```

{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:permindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals (
{FUNCEXP
:funcid 17003
:funcresulttype 16
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
)
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
)

```

WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 3: At the starting of Plan creation:
DETAIL: {PATH
:pathtype 339
:parent_rels (b 1)
:pathtarget
{PATHTARGET
:exps <>
:sortgrouprefs ()
:cost.startup 0
:cost.per_tuple 0
:width 0
:has_volatile_expr 0
}
:required_outer (b)
:parallel_aware false
:parallel_safe false
:parallel_workers 0
:rows 333
:disabled_nodes 0
:startup_cost 0
:total_cost 2818
:pathkeys <>
}

WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetFag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:ctelist <>
:rttable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem

```

:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_qualifier" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals ((
  {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 16
    :paramtypmod -1
    :paramcollid 0
    :location -1
  })
)
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b)
    :insertedCols (b)
    :updatedCols (b)
  })
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      })
    )
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2803
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 43
      })
    :resno 1
    :resname count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  })
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
)
WARNING:  is_parallel_safe: INPUT qual = ({AGGREF :aggfnoid 2803 :aggtype 20 :aggcollid 0 :inputcollid 0 :aggtranstype 20 :aggargtypes <> :aggdirectargs <> :args <> :aggorder <> :aggdistinct <> :aggfilter <> :aggstar true :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1})
WARNING:  is_parallel_safe: OUTPUT qual = ({AGGREF :aggfnoid 2803 :aggtype 20 :aggcollid 0 :inputcollid 0 :aggtranstype 20 :aggargtypes <> :aggdirectargs <> :args <> :aggorder <> :aggdistinct <> :aggfilter <> :aggstar true :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING:  is_parallel_safe: INPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING:  is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING:  Log 3: At the starting of Plan creation:
DETAIL:   {AGGPATH
:path.pathtype 365
:parent_relds (b)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe false
:path.parallel_workers 0
:path.rows 1
:path.disabled_nodes 0
:path.startup_cost 172231.19548454846
:path.total_cost 172231.20548454847
:path.pathkeys <>
:subpath
  {PATH
    :pathtype 339
    :parent_relds (b 1)
    :pathtarget
      {PATHTARGET
        :exprs <>
        :sortgrouprefs <>
        :cost.startup 0
        :cost.per_tuple 0
        :width 0
        :has_volatile_expr 0
      })
    :required_outer (b)
    :parallel_aware false
    :parallel_safe false
    :parallel_workers 0
    :rows 3000400
    :disabled_nodes 0
    :startup_cost 0
    :total_cost 164729.2
    :pathkeys <>
  })
)
:aggstrategy 0

```

```

:aggssplit 0
:numGroups 1
:transitionSpace 0
:groupClause <
:qual <
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL: {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 172231.19548454846
:plan.total_cost 172231.20548454847
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <
:aggdirectargs <
:args <
:aggorder <
:aggdistinct <
:aggfilter <
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 43
}
:resno 1
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 164729.2
:scan.plan.plan_rows 3000460
:scan.plan.plan_width 0
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 1
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:varstype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:varstype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{PARAM
:paramkind 1
:paramid 0
:paramtype 16
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)

```

```

        :scan.scanrelid 1
    }
}
:plan.righttree <>
:plan.initPlan (
{SUBPLAN
:sublinkType 0
:testexpr <>
:paramIds <>
:plan_id 1
:plan_name InitPlan\ 1
:firstCollType 2278
:firstCollTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse true
:parallel_safe false
:setParam (i 0)
:parParam <>
:args <>
:startup_cost 0
:per_call_cost 0.8454845484548454
}
)
:plan.extParam (b)
:plan.allParam (b 0)
:aggstrategy 0
:aggssplit 0
:numCols 0
:grpCollIdx (i)
:grpOperators (i)
:grpCollations (i)
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
}
:partPruneInfos <>
:rttable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:unprunableRelids (b 1 2)
:permInfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 13)
:insertedCols (b)
:updatedCols (b)
}
)
}
:resultRelations <>
:appendRelations <>
:subplans (
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2818
:scan.plan.plan_rows 3333
:scan.plan.plan_width 0
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist <>
:scan.plan.qual (
{FUNCEXP
:funcid 17003
:funcresulttype 16
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
)
:location -1
}
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>

```


QUERY PLAN

```
flag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
Filter: (InitPlan 1).col1
```