

Last login: Thu Jun 18 21:27:42 on ttys002
adityadave@Adityas-MacBook-Air-3 ~ % psql -d tpch
psql (18.4)
Type "help" for help.

```
tpch=# SET ROLE alice;
SET
tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT COUNT(*)
FROM (
```

```
    SELECT l_orderkey, l_linenumbr
    FROM lineitem_secure
    WHERE l_orderkey > 2000000
) l_alias;
```

WARNING: Log 1: Planner Input:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname l_alias
:colnames <>
}
:eref
{ALIAS
:aliasname l_alias
:colnames ("l_orderkey" "l_linenumbr")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbr"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
"l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
}
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rteindex 1
}
)
}
:quals
{SUBLINK
:sublinkType 0
:subLinkId 0
:testexpr <>
}
```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_n
ationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind R
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 0 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
)
{VAR
:varno 1
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
)
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 { -24 3 0 0 0 0 0 0 }
}
)
:location -1
}
)
}

```

```

        :location -1
      }
    }
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
  }
)
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenum
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate

```

```

:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname 1_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname 1_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname 1_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname 1_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname 1_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17023
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

)
:rtperminfos (
  {RTPERMISSIONINFO
  :relid 17023
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  {fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {OPEXPR
  :opno 521
  :opFuncId 147
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 130
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 143
    :constvalue 4 [ -128 -124 30 0 0 0 0 0 ]
    }
  )
  :location 141
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 70
  }
  :resno 1
  :resname l_orderkey
  :ressortgroupref 0
  :resorigtbl 17023
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 4
  :location 82
  }
  :resno 2
  :resname l_linenummer
  :ressortgroupref 0
  :resorigtbl 17023
  :resorigcol 4
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtperminfos <>
:jointree
{FROMEXPR
  {fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals <>
  }
}
:mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2803
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
        :aggkind n
        :agppresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 43
      }
    :resno 1
    :resname count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: max_parallel_hazard_walker: FuncExpr funcid=316 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname l_alias
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l_alias
        :colnames ("l_orderkey" "l_linenumber")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 0
    :inh false
    :relkind <>
    :rellockmode 0
    :perminfoindex 0
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem_secure
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 17023
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname l
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)

```

```

}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
rteperminfos (
{RTEPERMISSIONINFO
:relid 17023
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
}
:jointree
{FROMEXPR
:fromlist (
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 3
}
)
:quals <>
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 3
:varattno 3
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
)
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 6
:varatype 701
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}

```

```

    }
  }
  :alias <>
  :rtindex 0
}
)
:quals (
  {OEXPR
  :opno 521
  :opfuncid 147
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 143
    :constvalue 4 [ -128 -124 30 0 0 0 0 0 ]
    }
  )
  :location 141
}
)
}
:quals <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2803
  :aggtype 20
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes <>
  :aggdirectargs <>
  :args <>
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar true
  :aggvariadic false
  :aggkind n
  :agppresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 43
  }
  :resno 1
  :resname count
  :resortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 521 :opfuncid 147 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 3 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1} {CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [-128 -124 30 0 0 0 0 0]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 3) :required_rels (b 3) :incompatible_rels (b) :outer_rels (b) :left_rels (b 3) :right_rels (b) :orclause <> :rinfo_serial 3 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 521 :opfuncid 147 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 3 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1} {CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [-128 -124 30 0 0 0 0 0]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 3) :required_rels (b 3) :incompatible_rels (b) :outer_rels (b) :left_rels (b 3) :right_rels (b) :orclause <> :rinfo_serial 3 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1})

WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 674 :opfuncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 4 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 6 :location -1} {CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [0 0 0 0 64 -113 64]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 4) :required_rels (b 4) :incompatible_rels (b) :outer_rels (b) :left_rels (b 4) :right_rels (b) :orclause <> :rinfo_serial 2 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 674 :opfuncid 297 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 4 :varattno 6 :vartype 701 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 6 :location -1} {CONST :consttype 701 :consttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [0 0 0 0 64 -113 64]}) :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 2 :clause_rels (b 4) :required_rels (b 4) :incompatible_rels (b) :outer_rels (b) :left_rels (b 4) :right_rels (b) :orclause <> :rinfo_serial 4 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1})

WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1} | parallel_safe = true | reason = PROPARALLEL_SAFE

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1} {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_rels (b 3 4) :required_rels (b 3 4) :incompatible_rels (b) :outer_rels (b) :left_rels (b 3) :right_rels (b 4) :orclause <> :rinfo_serial 4 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec 8.8196 :mergeopfamilies (o 1976) :left_em (EQUIVALENCMEMBER :em_expr {VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1} :em_rels (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMA IN :jd_rels (b 3 4))} :right_em (EQUIVALENCMEMBER :em_expr {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1} :em_rels (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMA IN :jd_rels (b 3 4))} :outer_is_left false :hashjoinoperator 96 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 96 :right_hasheqoperator 96)})

WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1} {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels

```

(b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false
:has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 3 4) :required_relds (b 3 4) :incompatible_relds (b) :outer_relds (b 3) :right_relds (b 4) :orclause <> :rinfor
serial 4 :eval_cost.startup -1 :eval_cost.per_tuple 0 :nosm_selec -1 :outer_selec 0.8196 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -
1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1} :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOM
AIN :jd_relds (b 3 4)}} :right_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varatt
nosyn 1 :location -1} :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4)}} :outer_is_left false :hashjoinoperator 96 :left_bucketsize -1 :r
ight_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 96 :right_hasheqoperator 96} | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {(AGGREF :aggfnoid 2803 :aggtype 20 :aggcollid 0 :inputcollid 0 :aggtranstype 20 :aggargtypes <> :aggdirectargs <> :args <> :aggorder <> :aggdistinct <> :aggfilt
er <> :aggstar true :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1)}
WARNING: is_parallel_safe: OUTPUT qual = {(AGGREF :aggfnoid 2803 :aggtype 20 :aggcollid 0 :inputcollid 0 :aggtranstype 20 :aggargtypes <> :aggdirectargs <> :args <> :aggorder <> :aggdistinct <> :aggfilt
er <> :aggstar true :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1)} | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: Log 3: At the starting of Plan creation:
DETAIL:
{AGGPATH
:path.pathtype 365
:parent_relds (b)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe false
:path.parallel_workers 0
:path.rows 1
:path.disabled_nodes 0
:path.startup_cost 160335.374
:path.total_cost 160335.38400000002
:path.pathkeys <>
:subpath
{GATHERPATH
:path.pathtype 368
:parent_relds (b)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe true
:path.parallel_workers 0
:path.rows 2
:path.disabled_nodes 0
:path.startup_cost 160335.15899999999
:path.total_cost 160335.369
:path.pathkeys <>
:subpath
{AGGPATH
:path.pathtype 365
:parent_relds (b)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe true
:path.parallel_workers 2
:path.rows 1
:path.disabled_nodes 0
:path.startup_cost 159335.15899999999
:path.total_cost 159335.169
:path.pathkeys <>
:subpath
{HASHPATH
:jp.path.pathtype 359
:parent_relds (b 3 4)
:jp.path.pathtarget
{PATHTARGET
:exprs <>
:sortgrouprefs <>
:cost.startup 0
:cost.per_tuple 0
:width 0
:has_volatile_expr 0
}
:required_outer (b)
:jp.path.parallel_aware false
:jp.path.parallel_safe true
:jp.path.parallel_workers 2
:jp.path.rows 1361640
:jp.path.disabled_nodes 0
:jp.path.startup_cost 446.45
:jp.path.total_cost 155931.05899999998
:jp.path.pathkeys <>
:jp.path.jointype 4
:jp.path.inner_unique false
:jp.path.outjoinpath
{PATH
:pathtype 339
:parent_relds (b 3)
:required_outer (b)
:parallel_aware true
:parallel_safe true
:parallel_workers 2
:disabled_nodes 0
:startup_cost 0
:total_cost 135976.328125
:pathkeys <>
}
:jp.path.innerjoinpath
{PATH
:pathtype 339
:parent_relds (b 4)
:required_outer (b)
:parallel_aware false
:parallel_safe true
:parallel_workers 0
:rows 8196
:disabled_nodes 0
:startup_cost 0
:total_cost 343
:pathkeys <>
}
:jp.path.joinrestrictinfo (
{RESTRICTINFO
:clause
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
}
}

```

```

    }
  }
  :location -1
}
:is_pushed_down true
:can_join true
:pseudoconstant false
:has_clone false
:is_clone false
:leakproof false
:has_volatile 2
:security_level 0
:num_base_rels 2
:clause_relds (b 3 4)
:required_relds (b 3 4)
:incompatible_relds (b)
:outer_relds (b)
:left_relds (b 3)
:right_relds (b 4)
:orclause <>
:rinfo_serial 4
:eval_cost.startup 0
:eval_cost.per_tuple 0.0025
:norm_selec 0.0001
:outer_selec 0.8196
:mergeopfamilies (o 1976)
:left_em
{EQUIVALENCEMEMBER
:em_expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:em_relds (b 3)
:em_is_const false
:em_is_child false
:em_datatype 23
:em_jdomain
{JOINDOMAIN
:jd_relds (b 3 4)
}
}
:right_em
{EQUIVALENCEMEMBER
:em_expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:em_relds (b 4)
:em_is_const false
:em_is_child false
:em_datatype 23
:em_jdomain
{JOINDOMAIN
:jd_relds (b 3 4)
}
}
:outer_is_left false
:hashjoinoperator 96
:left_bucketsize -1
:right_bucketsize 0.00012201073694485115
:left_mcvfreq -1
:right_mcvfreq 0
:left_hasheqoperator 96
:right_hasheqoperator 96
}
)
:path_hashclauses (
{RESTRICTINFO
:clause
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:sargs (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
}
:location -1
}
:is_pushed_down true
:can_join true
:pseudoconstant false
:has_clone false
:is_clone false
:leakproof false
:has_volatile 2
:security_level 0
:num_base_rels 2
:clause_relds (b 3 4)
:required_relds (b 3 4)
:incompatible_relds (b)
:outer_relds (b)
:left_relds (b 3)
:right_relds (b 4)
:orclause <>
:rinfo_serial 4
:eval_cost.startup 0
:eval_cost.per_tuple 0.0025
:norm_selec 0.0001
:outer_selec 0.8196
:mergeopfamilies (o 1976)

```

```

:left_em
{EQUIVALENCEMEMBER
:em_expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:em_relds (b 3)
:em_is_const false
:em_is_child false
:em_datatype 23
:em_jdomain
{JOINDOMAIN
:jd_relds (b 3 4)
}
}
:right_em
{EQUIVALENCEMEMBER
:em_expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:em_relds (b 4)
:em_is_const false
:em_is_child false
:em_datatype 23
:em_jdomain
{JOINDOMAIN
:jd_relds (b 3 4)
}
}
:outer_is_left false
:hashjoinoperator 96
:left_bucketsize -1
:right_bucketsize 0.00012201073694485115
:left_mcvfreq -1
:right_mcvfreq 0
:left_hasheqoperator 96
:right_hasheqoperator 96
}
)
:num_batches 1
:inner_rows_total 8196
}
:aggstrategy 0
:aggssplit 6
:numGroups 1
:transitionSpace 0
:groupClause <>
:qual <>
}
:single_copy false
:num_workers 2
}
:aggstrategy 0
:aggssplit 9
:numGroups 1
:transitionSpace 0
:groupClause <>
:qual <>
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL: {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded true
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 160335.374
:plan.total_cost 160335.384000000002
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2003
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
}
}

```

```

:aggno 0
:aggtransno 0
:location 43
}
:resno 1
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 160335.15899999999
:plan.total_cost 160335.369
:plan.plan_rows 2
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 159335.15899999999
:plan.total_cost 159335.169
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location 43
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 155931.05899999999
:join.plan.plan_rows 1361640
:join.plan.plan_width 0
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist <>
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135976.328125
:scan.plan.plan_rows 1661347
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 143
:constvalue 4 [ -128 -124 30 0 0 0 0 0 ]
}
)
:location 141
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
}
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
  }
)
:location -1
}
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreld 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
    )
  }
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggssplit 6
:numCols 0
:grpCollIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false

```

```

        :initParam (b)
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :aggstrategy 0
    :aggssplit 9
    :numCols 0
    :grpColIdx ()
    :grpOperators ()
    :grpCollations ()
    :numGroups 1
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
    }
:partPruneInfos <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname l_alias
:colnames <>
}
:eref
{ALIAS
:aliasname l_alias
:colnames ("l_orderkey" "l_linenumber")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17023
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:unprunableRelids (b 2 3 4)
:permInfos (
{RTEPERMISSIONINFO
:relid 17023
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:resultRelations <>
:appendRelations <>
:subplans <>
:rewindPlanIDs (b)

```

```

:rowMarks <>
:relationOids (o 17023 16566 16541)
:invalidItems <>
:paramExecTypes (o 0)
:utilityStmt <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL:
{PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 159335.15899999999
:plan.total_cost 159335.169
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvarladic false
:aggkind n
:aggresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 155931.05899999998
:join.plan.plan_rows 1361640
:join.plan.plan_width 0
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist <>
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135976.328125
:scan.plan.plan_rows 1661347
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3

```

```

:location -1
}
:resno 3
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)

```

```

:scan.plan.qual (
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -128 -124 30 0 0 0 0 0 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
}
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}

```

```

    }
  }
  :scan.plan.lefttree <>
  :scan.plan.righttree <>
  :scan.plan.initPlan <>
  :scan.plan.extParam (b)
  :scan.plan.allParam (b)
  :scan.scanrelid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.joinstype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
    )
  }
  :location -1
)
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggsplit 6
:numCols 0
:grpColIdx <>
:grpOperators <>
:grpCollations <>
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:partPruneInfos <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname l_alias
      :colnames <>
    }
  }
  :eref
  {ALIAS
    :aliasname l_alias
    :colnames ("l_orderkey" "l_linenum")
  }
  :rtekind 1
  :subquery <>
  :security_barrier false
  :relid 0
  :inh false
  :relkind <>
  :rellockmode 0
  :perminfoindex 0
  :lateral false
  :inFromCl true
  :securityQuals <>
}
  {RANGETBENTRY
    :alias <>
  }
  :eref
  {ALIAS
    :aliasname lineitem_secure
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
  }
}
:rtekind 1

```

```

:subquery <>
:security_barrier false
:relid 17023
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:unprunableRelids (b 2 3 4)
:permInfos (
{RTEPERMISSIONINFO
:relid 17023
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:resultRelations <>
:appendRelations <>
:subplans <>
:rewindPlanIDs (b)
:rowMarks <>
:relationOids <>
:invalItems <>
:paramExecTypes (o 0)
:utilityStmt <>
:stmt_location -1
:stmt_len -1
}

```

WARNING: Log 4: At the Executor starting point we have proposed Plan by Planner:

```

DETAIL: {PLANNEDSTMT
:commandType 1
:queryId 0
:planId 0
:hasReturning false
:hasModifyingCTE false
:canSetTag true
:transientPlan false
:dependsOnRole false
:parallelModeNeeded false
:jitFlags 25
:planTree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 159335.15899999999
:plan.total_cost 159335.169
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
}
}
}
}
}

```

```

:aggtransno 0
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 155931.05899999998
:join.plan.plan_rows 1361640
:join.plan.plan_width 0
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist <>
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135976.328125
:scan.plan.plan_rows 1661347
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:varatype 701
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -128 -124 30 0 0 0 0 0 ]
}
}
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5

```

```

:plan.targetlist (
{TARGETENTRY
  {expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 343
  :scan.plan.plan_rows 8196
  :scan.plan.plan_width 4
  :scan.plan.parallel_aware false
  :scan.plan.parallel_safe true
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 6
  :scan.plan.targetlist (
    {TARGETENTRY
      {expr
        {VAR
          :varno 4
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 4
          :varattnosyn 1
          :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    }
  )
  :scan.plan.qual (
    {OPEXPR
      :opno 674
      :opfuncid 297
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 4
          :varattno 6
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 4
          :varattnosyn 6
          :location -1
        }
        {CONST
          :consttype 701
          :consttypmod -1
          :constcollid 0
          :constlen 8
          :constbyval true
          :constisnull false
          :location -1
          :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
        }
      )
    }
    :location -1
  )
}
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 1
  :location -1
}
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
    }
  )
}
)

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:varatype 23
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
:location -1
}
}
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:varatype 23
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggssplit 6
:numCols 0
:grpCollidx <>
:grpOperators <>
:grpCollations <>
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:partPruneInfos <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname l_alias
:colnames <>
}
:eref
{ALIAS
:aliasname l_alias
:colnames ("l_orderkey" "l_linenumber")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17023
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:unprunableRelids (b 2 3 4)
:permInfos (
  {RTEPERMISSIONINFO
    :relid 17023
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:resultRelations <>
:appendRelations <>
:subplans <>
:rewindPlanIDs (b)
:rowMarks <>
:relationOids <>
:invalidItems <>
:paramExecTypes (o 0)
:utilityStmt <>
:stmt_location -1
:stmt_len -1
}

```

QUERY PLAN

```

-----
Finalize Aggregate  (cost=160335.37..160335.38 rows=1 width=8) (actual time=686.292..687.846 rows=1.00 loops=1)
  Output: count(*)
  Buffers: shared hit=13945 read=91429
  -> Gather  (cost=160335.16..160335.37 rows=2 width=8) (actual time=685.682..687.828 rows=3.00 loops=1)
    Output: (PARTIAL count(*))
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=13945 read=91429
    -> Partial Aggregate  (cost=159335.16..159335.17 rows=1 width=8) (actual time=673.047..673.048 rows=1.00 loops=3)
      Output: PARTIAL count(*)
      Buffers: shared hit=13945 read=91429
      Worker 0:  actual time=666.844..666.845 rows=1.00 loops=1
      Buffers: shared hit=4739 read=30113
      Worker 1:  actual time=666.995..666.997 rows=1.00 loops=1
      Buffers: shared hit=4703 read=30328
      -> Hash Semi Join  (cost=445.45..155931.06 rows=1361640 width=0) (actual time=139.754..620.152 rows=1093085.33 loops=3)
        Hash Cond: (l1_suppkey = s.s_suppkey)
        Buffers: shared hit=13945 read=91429
        Worker 0:  actual time=195.916..613.959 rows=1094359.00 loops=1
        Buffers: shared hit=4739 read=30113
        Worker 1:  actual time=196.525..613.918 rows=1093611.00 loops=1
        Buffers: shared hit=4703 read=30328
        -> Parallel Seq Scan on public.lineitem l1  (cost=0.00..135976.33 rows=1661347 width=4) (actual time=133.260..362.718 rows=1333572.67 loops=3)
          Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_returnflag, l1_linestatus, l1_shipdate, l1_commi
tdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
          Filter: (l1_orderkey > 2000000)
          Rows Removed by Filter: 666832
          Buffers: shared hit=13509 read=91211
          Worker 0:  actual time=193.485..361.038 rows=1335163.00 loops=1
          Buffers: shared hit=4521 read=30113
          Worker 1:  actual time=194.237..360.677 rows=1333816.00 loops=1
          Buffers: shared hit=4485 read=30328
          -> Hash  (cost=343.00..343.00 rows=8196 width=4) (actual time=6.465..6.466 rows=8197.00 loops=3)
            Output: s.s_suppkey
            Buckets: 16384  Batches: 1  Memory Usage: 417kB
            Buffers: shared hit=436 read=218
            Worker 0:  actual time=2.398..2.399 rows=8197.00 loops=1
            Buffers: shared hit=218
            Worker 1:  actual time=2.267..2.268 rows=8197.00 loops=1
            Buffers: shared hit=218
            -> Seq Scan on public.supplier s  (cost=0.00..343.00 rows=8196 width=4) (actual time=0.330..5.540 rows=8197.00 loops=3)
              Output: s.s_suppkey
              Filter: (s.s_acctbal > '1000'::double precision)
              Rows Removed by Filter: 1803
              Buffers: shared hit=436 read=218
              Worker 0:  actual time=0.107..1.585 rows=8197.00 loops=1
              Buffers: shared hit=218
              Worker 1:  actual time=0.055..1.417 rows=8197.00 loops=1
              Buffers: shared hit=218
Planning:
  Buffers: shared hit=179 read=37
Planning Time: 15.930 ms
Execution Time: 691.486 ms
(52 rows)

tpch=>

```