

Last login: Mon Jun 22 12:52:24 on ttys001
adityadave@Adityas-MacBook-Air-3 ~ % cd /Users/adityadave/PE/PE-Daywise-Work-Tracker/19-JUNE/Q2\&Q21
adityadave@Adityas-MacBook-Air-3 Q2&Q21 % python3 script.py
Running 1/10...
Running 2/10...
Running 3/10...
Running 4/10...
Running 5/10...
Running 6/10...
Running 7/10...
Running 8/10...
Running 9/10...
Running 10/10...

=====

10TH RUN OUTPUT

=====

SET

WARNING: Log 1: Planner Input:

DETAIL: {QUERY

```
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
        }
      :rtekind 0
      :relid 17169
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCI true
      :securityQuals <>
    }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier_secure
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
        }
      :rtekind 1
      :subquery
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSublinks true
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :ctelist <>
          :rtable (
            {RANGETBENTRY
              :alias
                {ALIAS
                  :aliasname s
                  :colnames <>
                }
              :eref
                {ALIAS
                  :aliasname s
                  :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_ph
                    one" "s_acctbal" "s_comment")
                }
              :rtekind 0
              :relid 17181
              :inh true
              :relkind r
              :rellockmode 1
              :perminfoindex 1
              :tablesample <>
              :lateral false
              :inFromCI true
              :securityQuals <>
            }
          )
          :rteperminfos (
            {RTEPERMISSIONINFO
              :relid 17181
              :inh true
              :requiredPerms 2
              :checkAsUser 10
              :selectedCols (b 8 9 10 11 12 13 14)
              :insertedCols (b)
              :updatedCols (b)
            }
          )
        }
      :joinTree
        {FROMEXPR
          :fromlist (
            {RANGETBLREF
              :rtindex 1
            }
          )
        }
      :quals
        {BOOLEXP
          :boolop and
          :args (
            {OPEXP
              :opno 1756
              :opfuncid 1720
              :opresulttype 16
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno 1
                  :varattno 6
                  :vartype 1700
                  :vartypmod 983046
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                }
              )
            }
          )
        }
      }
    }
  )
}
```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :ctelists <>
    :rtable (
      {RANGETBLENTRY
        :alias
        {ALIAS
          :aliasname n
          :colnames <>
        }
        :eref
        {ALIAS
          :aliasname n
          :colnames ("n_nationkey" "n_name" "n_regionkey" "n_
            comment")
        }
        :rtekind 0
        :relid 17158
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
      {RANGETBLENTRY
        :alias
        {ALIAS
          :aliasname r
          :colnames <>
        }
        :eref
        {ALIAS
          :aliasname r
          :colnames ("r_regionkey" "r_name" "r_comment")
        }
        :rtekind 0
        :relid 17164
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 2
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 17158
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 17164
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
)
{jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLENTRY
        :rtindex 1
      }
      {RANGETBLENTRY
        :rtindex 2
      }
    )
  }
  {quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
              :vartype 23
              :vartypmod -1
            }
          )
        }
      )
    }
  }
}

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
}
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
)
:location -1
}
{OEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 2
        :vartype 1042
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
    {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

```

        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypepm 1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_supkey
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 1042
:varstypepm 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varstype 1043
:varstypepm 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:varstype 23
:varstypepm 1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varstype 1042
:varstypepm 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:varstype 1700
:varstypepm 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:varstype 1043
:varstypepm 105
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
}
:security_barrier false
:relid 17274
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp_secure
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
}
:rtekind 0
:relid 17191
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
)
}
:jointrac
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true

```

```

:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
):location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nati
onkey" "s_phone" "s_acctbal" "s_comment")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "
s_nationkey" "s_phone" "s_acctbal" "s_comment
")
}
:rtekind 0
:relid 17181
:inh true
:relkind t
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
):quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 1700
:varitypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcrtset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
}
)
}
}
}

```

```

        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
)
:location -1
}
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name"
"n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name"
"r_comment")
}
:rtekind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
}
{jointrac
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4

```

```

        :location -1
      }
    }
    :location -1
  }
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
  }
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
  }
)
:location -1
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
  }
  {CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 6
9 85 82 79 80 69 ]
  }
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 ]
  }
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_supplekey
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```

```

: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location -1
: stmt_len -1
}
: security_barrier false
: relid 17274
: inh false
: relkind v
: rellockmode 1
: perminfoindex 1
: lateral false
: inFromCl true
: securityQuals <>
}
)
: rteperminfos (
{ RTEPERMISSIONINFO
: relid 17274
: inh true
: requiredPerms 2
: checkAsUser 10
: selectedCols (b 8 13)
: insertedCols (b)
: updatedCols (b)
}
)
: jointree
{ FROMEXPR
: fromList (
{ RANGETBLREF
: rtindex 1
}
)
: quals
{ BOOLEXP
: boolop and
: args (
{ OEXPR
: opno 96
: opfuncid 65
: opresulttype 16
: opretset false
: opcollid 0
: inputcollid 0
: args (
{ VAR
: varno 1
: varattno 1
: vartype 23
: vartypmod -1
: varcollid 0
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 1
: varattnosyn 1
: location -1
}
{ VAR
: varno 1
: varattno 2
: vartype 23
: vartypmod -1
: varcollid 0
: varnullingrels (b)
: varlevelsup 1
: varreturningtype 0
: varnosyn 1
: varattnosyn 2
: location -1
}
}
: location -1
}
{ OEXPR
: opno 1756
: opfuncid 1720
: opresulttype 16
: opretset false
: opcollid 0
: inputcollid 0
: args (
{ VAR
: varno 1
: varattno 6
: vartype 1700
: vartypmod 983046
: varcollid 0
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 1
: varattnosyn 6
: location -1
}
{ FUNCEXP
: funcid 1740
: funcresulttype 1700
: funcresultset false
: funcvariadic false
: funcformat 2
: funccollid 0
: inputcollid 0
: args (
{ CONST
: consttype 23
: consttypmod -1
: constcollid 0
: constlen 4
: constbyval true
: constisnull false
: location -1
: constvalue 4 [ 0 0 0 0 0 0 0 ]
}
}
: location -1
}
)
: location -1
}
)
: location -1
}
)
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList (
{ TARGETENTRY
: expr
{ CONST
: consttype 23
: consttypmod -1
: constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname ps_partkey
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname ps_suppkkey
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname ps_availqty
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname ps_supplycost
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 203
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}

```

```

    }
    :resno 5
    :resname ps_comment
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 5
    :resjunk false
  }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17278
:inh false
:relkind v
:rellockmode 1
:perminfoindex 3
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17169
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17274
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17278
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 297
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 309
  }
)
:location 307
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 332
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 344
  }
)
:location 342
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 367
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 376
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 374
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {RELABELTYPE
    :arg
      {VAR
        :varno 1
        :varattno 5
        :vartype 1043
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 391
      }
    :resulttype 25
    :resulttypmod -1
    :resultcollid 100
    :relabelformat 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 403
    :constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
  }
)
}

```

```

:location 398
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 424
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 438
}
)
:location 436
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 462
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 476
}
)
:location 474
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 507
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 523
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 521
}
{OPEXPR
:opno 1752
:opfuncid 1718
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 544
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp_secure
        :colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps
          _supplycost" "ps_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname ps
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname ps
                :colnames ("ps_partkey" "ps_supkey" "ps_availqt
                  y" "ps_supplycost" "ps_comment")
              }
            :rtekind 0
            :relid 17191
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rtepermissions (
      {RTEPERMISSIONINFO
        :relid 17191
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 521
        :opfuncid 147
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 100 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBLENTY
                :alias
                  {ALIAS
                    :aliasname s
                    :colnames <>
                  }
                :rtekind 0
                :relid 17191
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
        )
      }
    )
  }

```

```

:eref
{
  ALIAS
  :aliasname s
  :colnames ("s_supkey" "s_name" "s_a
ddress" "s_nationkey" "s_phone" "s_a
cctbal" "s_comment")
}
:rtekind 1
:subquery
{
  QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :ctelist <>
  :rtable (
    {RANGETBENTRY
      :alias
      {
        ALIAS
        :aliasname s
        :colnames <>
      }
      :eref
      {
        ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name
" "s_address" "s_nationkey" "s
_phone" "s_acctbal" "s_comment
")
      }
      :rtekind 0
      :relid 17181
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCL true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 17181
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13
14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{
  FROMEXPR
  :fromlist (
    {RANGETBREF
      :rtindex 1
    }
  )
}
:quals
{
  BOOLEXP
  :boolop and
  :args (
    {OEXPR
      :opno 1756
      :opfuncid 1720
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 1700
          :vartypmod 983046
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location -1
        }
        {FUNCEXP
          :funcid 1740
          :funcresulttype 1700
          :funcresultset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 23
              :consttypmod -1
              :constcollid 0
              :constlen 4
              :constbyval true
              :constisnull false
              :location -1
              :constvalue 4 [ 0 0 0
0 0 0 0 0 ]
            }
          )
          :location -1
        }
      )
    }
  )
}
:location -1
}
{
  SUBLINK
  :sublinkType 0
  :sublinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {
    QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :ctelist <>
  }
}

```

```

:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames {"n_nati
onkey" "n_name" "n
_regionkey" "n_com
ment"}
}
:rtekind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames {"r_regi
onkey" "r_name" "r
_comment"}
}
:rtekind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10
)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b
)
:varlevelsup 0
:varreturningtype
0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b
)
:varlevelsup 1
:varreturningtype
0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b
)
:varlevelsup 0
:varreturningtype
0
:varnosyn 1
:varattnosyn 3

```

```

:location -1
)
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b
)
:varlevelsup 0
:varreturningtype
0
:varnosyn 2
:varattnosyn 1
:location -1
)
}
:location -1
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b
)
:varlevelsup 0
:varreturningtype
0
:varnosyn 2
:varattnosyn 2
:location -1
)
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

:location -1
:constvalue 10 [ 4
0 0 0 0 69 85 82 7
9 80 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
}
:location -1
:constvalue 4 [ 1
0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2

```

```

        :vartype 1042
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1

```

```

        :stmt_len -1
    }
    :security_barrier false
    :relid 17274
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17274
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
)
{OPEXP
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0
0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)
:override 0

```

```

        :onConflict <>
        :returningOldAlias <>
        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList {
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname ps_partkey
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname ps_suppkey
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname ps_availqty
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 1700
    :vartypmod 983046
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
    :resno 4
    :resname ps_supplycost
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 4
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 5
    :vartype 1043
    :vartypmod 203
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
    }
    :resno 5
    :resname ps_comment
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 5
    :resjunk false
    }
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17278
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier_secure
:colnames ("s_supkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable {
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_n
ationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos {
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist {
{RANGETBLREF
:rteindex 1
}
}
}
:quals
{BOOLEXP
:boolop and
:args {
{OPEXP
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args {
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args {
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 ]
}
}
}
:location -1
}
}
:location -1
}
}
{SUBLINK

```

```

:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n
_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r
_comment")
}
:rtekind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
)
:rteperinfos (
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
}
:location -1
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 1042
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 0 69 8
      5 82 79 80 69 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 17181
    :resorigcol 1
    :resjunk false
  }
)

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0

```

```

        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :security_barrier false
    :relid 17274
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTY
    :alias <>
    :eref
    {ALIAS
    :aliasname nation
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
    }
    :rtekind 0
    :relid 17158
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTY
    :alias <>
    :eref
    {ALIAS
    :aliasname region
    :colnames ("r_regionkey" "r_name" "r_comment")
    }
    :rtekind 0
    :relid 17164
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    }
    :rteperminfos {
    {RTEPERMISSIONINFO
    :relid 17278
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17274
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17158
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17164
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    }
    }
    :jointree
    {FROMEXPR
    :fromlist {
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
    {RANGETBLREF
    :rtindex 3
    }
    {RANGETBLREF
    :rtindex 4
    }
    }
    }
    :quals
    {BOOLEXP
    :boolop and
    :args {
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args {
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 840
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 852
    }
    }
    }
    }
    }

```

```

:location 850
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 891
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 903
}
)
:location 901
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 942
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 956
}
)
:location 954
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 996
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 1010
}
)
:location 1008
}
{OPEXPR
:opno 1054
:opfuncid 1040
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 1057
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1073
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 1071
}
)

```

```

        :location 887
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2146
    :aggtype 1700
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 1700)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 4
        :vartype 1700
        :vartypmod 983046
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 613
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 609
    }
    :resno 1
    :resname min
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 560
}
)
:location 558
}
)
:location 328
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 6
    :vartype 1700
    :vartypmod 983046
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 51
    }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 17274
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 70
    }
    :resno 2
    :resname s_name
    :ressortgroupref 3
    :resorigtbl 17274
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 1042
    :vartypmod 29

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 86
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 17158
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 102
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 17169
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 121
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 17169
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 137
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 17274
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 156
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 17274
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 173
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 17274
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 1752
:sorttop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2

```

```

:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
}
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1181
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=481 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2: After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp_secure
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17278
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier_secure
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17274
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
}

```

```

:rtkind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
}
:rtkind 0
:relid 17191
:inh false
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
}
:rtkind 1
:subquery <>
:security_barrier false
:relid 17274
:inh false
:relkind v
:rellockmode 1
:perminfoindex 6
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
}
:rtkind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtkind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtkind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 9
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
}
:rtkind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 10
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 11
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 12
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17278
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17274
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17274
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
}

```

```

:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 5
}
)
:quals (
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 ]
}
)
:location -1
}
)
}
:rarg
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 7
}
)
:quals (
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
)
}
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 8
}
{RANGETBLREF
:rtindex 9
}
)
:quals <>
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
{VAR
:varno 7
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 8
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location -1
}
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 9
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:alias <>
:rtindex 0
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
{CONST
:consttype 1700
:consttypmod -1

```

```

        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 6 [ 24 0 0 0 0 -128 ]
    }
)
:location -1
}
)
:alias <>
:rtindex 0
}
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 10
}
)
:quals (
{OEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 10
:varattno 6
:varatype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 6
:location -1
}
){CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
)
}
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 11
}
){RANGETBLREF
:rtindex 12
}
)
:quals <>
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
){VAR
:varno 10
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 4
:location -1
}
)
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 3
:location -1
}
){VAR
:varno 12
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
)
}
)

```

```

:location -1
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 12
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
}
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
}
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{PARAM
:paramkind 1
:paramid 0
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location 840
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:location 850
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
)
}
:location 901
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 10
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 4
:location -1
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 1
        :location 956
    }
}
:location 954
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 996
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 1010
    }
)
:location 1008
}
{OEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 1042
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 1057
    }
    {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1073
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location 1071
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2146
            :aggtype 1700
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 1700)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {VAR
                        :varno 5
                        :varattno 4
                        :vartype 1700
                        :vartypmod 983046
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 5
                        :varattnosyn 4
                        :location -1
                    }
                    :resno 1
                    :resname <>
                    :ressortgroupref 0
                    :resorigtbl 0
                    :resorigcol 0
                    :resjunk false
                }
            )
            :aggorder <>
            :aggdistinct <>
            :aggfilter <>
            :aggstar false
            :aggvariadic false
            :aggkind n
            :aggpresorted false
            :agglevelsup 0
            :aggssplit 0
            :aggno -1
            :aggtransno -1
            :location 009
        }
        :resno 1
        :resname min
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```
<distinctClause >  
<sortClause >  
<limitOffset >  
<limitCount >  
<limitOption >  
<fromMarks >  
<setOperations >  
<constraintDeps >  
<withCacheOptions >  
<stmt_location >  
<stmt_len >
```

```
WARNING: is_parallel_safe: INPUT qual = <>  
WARNING: is_parallel_safe: OUTPUT qual = <(VAR :varno 3 :vartattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1)  
(VAR :varno 3 :vartattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1)>  
WARNING: is_parallel_safe: OUTPUT qual = <(VAR :varno 3 :vartattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1  
(VAR :varno 3 :vartattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1)) | parallel_safe = true | reason = PROP  
ARALLEL_SAFE</code>  
  
WARNING: is_parallel_safe: INPUT qual = <((RESTRICTINFO :clause (OEXPR :opnno 1054 :opfncid 1048 :opsresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ((VAR :varno 4 :vartattno 2 :vartype  
1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1) (CONST :consttype 1042 :consttypmod -1 :constrcollid 100 :constlen -1 :co  
nstbyval false :constisnull false :location -1 :constvalue 10 [ 4 0 0 0 0 69 85 82 79 80 69 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :  
leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 4) :required_relds (b 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 4) :right_relds (b) :orclause <  
> :rinfo_serial 19 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (o 426 2097) :left_em (EQUALENCMEMBER :em_expr (VAR :varno 4 :vartattno 2 :vartype 1042 :  
vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1) :em_relds (b 4) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain  
{JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)} :right_em (EQUALENCMEMBER :em_expr (CONST :consttype 1042 :consttypmod -1 :constrcollid 100 :constlen -1 :constbyval false :constisnull false :lo  
cation -1 :constvalue 10 [ 4 0 0 0 0 69 85 82 79 80 69 ]) :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)}) :outer_is  
_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}> )>  
WARNING: is_parallel_safe: OUTPUT qual = <((RESTRICTINFO :clause (OEXPR :opnno 1054 :opfncid 1048 :opsresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ((VAR :varno 4 :vartattno 2 :vartype  
1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1) (CONST :consttype 1042 :consttypmod -1 :constrcollid 100 :constlen -1 :c  
onstbyval false :constisnull false :location -1 :constvalue 10 [ 4 0 0 0 0 69 85 82 79 80 69 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :  
<rinfo_serial 19 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (o 426 2097) :left_em (EQUALENCMEMBER :em_expr (VAR :varno 4 :vartattno 2 :vartype 1042 :  
vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1) :em_relds (b 4) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain  
{JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)} :right_em (EQUALENCMEMBER :em_expr (CONST :consttype 1042 :consttypmod -1 :constrcollid 100 :constlen -1 :constbyval false :constisnull false :lo  
cation -1 :constvalue 10 [ 4 0 0 0 0 69 85 82 79 80 69 ]) :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)}) :outer_is  
_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0)) | parallel_safe = true | reason = PROPARALLEL  
SAFE</code>  
  
WARNING: is_parallel_safe: INPUT qual = <(VAR :varno 4 :vartattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1)  
>)| parallel_safe = true | reason = PROPARALLEL_SAFE</code>  
  
WARNING: is_parallel_safe: OUTPUT qual = <(VAR :varno 4 :vartattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1  
)>)| parallel_safe = true | reason = PROPARALLEL_SAFE</code>  
  
WARNING: is_parallel_safe: INPUT qual = <((RESTRICTINFO :clause (OEXPR :opnno 521 :opfncid 147 :opsresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 5 :vartattno 3 :vartype 23 :  
vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 3 :location -1) (CONST :consttype 23 :consttypmod -1 :constrcollid 0 :constlen 4 :constbyval true  
:constisnull false :location -1 :constvalue 4 [ 100 0 0 0 0 0 0 0 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_vol  
atile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 5) :required_relds (b 5) :incompatible_relds (b) :outer_relds (b) :left_relds (b 5) :right_relds (b 5) :orclause <> :rinfo_serial 12 :eval_  
cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (PARAM :paramkind 1 :paramid 0 :paratype 23 :paratypmod -1 :para  
mcollid 0 :location -1) (VAR :varno 5 :vartattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 1 :location -1) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :  
num_base_rels 1 :clause_relds (b 5) :required_relds (b 5) :incompatible_relds (b) :outer_relds (b) :left_relds (b 5) :right_relds (b 5) :orclause <> :rinfo_serial 12 :eval_cost.startup -1 :eval_cos  
t.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (PARAM :paramkind 1 :paramid 0 :paratype 23 :paratypmod -1 :paramcollid 0 :location -1) :em_  
relds (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)} :right_em (EQUALENCMEMBER :em_expr (VAR :varno 5 :vartattno 1 :vartype 23 :  
vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 1 :location -1) :em_relds (b 5) :em_is_const false :em_is_child false :em_datatype 23 :em_jdo  
main {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)}) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_h  
ashoperator 0)> )>  
WARNING: max_parallel_hazard_walker: Param paramid=0 → reason=out_order_reference</code>  
  
WARNING: is_parallel_safe: OUTPUT qual = <((RESTRICTINFO :clause (OEXPR :opnno 521 :opfncid 147 :opsresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 5 :vartattno 3 :vartype 23 :  
vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 3 :location -1) (CONST :consttype 23 :consttypmod -1 :constrcollid 0 :constlen 4 :constbyval tru  
e :constisnull false :location -1 :constvalue 4 [ 100 0 0 0 0 0 0 0 ])) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_vol  
atile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 5) :required_relds (b 5) :incompatible_relds (b) :outer_relds (b) :left_relds (b 5) :right_relds (b 5) :orclause <> :rinfo_serial 12 :eval_  
cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (o 1976) :left_em (EQUALENCMEMBER :em_expr (PARAM :paramkind 1 :paramid 0 :paratype 23 :paratypmod -1 :para  
mcollid 0 :location -1) (VAR :varno 5 :vartattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 1 :location -1) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :  
num_base_rels 1 :clause_relds (b 5) :required_relds (b 5) :incompatible_relds (b) :outer_relds (b) :left_relds (b 5) :right_relds (b 5) :orclause <> :rinfo_serial 12 :eval_cost.startup -1 :eval_t  
mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0) (RESTRICTINFO :clause (OEXPR :opnno 96 :opfncid 65 :opsresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((PARA  
M :paramkind 1 :paramid 0 :paratype 23 :paratypmod -1 :paramcollid 0 :location -1) (VAR :varno 5 :vartattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtype  
0 :varnosyn 5 :varattnosyn 1 :location -1) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :  
num_base_rels 1 :clause_relds (b 5) :
```

```
WARNING: is_parallel_safe: INPUT qual = ({{VAR :vvarno :1 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 1 :location -1}} (VAR :vvarno 11 :varattno 3 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 3 :location -1))
WARNING: is_parallel_safe: OUTPUT qual = ({{VAR :vvarno 11 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 1 :location -1}} (VAR :vvarno 11 :varattno 3 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 3 :location -1)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({{(RESTRICTINFO :c:clause (OPEXPR :opno 1054 :opfuncid 1048 :opresulttype 16 :opretset false :opcolld 0 :inputcolld 100 :args ({{VAR :vvarno 12 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 2 :location -1}} (CONST :consttype 1042 :consttypmod -1 :constcolld 100 :constlen -1 :constbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 6 9 85 82 79 80 69 ])) :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_rels (b 12) :required_relds (b 12) :incompatible_relds (b) :outer_relds (b) :left_relds (b 12) :right_relds (b) :orclause <= :rinfo_serial 18 :eval_cost_startup -1 :eval_cost_per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies (o 426 2097) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :vvarno 12 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 2 :location -1} :em_relds (b 12) :em_is_const false :em_is_child false :em_datatype 1 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :right_em (EQUIVALENCEMEMBER :em_expr (CONST :consttype 1042 :consttypmod -1 :constcolld 100 :constlen -1 :constbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 6 9 85 82 79 80 69 ])) :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}}
WARNING: is_parallel_safe: OUTPUT qual = ({{(RESTRICTINFO :c:clause (OPEXPR :opno 1054 :opfuncid 1048 :opresulttype 16 :opretset false :opcolld 0 :inputcolld 100 :args ({{VAR :vvarno 12 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 2 :location -1}} (CONST :consttype 1042 :consttypmod -1 :constcolld 100 :constlen -1 :constbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 6 9 85 82 79 80 69 ])) :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_rels (b 12) :required_relds (b 12) :incompatible_relds (b) :outer_relds (b) :left_relds (b 12) :right_relds (b) :orclause <= :rinfo_serial 20 :eval_cost_startup -1 :eval_cost_per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies (o 426 2097) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :vvarno 12 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 2 :location -1} :em_relds (b 11) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :right_em (EQUIVALENCEMEMBER :em_expr (CONST :consttype 1042 :consttypmod -1 :constcolld 100 :constlen -1 :constbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 6 9 85 82 79 80 69 ])) :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({{VAR :vvarno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -1}} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({{(RESTRICTINFO :c:clause (OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcolld 0 :inputcolld 0 :args ({{VAR :vvarno 11 :varattno 3 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 3 :location -1}} (VAR :vvarno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -1)) :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_rels (b 11 12) :required_relds (b 11 12) :incompatible_relds (b) :outer_relds (b) :left_relds (b 11) :right_relds (b 12) :orclause <= :rinfo_serial 21 :eval_cost_startup -1 :eval_cost_per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies (o 0058823529411764705 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :vvarno 11 :varattno 3 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 3 :location -1} :em_relds (b 11) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :vvarno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -1} :em_relds (b 12) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 96 :right_hashoperator 96}}
WARNING: is_parallel_safe: OUTPUT qual = ({{(RESTRICTINFO :c:clause (OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcolld 0 :inputcolld 0 :args ({{VAR :vvarno 11 :varattno 3 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 3 :location -1}} (VAR :vvarno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -1)) :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_rels (b 11 12) :required_relds (b 11 12) :incompatible_relds (b) :outer_relds (b) :left_relds (b 11) :right_relds (b 11) :orclause <= :rinfo_serial 20 :eval_cost_startup -1 :eval_cost_per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :vvarno 11 :varattno 3 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 3 :location -1} :em_relds (b 11) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :vvarno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -1} :em_relds (b 12) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 96 :right_hashoperator 96}} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({{VAR :vvarno 11 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 1 :location -1}} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({{(RESTRICTINFO :c:clause (OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcolld 0 :inputcolld 0 :args ({{VAR :vvarno 11 :varattno 4 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varattnosyn 4 :location -1}} (VAR :vvarno 12 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 12 :varattnosyn 1 :location -1)) :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_rels (b 10 11) :required_relds (b 10 11) :incompatible_relds (b) :outer_relds (b) :left_relds (b 10) :right_relds (b 11) :orclause <= :rinfo_serial 21 :eval_cost_startup -1 :eval_cost_per_tuple 0 :norm_selc -1 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :vvarno 10 :varattno 4 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 10 :varattnosyn 4 :location -1} :em_relds (b 10) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12))) :right_em
```

```
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 7 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 7 :varattnosyn 1 :location -1)
(VAR :varno 3 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1))
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 7 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 7 :varattnosyn 1 :location -1)
(VAR :varno 3 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1)) | parallel_safe = true | reason = PROP
ARALLEL_SAFE
```

```
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1) {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1} :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 3 4) :required_relds (b 3 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 4) :orclause <> :rinfo :serial 25 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selec 0.0058823529411764705 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1} :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)}} :right_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1} :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)}} :outer_is_left true :hashjoinoperator 96 :left_bucketsize 0.0058823529411764705 :right_bucketsize 1 :left_mcvfreq 0 :right_mcvfreq 0 :left_hasheqoperator 96 :right_hasheqoperator 96))
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause {OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1) {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1} :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 3 4) :required_relds (b 3 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 4) :orclause <> :rinfo :serial 25 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selec 0.0058823529411764705 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1} :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)}} :right_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1} :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 3 4 5 7 8 9 10 11 12)}} :outer_is_left true :hashjoinoperator 96 :left_bucketsize 0.0058823529411764705 :right_bucketsize 1 :left_mcvfreq 0 :right_mcvfreq 0 :left_hasheqoperator 96 :right_hasheqoperator 96)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 10 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 10 :varattnosyn 1 :location -1) {VAR :varno 7 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 7 :varattnosyn 1 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
OPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((AGGREF :aggfnoid 2146 :aggtype 1700 :aggcollid 0 :inputcollid 0 :aggttranstype 1700 :aggargtypes (o 1700) :aggdirectargs <> :args ({TARGETENTRY :expr {VAR :varno 5 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 4 :location -1} :resno 1 :resname <> :ressortgroupref 0 :resorigtbl 0 :resorigcol 0 :resjunk false}) :aggorder <> :aggdistinct <> :aggfilter <> :aggstar false :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ((AGGREF :aggfnoid 2146 :aggtype 1700 :aggcollid 0 :inputcollid 0 :aggttranstype 1700 :aggargtypes (o 1700) :aggdirectargs <> :args ({TARGETENTRY :expr {VAR :varno 5 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 4 :location -1} :resno 1 :resname <> :ressortgroupref 0 :resorigtbl 0 :resorigcol 0 :resjunk false}) :aggorder <> :aggdistinct <> :aggfilter <> :aggstar false :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggsplit 0 :aggno 0 :aggtransno 0 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 5 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 4 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 5 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 4 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 2 After pull up At starting of Path Generation:
DETAIL:
:QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:table (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :reldid 17169
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier_secure
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :reldid 17274
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp_secure
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p_s_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :reldid 17278
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 3
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :reldid 17158
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :reldid 17164
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
```

```

:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 17191
:inh false
:relkind r
:rellockmode 1
:perminfoindex 9
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17274
:inh false
:relkind v
:rellockmode 1
:perminfoindex 10
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 11
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS

```

```

        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
}
:rtkind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 12
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtkind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 13
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17169
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17274
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17278
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17274
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
}
{RTEPERMISSIONINFO
:relid 17164

```

```

:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{JOINEXPR
:jointype 4
:isNatural false
:larg
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 6
}
)
:quals (
{OEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
)
}
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals <>
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
)
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
)
}
)
}

```

```

:location -1
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:alias <>
:rtindex 0
}
JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 9
}
)
:quals (
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 9
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
}
:rarg
JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 11
}
)
:quals (
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 6
:location -1
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
)
}
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 12
}
{RANGETBLREF
:rtindex 13
}
)
:quals <>
}
:usingClause <>

```

```

:join_using_alias <>
:quals (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 12
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 12
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 11
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 4
        :location -1
      }
    )
  }
  :location -1
}
{OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 12
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 12
      :varattnosyn 3
      :location -1
    }
    {VAR
      :varno 13
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 13
      :varattnosyn 1
      :location -1
    }
  )
  :location -1
}
{OPEXPR
  :opno 1054
  :opfuncid 1048
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
      :varno 13
      :varattno 2
      :vartype 1042
      :vartypmod 29
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 13
      :varattnosyn 2
      :location -1
    }
    {CONST
      :consttype 1042
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
  )
  :location -1
}
)
:alias <>
:rtindex 0
}
:usingClause <>
:join_using_alias <>
:quals (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 11
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 9
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9

```

```

        :varattnosyn 2
        :location -1
    }
}
:location -1
}
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 11
        :varattno 6
        :vartype 1700
        :vartypmod 983046
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 6 [ 24 0 0 0 0 -128 ]
    }
)
:location -1
}
)
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location 297
            }
            {VAR
                :varno 9
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 9
                :varattnosyn 1
                :location -1
            }
        )
    }
    :location 307
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 9
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 2
        :location -1
    }
)
:location 342
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 367
    }
)
{CONST

```

```

:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 376
:constvalue 4 [ 15 0 0 0 0 0 0 ]
}
)
:location 374
}
}
COEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {RELABELTYPE
    :arg
      {VAR
        :varno 1
        :varattno 5
        :vartype 1043
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 391
      }
      :resulttype 25
      :resulttypmod -1
      :resultcollid 100
      :relabelformat 2
      :location -1
    }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 403
    :constvalue 10 [ 40 0 0 0 0 37 66 82 65 83 83 ]
  }
)
:location 398
}
}
COEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 6
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location -1
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 438
  }
)
:location 436
}
}
COEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 462
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 476
  }
)
:location 474
}
}
COEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 507
  }
)

```

```

    }
    {CONST
    :consttype 1042
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 523
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
  )
  :location 521
}
{OPEXPR
:opno 1752
:opfuncid 1718
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 9
  :varattno 4
  :vartype 1700
  :vartypmod 983046
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 9
  :varattnosyn 4
  :location -1
  }
  {SUBPLAN
  :sublinkType 4
  :testexpr <>
  :paramids <>
  :plan_id 1
  :plan_name SubPlan\ 1
  :firstCollType 1700
  :firstCollTypmod -1
  :firstCollCollation 0
  :useHashTable false
  :unknownEqFalse false
  :parallel_safe false
  :setParam <>
  :parParam (i 0)
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 840
    }
  )
  :startup_cost 0
  :per_call_cost 15254.967750000003
  }
)
:location 558
}
)
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 6
  :varattno 6
  :vartype 1700
  :vartypmod 983046
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 6
  :location -1
  }
  }
  :resno 1
  :resname s_acctbal
  :ressortgroupref 1
  :resorigtbl 17274
  :resorigcol 6
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 6
  :varattno 2
  :vartype 1042
  :vartypmod 29
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 2
  :location -1
  }
  }
  :resno 2
  :resname s_name
  :ressortgroupref 3
  :resorigtbl 17274
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 2
  :vartype 1042
  :vartypmod 29
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location 86
  }
  }
  :resno 3
  :resname n_name
  :ressortgroupref 2
  :resorigtbl 17158
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 102
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 17169
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 121
}
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 17169
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 17274
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 17274
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 17274
:resorigcol 7
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}

```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

rattno 7 :vartype 1043 :vartypemod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 7 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 6 :varattno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 6 :location -1} {VAR :varno 6 :varattno 2 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 2 :location -1} {VAR :varno 4 :varattno 2 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1} {VAR :varno 1 :varattno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {VAR :varno 1 :varattno 3 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1} {VAR :varno 6 :varattno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 6 :location -1} {VAR :varno 6 :varattno 5 :vartype 1042 :vartypemod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 5 :location -1} {VAR :varno 6 :varattno 7 :vartype 1043 :vartypemod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 7 :location -1}) | parallel_safe = true | reason = PROPAGATE_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 6 :varattno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 6 :location -1} {VAR :varno 6 :varattno 2 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 2 :location -1} {VAR :varno 4 :varattno 2 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1} {VAR :varno 1 :varattno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {VAR :varno 1 :varattno 3 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1} {VAR :varno 6 :varattno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 6 :location -1} {VAR :varno 6 :varattno 5 :vartype 1042 :vartypemod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 5 :location -1} {VAR :varno 6 :varattno 7 :vartype 1043 :vartypemod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 7 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 6 :varattno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 6 :location -1} {VAR :varno 6 :varattno 2 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 2 :location -1} {VAR :varno 4 :varattno 2 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1} {VAR :varno 1 :varattno 1 :vartype 23 :vartypemod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {VAR :varno 1 :varattno 3 :vartype 1042 :vartypemod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1} {VAR :varno 6 :varattno 6 :vartype 1700 :vartypemod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 6 :location -1} {VAR :varno 6 :varattno 5 :vartype 1042 :vartypemod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 5 :location -1} {VAR :varno 6 :varattno 7 :vartype 1043 :vartypemod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 7 :location -1}) | parallel_safe = true | reason = PROPAGATE_SAFE
QUERY PLAN

Limit (cost=23999.82..23999.83 rows=1 width=271) (actual time=21669.293..21669.383 rows=100.00 loops=1)
Output: s.s.acctbal, s.s.name, nation.n.name, part.p.partkey, part.p.mfgr, s.s.address, s.s.phone, s.s.comment
Buffers: shared hit=4950615
-> Sort (cost=23999.82..23999.83 rows=1 width=271) (actual time=21669.293..21669.376 rows=100.00 loops=1)
Output: s.s.acctbal, s.s.name, nation.n.name, part.p.partkey, part.p.mfgr, s.s.address, s.s.phone, s.s.comment
Sort Key: s.s.acctbal DESC, nation.n.name, s.s.name, part.p.partkey
Sort Method: quicksort Memory: 77kB
Buffers: shared hit=4950615
-> Hash Join (cost=5036.89..23999.81 rows=1 width=271) (actual time=14166.148..21668.973 rows=189.00 loops=1)
Output: s.s.acctbal, s.s.name, nation.n.name, part.p.partkey, part.p.mfgr, s.s.address, s.s.phone, s.s.comment
Hash Cond: ((ps.ps.partkey = part.p.partkey) AND (ps.ps.supplycost = (SubPlan 1)))
Buffers: shared hit=4950606
-> Nested Loop (cost=1449.90..12785.32 rows=1 width=251) (actual time=3.816..26.291 rows=70201.00 loops=1)
Output: s.s.acctbal, s.s.name, s.s.address, s.s.phone, s.s.comment, ps.ps.partkey, ps.ps.supplycost, nation.n.name
Join Filter: (nation.n.regionkey = region.r.regionkey)
Buffers: shared hit=9480
-> Seq Scan on public.region (cost=0.00..12.12 rows=1 width=4) (actual time=0.012..0.023 rows=1.00 loops=1)
Output: region.r.regionkey, region.r.name, region.r.comment
Filter: (region.r.name = 'EUROPE')::bpchar
Rows Removed by Filter: 4
Buffers: shared hit=1
-> Gather (cost=1449.90..12773.04 rows=12 width=255) (actual time=3.801..14.723 rows=70201.00 loops=1)
Output: s.s.acctbal, s.s.name, s.s.address, s.s.phone, s.s.comment, ps.ps.partkey, ps.ps.supplycost, nation.n.name, nation.n.regionkey
Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=9479
-> Hash Join (cost=449.90..11771.84 rows=5 width=255) (actual time=3.430..39.140 rows=23400.33 loops=3)
Output: s.s.acctbal, s.s.name, s.s.address, s.s.phone, s.s.comment, ps.ps.partkey, ps.ps.supplycost, nation.n.name, nation.n.regionkey
Hash Cond: (s_1.s.supkey = s.s.supkey)
Buffers: shared hit=9479
Worker 0: actual time=3.414..52.152 rows=32009.00 loops=1
Buffers: shared hit=4228
Worker 1: actual time=3.377..56.505 rows=34595.00 loops=1
Buffers: shared hit=4570
-> Hash Semi Join (cost=224.10..11542.66 rows=891 width=18) (actual time=1.710..30.898 rows=23400.33 loops=3)
Output: ps.ps.supkey, ps.ps.partkey, ps.ps.supplycost, s_1.s.supkey
Hash Cond: (ps.ps.supkey = s_1.s.supkey)
Buffers: shared hit=9134
Worker 0: actual time=1.724..41.631 rows=32009.00 loops=1
Buffers: shared hit=4113
Worker 1: actual time=1.720..45.243 rows=34595.00 loops=1
Buffers: shared hit=4455
-> Parallel Seq Scan on public.partsupp ps (cost=0.00..10875.33 rows=165071 width=14) (actual time=0.000..16.956 rows=131975.33 loops=3)
Output: ps.ps.partkey, ps.ps.supkey, ps.ps.availqty, ps.ps.supplycost, ps.ps.comment
Filter: (ps.ps.availqty > 100)
Rows Removed by Filter: 1358
Buffers: shared hit=8792
Worker 0: actual time=0.005..23.297 rows=179864.00 loops=1
Buffers: shared hit=3999
Worker 1: actual time=0.006..25.449 rows=195632.00 loops=1
Buffers: shared hit=4341
-> Hash (cost=223.76..223.76 rows=27 width=4) (actual time=1.693..1.697 rows=887.00 loops=3)
Output: s_1.s.supkey
Buckets: 1024 Batches: 1 Memory Usage: 40KB
Buffers: shared hit=342
Worker 0: actual time=1.709..1.714 rows=887.00 loops=1
Buffers: shared hit=114
Worker 1: actual time=1.704..1.707 rows=887.00 loops=1
Buffers: shared hit=114
-> Hash Semi Join (cost=24.50..223.76 rows=27 width=4) (actual time=0.124..1.594 rows=887.00 loops=3)
Output: s_1.s.supkey
Hash Cond: (s_1.s.nationkey = n_1.n.nationkey)
Buffers: shared hit=342
Worker 0: actual time=0.169..1.612 rows=887.00 loops=1
Buffers: shared hit=114
Worker 1: actual time=0.163..1.608 rows=887.00 loops=1
Buffers: shared hit=114
-> Seq Scan on public.supplier s_1 (cost=0.00..187.00 rows=4558 width=8) (actual time=0.040..1.194 rows=4566.00 loops=3)
Output: s_1.s.supkey, s_1.s.name, s_1.s.address, s_1.s.nationkey, s_1.s.phone, s_1.s.acctbal, s_1.s.comment
Filter: ((s_1.s.acctbal > '0')::numeric) AND (s_1.s.acctbal > '0')::numeric)
Rows Removed by Filter: 434
Buffers: shared hit=336
Worker 0: actual time=0.061..1.194 rows=4566.00 loops=1
Buffers: shared hit=112
Worker 1: actual time=0.056..1.188 rows=4566.00 loops=1
Buffers: shared hit=112
-> Hash (cost=24.48..24.48 rows=1 width=4) (actual time=0.077..0.079 rows=5.00 loops=3)
Output: n_1.n.nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9KB
Buffers: shared hit=6
Worker 0: actual time=0.100..0.102 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.100..0.102 rows=5.00 loops=1
Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.068..0.074 rows=5.00 loops=3)
Output: n_1.n.nationkey
Hash Cond: (n_1.n.regionkey = r_1.r.regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.092..0.097 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.091..0.097 rows=5.00 loops=1
Buffers: shared hit=2
-> Seq Scan on public.nation n_1 (cost=0.00..11.70 rows=170 width=8) (actual time=0.027..0.029 rows=25.00 loops=3)
Output: n_1.n.nationkey, n_1.n.name, n_1.n.regionkey, n_1.n.comment
Buffers: shared hit=3
Worker 0: actual time=0.038..0.039 rows=25.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.038..0.040 rows=25.00 loops=1
Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.033..0.034 rows=1.00 loops=3)
Output: r_1.r.regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9KB
Buffers: shared hit=3
Worker 0: actual time=0.046..0.047 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.045..0.047 rows=1.00 loops=1
Buffers: shared hit=1
-> Seq Scan on public.region r_1 (cost=0.00..12.12 rows=1 width=4) (actual time=0.026..0.027 rows=1.00 loops=3)
Output: r_1.r.regionkey
Filter: (r_1.r.name = 'EUROPE')::bpchar
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.037..0.039 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.037..0.040 rows=1.00 loops=1
Buffers: shared hit=1
-> Hash (cost=225.46..225.46 rows=27 width=249) (actual time=1.710..1.713 rows=887.00 loops=3)
Output: s.s.acctbal, s.s.name, s.s.address, s.s.phone, s.s.comment, s.s.supkey, nation.n.name, nation.n.regionkey
Buckets: 1024 Batches: 1 Memory Usage: 189KB
Buffers: shared hit=345
Worker 0: actual time=1.683..1.687 rows=887.00 loops=1
Buffers: shared hit=115
Worker 1: actual time=1.650..1.654 rows=887.00 loops=1
Buffers: shared hit=115

```

-> Hash Join (cost=38.32..225.46 rows=27 width=249) (actual time=0.058..1.404 rows=887.00 loops=3)
  Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, s.s_suppkey, nation.n_name, nation.n_regionkey
  Hash Cond: (n.n_nationkey = nation.n_nationkey)
  Buffers: shared hit=345
  Worker 0: actual time=0.057..1.384 rows=887.00 loops=1
    Buffers: shared hit=115
  Worker 1: actual time=0.052..1.358 rows=887.00 loops=1
    Buffers: shared hit=115
-> Hash Semi Join (cost=24.50..211.26 rows=27 width=149) (actual time=0.036..1.216 rows=887.00 loops=3)
  Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, s.s_nationkey, s.s_suppkey, n.n_nationkey
  Hash Cond: (s.s_nationkey = n.n_nationkey)
  Buffers: shared hit=342
  Worker 0: actual time=0.035..1.206 rows=887.00 loops=1
    Buffers: shared hit=114
  Worker 1: actual time=0.032..1.182 rows=887.00 loops=1
    Buffers: shared hit=114
-> Seq Scan on public.supplier s (cost=0.00..174.50 rows=4558 width=145) (actual time=0.003..0.842 rows=4566.00 loops=3)
  Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal, s.s_comment
  Filter: (s.s_acctbal > '0'::numeric)
  Rows Removed by Filter: 434
  Buffers: shared hit=336
  Worker 0: actual time=0.002..0.837 rows=4566.00 loops=1
    Buffers: shared hit=112
  Worker 1: actual time=0.002..0.812 rows=4566.00 loops=1
    Buffers: shared hit=112
-> Hash (cost=24.48..24.48 rows=1 width=4) (actual time=0.027..0.027 rows=5.00 loops=3)
  Output: n.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=6
  Worker 0: actual time=0.026..0.027 rows=5.00 loops=1
    Buffers: shared hit=2
  Worker 1: actual time=0.024..0.024 rows=5.00 loops=1
    Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.019..0.023 rows=5.00 loops=3)
  Output: n.n_nationkey
  Hash Cond: (n.n_regionkey = r.r_regionkey)
  Buffers: shared hit=6
  Worker 0: actual time=0.018..0.022 rows=5.00 loops=1
    Buffers: shared hit=2
  Worker 1: actual time=0.016..0.020 rows=5.00 loops=1
    Buffers: shared hit=2
-> Seq Scan on public.nation n (cost=0.00..11.70 rows=170 width=8) (actual time=0.003..0.005 rows=25.00 loops=3)
  Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
  Buffers: shared hit=3
  Worker 0: actual time=0.004..0.005 rows=25.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.004..0.005 rows=25.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.009..0.009 rows=1.00 loops=3)
  Output: r.r_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.008..0.008 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.007..0.007 rows=1.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..12.12 rows=1 width=4) (actual time=0.005..0.005 rows=1.00 loops=3)
  Output: r.r_regionkey
  Filter: (r.r_name = 'EUROPE'::bpchar)
  Rows Removed by Filter: 4
  Buffers: shared hit=3
  Worker 0: actual time=0.003..0.003 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.002..0.003 rows=1.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=11.70..11.70 rows=170 width=112) (actual time=0.015..0.016 rows=25.00 loops=3)
  Output: nation.n_name, nation.n_nationkey, nation.n_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 10kB
  Buffers: shared hit=3
  Worker 0: actual time=0.015..0.016 rows=25.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.013..0.015 rows=25.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.nation (cost=0.00..11.70 rows=170 width=112) (actual time=0.004..0.007 rows=25.00 loops=3)
  Output: nation.n_name, nation.n_nationkey, nation.n_regionkey
  Buffers: shared hit=3
  Worker 0: actual time=0.004..0.007 rows=25.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.003..0.007 rows=25.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=3580.00..3580.00 rows=466 width=30) (actual time=14121.796..14121.801 rows=189.00 loops=1)
  Output: part.p_partkey, part.p_mfgr
  Buckets: 1024 Batches: 1 Memory Usage: 20kB
  Buffers: shared hit=3241801
-> Seq Scan on public.part (cost=0.00..3580.00 rows=466 width=30) (actual time=0.069..21.801 rows=362.00 loops=1)
  Output: part.p_partkey, part.p_mfgr
  Filter: (((part.p_type)::text ~ '%BRASS'::text) AND (part.p_size = 15))
  Rows Removed by Filter: 99638
  Buffers: shared hit=2888
SubPlan 1
-> Aggregate (cost=15254.96..15254.97 rows=1 width=32) (actual time=39.224..39.224 rows=1.00 loops=551)
  Output: min(ps_1.ps_supplycost)
  Buffers: shared hit=4939046
-> Nested Loop (cost=48.99..15254.96 rows=1 width=6) (actual time=38.403..39.222 rows=0.93 loops=551)
  Output: ps_1.ps_supplycost
  Join Filter: (nation_1.n_regionkey = region_1.r_regionkey)
  Buffers: shared hit=4939046
-> Nested Loop (cost=48.99..15242.82 rows=1 width=10) (actual time=38.401..39.218 rows=0.93 loops=551)
  Output: ps_1.ps_supplycost, nation_1.n_regionkey
  Join Filter: (n_3.n_nationkey = nation_1.n_nationkey)
  Rows Removed by Join Filter: 22
  Buffers: shared hit=4938532
-> Nested Loop Semi Join (cost=40.99..15228.99 rows=1 width=14) (actual time=38.392..39.208 rows=0.93 loops=551)
  Output: ps_1.ps_supplycost, s_3.s_nationkey, n_3.n_nationkey
  Join Filter: (ps_1.ps_suppkey = s_2.s_suppkey)
  Rows Removed by Join Filter: 448
  Buffers: shared hit=4938018
-> Nested Loop (cost=24.50..15004.89 rows=1 width=22) (actual time=37.961..38.546 rows=0.93 loops=551)
  Output: ps_1.ps_supplycost, ps_1.ps_suppkey, s_3.s_nationkey, s_3.s_suppkey, n_3.n_nationkey
  Join Filter: (ps_1.ps_suppkey = s_3.s_suppkey)
  Rows Removed by Join Filter: 3502
  Buffers: shared hit=4906106
-> Hash Semi Join (cost=24.50..211.26 rows=27 width=12) (actual time=0.003..1.201 rows=887.00 loops=551)
  Output: s_3.s_nationkey, s_3.s_suppkey, n_3.n_nationkey
  Hash Cond: (s_3.s_nationkey = n_3.n_nationkey)
  Buffers: shared hit=61714
-> Seq Scan on public.supplier s_3 (cost=0.00..174.50 rows=4558 width=8) (actual time=0.001..0.884 rows=4566.00 loops=551)
  Output: s_3.s_suppkey, s_3.s_name, s_3.s_address, s_3.s_nationkey, s_3.s_phone, s_3.s_acctbal, s_3.s_comment
  Filter: (s_3.s_acctbal > '0'::numeric)
  Rows Removed by Filter: 434
  Buffers: shared hit=61712
-> Hash (cost=24.48..24.48 rows=1 width=4) (actual time=0.039..0.041 rows=5.00 loops=1)
  Output: n_3.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.030..0.036 rows=5.00 loops=1)
  Output: n_3.n_nationkey
  Hash Cond: (n_3.n_regionkey = r_3.r_regionkey)
  Buffers: shared hit=2
-> Seq Scan on public.nation n_3 (cost=0.00..11.70 rows=170 width=8) (actual time=0.006..0.008 rows=25.00 loops=1)
  Output: n_3.n_nationkey, n_3.n_name, n_3.n_regionkey, n_3.n_comment
  Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.015..0.016 rows=1.00 loops=1)
  Output: r_3.r_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=1
-> Seq Scan on public.region r_3 (cost=0.00..12.12 rows=1 width=4) (actual time=0.009..0.009 rows=1.00 loops=1)
  Output: r_3.r_regionkey
  Filter: (r_3.r_name = 'EUROPE'::bpchar)
  Rows Removed by Filter: 4
  Buffers: shared hit=1
-> Materialize (cost=0.00..14792.02 rows=4 width=10) (actual time=0.020..0.042 rows=3.95 loops=488737)
  Output: ps_1.ps_supplycost, ps_1.ps_suppkey
  Storage: Memory Maximum Storage: 17kB
  Buffers: shared hit=4844392
-> Seq Scan on public.partsupp ps_1 (cost=0.00..14792.00 rows=4 width=10) (actual time=18.048..36.901 rows=3.95 loops=551)
  Output: ps_1.ps_supplycost, ps_1.ps_suppkey
  Filter: (((ps_1.ps_availability > 100) AND (part.p_partkey = ps_1.ps_partkey)))

```