

```
Last login: Mon Jun 22 12:26:31 on ttys002
adityadave@Adityas-MacBook-Air-3 ~ % cd /Users/adityadave/PE/PE-Daywise-Work-Tracker/19-JUNE/Q2\&Q21
adityadave@Adityas-MacBook-Air-3 Q2&Q21 % python3 script.py
Running 1/10...
Running 2/10...
Running 3/10...
Running 4/10...
Running 5/10...
Running 6/10...
Running 7/10...
Running 8/10...
Running 9/10...
Running 10/10...
```

=====

10TH RUN OUTPUT

=====

SET

WARNING: Log 1: Planner Input:

DETAIL: {QUERY

```
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
        }
      :rtekind 0
      :relid 17169
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
      }
    {RANGETBENTRY
      :alias <>
      :eref
        {ALIAS
          :aliasname supplier
          :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
            s_acctbal" "s_comment")
          }
        :rtekind 0
        :relid 17181
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 2
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
        }
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname partsupp
            :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
              s_comment")
            }
          :rtekind 0
          :relid 17191
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 3
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals (
            {BOOLEXP
              :boolop and
              :args (
                {OPEXP
                  :opno 521
                  :opfuncid 147
                  :opresulttype 16
                  :opretset false
                  :opcollid 0
                  :inputcollid 0
                  :args (
                    {VAR
                      :varno 3
                      :varattno 3
                      :vartype 23
                      :vartypmod -1
                      :varcollid 0
                      :varnullingrels (b)
                      :varlevelsup 0
                      :varreturningtype 0
                      :varnosyn 3
                      :varattnosyn 3
                      :location -1
                    }
                    {CONST
                      :consttype 23
                      :consttypmod -1
                      :constcollid 0
                      :constlen 4
                      :constbyval true
                      :constisnull false
                      :location -1
                      :constvalue 4 [ 100 0 0 0 0 0 0 ]
                    }
                  )
                }
              :location -1
            }
          {SUBLINK
            :subLinkType 0
            :subLinkId 0
            :testexpr <>
            :operName <>
            :subselect
              {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSublinks false
                :hasDistinctOn false
```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
  {RANGETBLENTRY
    :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkkey" "s_name" "s_address" "s_nationkey"
        "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 17181
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 17181
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rindex 1
    }
  )
  :quals
  {BOOLEXPRESS
    :boolop and
    :args (
      {OPEXPRESS
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 3
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 2
            :location -1
          }
        )
      }
      :location -1
    }
    {OPEXPRESS
      :opno 1756
      :opfuncid 1720
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 1700
          :vartypmod 983046
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location -1
        }
        {FUNCEXPRESS
          :funcid 1740
          :funcresulttype 1700
          :funcrtset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 23
              :consttypmod -1
              :constcollid 0
              :constlen 4
              :constbypass true
              :constisnull false
              :location -1
              :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
          )
          :location -1
        }
      )
    }
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
}
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17169
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
}

```

```

)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 283
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 295
}
}
:location 293
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 318
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 330
}
}
:location 328
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 353
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 362
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
}
:location 360
}
{OPEXPR
:opno 1289
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{RELABELTYPE
:arg
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 377
}
:resulttype 25
:resulttypmod -1
:resultcollid 100
:relabelformat 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location 389
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 384
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 410
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 424
}
)
:location 422
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 440
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 462
}
)
:location 460
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 486
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 495
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 493
}
{OPEXPR
:opno 1752
:opfuncid 1718
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 516
}
{SUBLINK
:sublinkType 4
:sublinkid 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
}
}
}
}

```

```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
          _supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 17191
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 521
            :opfuncid 147
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
          }
          :args (
            {VAR
              :varno 1
              :varattno 3
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 3
              :location -1
            }
            {CONST
              :consttype 23
              :consttypmod -1
              :constcollid 0
              :constlen 4
              :constbyval true
              :constisnull false
              :location -1
              :constvalue 4 [ 100 0 0 0 0 0 0 ]
            }
          )
        }
      )
    :location -1
  }
  {SUBLINK
    :sublinktype 0
    :sublinkid 0
    :testexpr <>
    :operName <>
  }
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSublinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias
            {ALIAS
              :aliasname s
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname s
              :colnames ("s_suppkey" "s_name" "s_address
                " "s_nationkey" "s_phone" "s_acctbal" "s_c
                omment")
            }
          :rtekind 0
          :relid 17181
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
      :rteperminfos (
        {RTEPERMISSIONINFO
          :relid 17181
          :inh true
          :requiredPerms 2
          :checkAsUser 0
          :selectedCols (b 8 13)
          :insertedCols (b)
          :updatedCols (b)
        }
      )
    }
  :jointree
    {FROMEXP
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
      :quals
        {BOOLEXP
          :boolop and
          :args (
            {OPEXP
              :opno 96
              :opfuncid 65
              :opresulttype 16
              :opretset false
              :opcollid 0
              :inputcollid 0
            }
          :args (

```

```

{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:location -1
}
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 1740
:funcresulttype 1700
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid i7181
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos {
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
}
:jointree
{FROMEXPR
:fromlist {
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
}
}
:quals
{BOOLEXP
:boolop and
:args {
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args {
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 798
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 810
}
}
}
:location 808
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args {
{VAR
:varno 2
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 849
}
{VAR
:varno 1
:varattno 2
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 861
}
}
:location 859
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 900
}
{VAR
:varno 3
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 914
}
}
:location 912
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 954
}
{VAR
:varno 4
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 968
}
}
:location 966
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:varatype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 1008
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1017
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
}
:location 1015
}
}
:location 845
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expe
{AGGREF
:aggfnoid 2146
:aggtype 1700
:aggcollid 0
:inputcollid 0

```

```

:aggtranstype 0
:aggargtypes (o 1700)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 4
      :vartype 1700
      :vartypmod 983046
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 4
      :location 585
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpreserved false
:agglevelsup 0
:aggspilt 0
:aggno -1
:aggtransno -1
:location 581
}
:resno 1
:resname min
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 532
}
)
:location 530
}
)
:location 314
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 6
      :vartype 1700
      :vartypmod 983046
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location 51
    }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 17181
    :resorigcol 6
    :resjunk false
  }
)
{TARGETENTRY
:expr
  {VAR
    :varno 2
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 70
  }
  :resno 2
  :resname s_name
  :ressortgroupref 3
  :resorigtbl 17181
  :resorigcol 2
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 86
  }
  :resno 3
  :resname n_name
  :ressortgroupref 2
  :resorigtbl 17158
  :resorigcol 2
  :resjunk false
}

```

```

}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 102
  }
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 17169
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 3
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 121
  }
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 17169
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 2
    :varattno 3
    :vartype 1043
    :vartypmod 44
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 137
  }
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 2
    :varattno 5
    :vartype 1042
    :vartypmod 19
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 156
  }
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 2
    :varattno 7
    :vartype 1043
    :vartypmod 105
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 173
  }
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1756
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1054
    :sortop 1058
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1054
    :sortop 1058
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)

```

```

{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1125
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=481 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperinfos (
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtable 1
}
)
}
:quals (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
{OPEXP
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
}
:location -1
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {OPEXPR :opno 1756 :opfuncid 1720 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args {(VAR :varno 1 :varattno 6 :vartype 17 00 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 1700 :consttypmod -1 :constcollid 0 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 6 [ 24 0 0 0 0 -128 ]}} :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relsids (b 1) :required_relsids (b 1) :incompatible_relsids (b) :outer_relsids (b) :left_relsids (b 1) :right_relsids (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {RESTRICTINFO :clause {OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args {(VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {PARAM :paramkind 1 :paramid 1 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relsids (b 1) :required_relsids (b 1) :incompatible_relsids (b) :outer_relsids (b 1) :left_relsids (b 1) :right_relsids (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 1 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_relsids (b 1) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relsids (b 1)}} :right_em {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 1 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_relsids (b 1) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relsids (b 1)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel
safe = false | reason = PROPAGALLEL_RESTRICTED
WARNING: is_parallel_safe: INPUT qual = <> | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {
QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTe false
:isReturn false
:rtelist <>
:rttable (
{RANGETBLREF
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames {"s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment"}
}
:rtkind 0
:reldid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
}
:rtperminfos (
{RTEPERMISSIONINFO
:reldid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals (

```

```

{OEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1700
    :vartypmod 983046
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 0 -128 ]
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1756 :opfuncid 1720 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 1700 :consttypmod -1 :constcollid 0 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 6 [ 24 0 0 0 0 -128 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost_startup -1 :eval_cost_per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1756 :opfuncid 1720 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 1700 :consttypmod -1 :constcollid 0 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 6 [ 24 0 0 0 0 -128 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost_startup -1 :eval_cost_per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rttable (
  {RANGELEFTENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname partsupp
      :colnames ("ps_partkey" "ps_suppk" "ps_availqty" "ps_supplycost" "ps_comment")
    }
  }
  :rtekind 0
  :relid 17191
  :inh false
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals (

```

```

{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
})
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
})
:location -1
}
{ALTERNATIVESUBPLAN
:subplans (
  {SUBPLAN
:sublinktype 0
:testexpr <>
:paramids <>
:plan_id 1
:plan_name SubPlan\ 1
:firstcoltype 2278
:firstcoltypmod -1
:firstcolcollation 0
:usehashtable false
:unknowneqfalse true
:parallel_safe false
:setparam <>
:parparam (i 1)
:args (
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
})
)
:startup_cost 0
:per_call_cost 187
}
  {SUBPLAN
:sublinktype 2
:testexpr
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
})
  {PARAM
:paramkind 1
:paramid 2
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
})
)
:location -1
}
:paramids (i 2)
:plan_id 2
:plan_name SubPlan\ 2
:firstcoltype 23
:firstcoltypmod -1
:firstcolcollation 0
:usehashtable true
:unknowneqfalse true
:parallel_safe true
:setparam <>
:parparam <>
:args <>
:startup_cost 185.895
:per_call_cost 0.0025
})
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:infromcl true
:securityquals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}

```

```

:rtkind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtkind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
)
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{PARAM
:paramkind 1
:paramid 0
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location 798
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 810
}
)
:location 808
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 849
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 2
:location 861
}
)
:location 859
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 900
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 914
}
)
:location 912
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 954
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 968
}
)
:location 966
}
{OEXPR
:opno 1054
:opfuncid 1040
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 1008
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1017
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 1015
}
)
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2146
:aggtype 1700
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 1700)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 585
}
:resno 1
:resname <>

```

```

        :resortgroupref 0
        :resorttbl 0
        :resorigcol 0
        :resjunk false
    }
}

:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvaradic false
:aggkind n
:aggpresorted false
:aggllevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location S81

:resno 1
:resname min
:resortgroupref 0
:resorttbl 0
:resorigcol 0
:resjunk false
}

:override 0
:onConflict <>
:returningOldalias <>
:returningNewalias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

[illegible]

```

bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 96 :right_hashoperator 96)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1)
(VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1))
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1)
(VAR :varno 3 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1)) | parallel_safe = true | reason = PROP
ABRILEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 3 :varattno 3 :vartype 23 :va
rtypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1)) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (
b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1)) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof true :
has_volatility 2 :security_level 1 :num_base_rels 2 :clause_relds (b 3 4) :required_relds (b 3 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 4) :orclause <> :rinfo_s
erial 10 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_select 0.0058823529411764705 :outer_select -1 :mergeopfamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 3 :varattno 3 :vart
ypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1) :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jd
omain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :
varnosyn 4 :varattnosyn 1 :location -1) :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :outer_is_left false :hashjoinoperator 96
:left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 96 :right_hashoperator 96))
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 3 :varattno 3 :vartype 23 :v
artypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1)) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (
b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1)) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof true :
has_volatility 2 :security_level 1 :num_base_rels 2 :clause_relds (b 3 4) :required_relds (b 3 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 4) :orclause <> :rinfo_s
erial 10 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_select 0.0058823529411764705 :outer_select -1 :mergeopfamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 3 :varattno 3 :vart
ypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1) :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jd
omain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :
varnosyn 4 :varattnosyn 1 :location -1) :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :outer_is_left false :hashjoinoperator 96
:left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 96 :right_hashoperator 96)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 3 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 1 :location -1)
)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 3 :varattno 3 :vartype 23 :va
rtypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1)) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (
b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1)) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof true :
has_volatility 2 :security_level 1 :num_base_rels 2 :clause_relds (b 3 4) :required_relds (b 3 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 4) :orclause <> :rinfo_s
erial 10 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_select 0.0058823529411764705 :outer_select -1 :mergeopfamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 3 :varattno 3 :vart
ypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1) :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jd
omain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :
varnosyn 4 :varattnosyn 1 :location -1) :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :outer_is_left false :hashjoinoperator 96
:left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 96 :right_hashoperator 96))
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 3 :varattno 3 :vartype 23 :v
artypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1)) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (
b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1)) :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof true :
has_volatility 2 :security_level 1 :num_base_rels 2 :clause_relds (b 3 4) :required_relds (b 3 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 4) :orclause <> :rinfo_s
erial 10 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_select 0.0058823529411764705 :outer_select -1 :mergeopfamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 3 :varattno 3 :vart
ypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varattnosyn 3 :location -1) :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 23 :em_jd
omain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :
varnosyn 4 :varattnosyn 1 :location -1) :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4)}) :outer_is_left false :hashjoinoperator 96
:left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 96 :right_hashoperator 96))
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1)
)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((AGGREG :aggfnoid 2146 :aggtype 1700 :aggcollid 0 :inputcollid 0 :aggtranstype 1700 :aggargtypes (o 1700) :aggdirectargs <> :args ((TARGETENTRY :expr (VAR :varno 0 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 4 :location -1) :resno 1 :resname <> :ressortgroupref 0 :resorigtbl 0 :resorigcol 0 :resjunk false)) :aggorder <> :aggdistinct <> :aggfilter <> :aggstar false :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggssplit 0 :aggno 0 :aggtransno 0 :location -1))
WARNING: is_parallel_safe: OUTPUT qual = ((AGGREG :aggfnoid 2146 :aggtype 1700 :aggcollid 0 :inputcollid 0 :aggtranstype 1700 :aggargtypes (o 1700) :aggdirectargs <> :args ((TARGETENTRY :expr (VAR :varno 0 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 4 :location -1) :resno 1 :resname <> :ressortgroupref 0 :resorigtbl 0 :resorigcol 0 :resjunk false)) :aggorder <> :aggdistinct <> :aggfilter <> :aggstar false :aggvariadic false :aggkind n :aggpresorted false :agglevelsup 0 :aggssplit 0 :aggno 0 :aggtransno 0 :location -1))
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 1 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 4 :location -1)
)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL:
{
  QUERY
  :commandType
```

```

:paramid 3
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
}

WARNING: is_parallel_safe: INPUT qual = ({RESTRICINFO :clause {OPEXPR :opno 1756 :opfuncid 1720 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 1700 :consttypmod -1 :constcollid 0 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 6 [ 24 0 0 0 0 -128 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b 1) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeofamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {RESTRICINFO :clause {OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} :em_rels (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_rels (b 1)}} :right_em {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 3 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_rels (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_rels (b 1)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICINFO :clause {OPEXPR :opno 1756 :opfuncid 1720 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 1700 :consttypmod -1 :constcollid 0 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 6 [ 24 0 0 0 0 -128 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b 1) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeofamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0} {RESTRICINFO :clause {OPEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} :em_rels (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_rels (b 1)}} :right_em {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 3 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_rels (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_rels (b 1)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = false | reason = PROPARALLEL_RESTRICTED
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 2: After pull up At starting of Path Generation:
DETAIL:
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:table (
{RANGEABLEENTRY
:alias
:alias (ALIAS
:aliasname s
:colnames <>
}
)
:eref (ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
)
:relkind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:permindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:teperinfos (
{RTEPERMISSIONINFO

```

```

:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals (
{OEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varstype 1700
:varstypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
){CONST
:consttype 1700
:conststypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}

```

```

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {OEXPR :opno 1756 :opfuncid 1720 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :varstype 1700 :varstypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 1700 :conststypmod -1 :constcollid 0 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 6 [ 24 0 0 0 0 -128 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

```

```

WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause {OEXPR :opno 1756 :opfuncid 1720 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 6 :varstype 1700 :varstypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} {CONST :consttype 1700 :conststypmod -1 :constcollid 0 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 6 [ 24 0 0 0 0 -128 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_rels (b 1) :required_rels (b 1) :incompatible_rels (b) :outer_rels (b) :left_rels (b 1) :right_rels (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 1 :varattno 1 :varstype 23 :varstypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
)

```

```

WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 1 :varattno 1 :varstype 23 :varstypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 1 :varattno 1 :varstype 23 :varstypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
)

```

```

WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 1 :varattno 1 :varstype 23 :varstypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
) | parallel_safe = true | reason = PROPARALLEL_SAFE

```

```

WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE

```

```

WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTe false
:isReturn false
:teList <>
:table (
{RANGETBLENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 17169
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 17191
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals ((
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 ]
}
)
:location -1
}
}
{ALTERNATIVESUBPLAN
:subplans (
{SUBPLAN
:subLinkType 0
:testexpr <>
:paramids <>
:plan_id 4
:plan_name SubPlan\ 4
:firstColType 2278
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse true
:parallel_safe false
:setParam <>
:parParam (i 3)
:args (
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
)
:startup_cost 0
:per_call_cost 187
}
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
)
}
{PARAM

```

```

        :paramkind 1
        :paramid 4
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
    }
    }
    :location -1
    }
    :paramids (i 4)
    :plan_id 5
    :plan_name SubPlan\ 5
    :firstColType 23
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable true
    :unknownEqFalse true
    :parallel_safe true
    :setParam <>
    :parParam <>
    :args <>
    :startup_cost 185.895
    :per_call_cost 0.0025
    }
    }
    })
    }
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname nation
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
    }
    :rtekind 0
    :relid 17158
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname region
    :colnames ("r_regionkey" "r_name" "r_comment")
    }
    }
    :rtekind 0
    :relid 17164
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 17169
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 12 13)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17181
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17191
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17158
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17164
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
    {RANGETBLREF
    :rtindex 3
    }
    {RANGETBLREF
    :rtindex 4
    }
    {RANGETBLREF
    :rtindex 5
    }
    )
    :quals (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 283
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 295
}
)
:location 293
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 318
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 330
}
}
:location 328
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 353
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 362
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 360
}
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{RELABELEDTYPE
:arg
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 377
}
:resulttype 25
:resulttypmod -1
:resultcollid 100
:relabelformat 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 389
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
}
:location 384
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 410
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 424
}
}
:location 422
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 448
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 462
}
)
:location 460
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 486
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 495
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 493
}
{OPEXPR
:opno 1752
:opfuncid 1718
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 516
}
{SUBPLAN
:subLinkType 4
:testexpr <>
:paramIds <>
:plan_id 3
:plan_name SubPlan\ 3
:firstColType 1700
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse false
:parallel_safe false
:setParam <>
:parParam (i 0)
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 798
}
)
:startup_cost 0
:per_call_cost 74815132.97250003
}

```

```

    )
    :location 530
  }
}
):mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:varatype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 51
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 17181
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:varatype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 70
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 17181
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:varatype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 86
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 17158
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 102
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 17169
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varatype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 121
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 17169
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:varatype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 137
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:varatype 1042
:vartypmod 19

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 156
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 173
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause {
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 1752
:sorttop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 2
:eqop 1054
:sorttop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 3
:eqop 1054
:sorttop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 4
:eqop 96
:sorttop 97
:reverse_sort false
:nulls_first false
:hashable true
}
}
:limitOffset <>
:limitCount
{CONST
:consttype 20
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 100 0 0 0 0 0 0 0 ]
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:smt_location 0
:smt_len 0
}

```

```

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1209 :opfncid 850 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ({RELABELTYPE :arg {VAR :varno 1 :varattno 5 :vartype 1043 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 5 :location -1} :resulttype 25 :resulttypmod -1 :resultcollid 100 :relabelformat 2 :location -1} {CONST :consttype 25 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 1 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b 1) :outer_relds (b 1) :right_relds (b 1) :orclause <> :rinfo_serial 6 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 1 :varattno 6 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} :em_relds (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4 5)}} :right_em {EQUIVALENCEMEMBER :em_expr {CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [ 15 0 0 0 0 0 0 0 ]} :em_relds (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4 5)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1209 :opfncid 850 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ({RELABELTYPE :arg {VAR :varno 1 :varattno 5 :vartype 1043 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 5 :location -1} :resulttype 25 :resulttypmod -1 :resultcollid 100 :relabelformat 2 :location -1} {CONST :consttype 25 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 1 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b 1) :outer_relds (b 1) :right_relds (b 1) :orclause <> :rinfo_serial 6 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 1 :varattno 6 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location -1} :em_relds (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4 5)}} :right_em {EQUIVALENCEMEMBER :em_expr {CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true :constisnull false :location -1 :constvalue 4 [ 15 0 0 0 0 0 0 0 ]} :em_relds (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2 3 4 5)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = true | reason = PROPAGALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 1 :varattno 1 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {VAR :varno 2 :varattno 3 :vartype 1043 :vartypmod 44 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 3 :location -1} {VAR :varno 2 :varattno 5 :vartype 1042 :vartypmod 19 :varcollid 10 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1} {VAR :varno 2 :varattno 7 :vartype 1043 :vartypmod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1} {VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1} {VAR :varno 2 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983846 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :location -1}

```

```
WARNING: is_parallel_safe: OUTPUT qual = ({(VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :location -1) (VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1) (VAR :varno 2 :varattno 3 :vartype 1043 :vartypmod 44 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 3 :location -1) (VAR :varno 2 :varattno 5 :vartype 1042 :vartypmod 19 :varcollid 1
```

[illegible]