

Last login: Mon Jun 22 12:31:26 on ttys001
adityadave@Adityas-MacBook-Air-3 ~ % cd /Users/adityadave/PE/PE-Daywise-Work-Tracker/19-JUNE/Q2\&Q21
adityadave@Adityas-MacBook-Air-3 Q2&Q21 % python3 script.py
Running 1/10...
Running 2/10...
Running 3/10...
Running 4/10...
Running 5/10...
Running 6/10...
Running 7/10...
Running 8/10...
Running 9/10...
Running 10/10...

=====

10TH RUN OUTPUT

=====

SET

WARNING: Log 1: Planner Input:

DETAIL: {QUERY

```
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 17169
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 17181
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp_secure
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
          s_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSublinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :ctelist <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname ps
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname ps
                :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
                  st" "ps_comment")
              }
            :rtekind 0
            :relid 17191
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 17191
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
```

```

{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 ]
}
)
:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
:alias
  {ALIAS
:aliasname s
:colnames <>
}
:eref
  {ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nati
onkey" "s_phone" "s_acctbal" "s_comment")
}
}
:rtekind 0
:relid 17181
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCI true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
  {FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
)
}
:quals
  {BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
)
  {OPEXPR
:opno 1756
:opfuncid 1720

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1700
    :vartypmod 983046
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {FUNCEXP
    :funcid 1740
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname ps_partkey
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname ps_supkey
    :ressortgroupref 0
    :resorigtbl 17191
    :resorigcol 2
    :resjunk false
  }
)
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname ps_availqty
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname ps_supplycost
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 203
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname ps_comment
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 5
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17268
:inh false
:relkind v
:rellockmode 1
:perminfoindex 3
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17169
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true

```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17268
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 290
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 302
}
)
:location 300
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 325
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 337
}
)
:location 335
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 6
:location 368
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 369
:constvalue 4 [ 15 0 0 0 0 0 0 ]
}
)
:location 367
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{RELABELTYPE
:arg
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 384
}
:resulttype 25
:resulttypmod -1
:resultcollid 100
:relabelformat 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 396
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 391
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 417
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 431
}
)
:location 429
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 455
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 469
}
)
:location 467
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 493
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 502
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 500
}
{OPEXPR
:opno 1752
:opfuncid 1718
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 523
}
{SUBLINK
:sublinktype 4
:sublinkid 0
:sublinkexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname partsupp_secure
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
}
}
:rtekind 0
:relid 17191
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtable 1
}
)
}
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:opetName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctList <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_a
ddress" "s_nationkey" "s_phone" "s_a
cctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
}
:location -1
}
{OPEXP
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0
0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname ps_partkey
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname ps_suppkey
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname ps_availqty
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname ps_supplycost
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 203
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname ps_comment
:ressortgroupref 0
:resorigtbl 17191
:resorigcol 5
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
}
:security_barrier false
:relid 17268
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
}
:rtkind 0
:relid 17181
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
}
:rtkind 0
:relid 17158
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtkind 0
:relid 17164
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
}
:rtperminfos {
{RTEPERMISSIONINFO

```

```

:relid 17268
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 812
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 824
}
)
:location 822
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 863
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 875
}
)
:location 873
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 4
        :location 914
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 928
    }
}
:location 926
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 968
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 982
}
)
:location 980
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 1022
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1031
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 1029
}
}
:location 859
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2146
:aggtype 1700
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 1700)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 592
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvarindis false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 588
}
}
:resno 1
:resname min
:ressortgroupref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 539
}
}
:location 537
}
}
:location 321
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 51
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 17181
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 70
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 17181
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 86
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 17158
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 102
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 17169
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 121
}
:resno 5
:resname p_mfg
:ressortgroupref 0
:resorigtbl 17169
:resorigcol 3

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:varatype 1043
:varitypm 44
:varcollid 100
:varnullingrels (b)
:varlevels 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 137
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:varatype 1042
:varitypm 19
:varcollid 100
:varnullingrels (b)
:varlevels 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 156
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:varatype 1043
:varitypm 105
:varcollid 100
:varnullingrels (b)
:varlevels 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 173
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1139
:constvalue 4 [ 100 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)

```

WARNING: max_parallel_hazard_walker: FuncExpr funcid=481 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: (QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp_secure
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17268
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 17191
:inh false
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17268
:inh true

```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 5
}
)
:quals (
{OEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
}
:rarg
{RANGETBLREF
:rtindex 6
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
)
:location -1
}
)
{OEXPR
:opno 1756

```

```

:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 6
    :varattno 6
    :vartype 1700
    :vartypmod 983046
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 0 -128 ]
  }
)
:location -1
}
)
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location 812
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:location 822
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 863
  }
  {VAR
    :varno 5
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
  }
)
:location 873
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 914
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
  }
)

```

```

        :location 928
    }
}
:location 926
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 968
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 982
}
}
:location 980
}
{OEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 1022
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1031
:constvalue 10 [ 40 0 0 0 0 69 85 82 79 80 69 ]
}
}
:location 1029
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2146
:aggtype 1700
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 1700)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 588
}
:resno 1
:resname min
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```

:sortFields <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:isOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {(VAR :varno 2 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varrattnosyn 1 :location -1) (VAR :varno 2 :varrattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varrattnosyn 4 :location -1)}
WARNING: is_parallel_safe: OUTPUT qual = {(VAR :varno 2 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varrattnosyn 1 :location -1) (VAR :varno 2 :varrattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varrattnosyn 4 :location -1)} | parallel_safe = true | reason = PROP
ADDED SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {(VAR :varno 3 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varrattnosyn 1 :location -1) (VAR :varno 3 :varrattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varrattnosyn 3 :location -1)}
WARNING: is_parallel_safe: OUTPUT qual = {(VAR :varno 3 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varrattnosyn 1 :location -1) (VAR :varno 3 :varrattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 3 :varrattnosyn 3 :location -1)} | parallel_safe = true | reason = PROP
ADDED SAFE
WARNING: is_parallel_safe: INPUT qual = {(RESTRICTINFO :clause (OEXPR :opno 1054 :opfuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args (VAR :varno 4 :varrattno 2 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 2 :location -1) (CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constnbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 69 85 82 79 80 69 ]):location -1):is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 4) :required_relds (b 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 4) :right_relds (b 4) :orclause <> :rinfo_serial 8 :rinfo_serial 8 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (0 426 2097) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varrattno 2 :vartype 1042 :em_datatype 100 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 2 :location -1) :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 1042 :em_jdomain (JOINDOMAIN :jd_relds (b 2 3 4 5 6))):right_em (EQUIVALENCEMEMBER :em_expr (CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constnbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 69 85 82 79 80 69 ]):em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain (JOINDOMAIN :jd_relds (b 2 3 4 5 6))):outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mvcfreq -1 :right_mvcfreq -1 :left_hashoperator 0 :right_hashoperator 0)}
WARNING: is_parallel_safe: OUTPUT qual = {(RESTRICTINFO :clause (OEXPR :opno 1054 :opfuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args (VAR :varno 4 :varrattno 2 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 2 :location -1) (CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constnbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 69 85 82 79 80 69 ]):location -1):is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 4) :required_relds (b 4) :incompatible_relds (b 4) :outer_relds (b) :left_relds (b 4) :right_relds (b 4) :orclause <> :rinfo_serial 8 :rinfo_serial 8 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (0 426 2097) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varrattno 2 :vartype 1042 :em_datatype 100 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 2 :location -1) :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 1042 :em_jdomain (JOINDOMAIN :jd_relds (b 2 3 4 5 6))):right_em (EQUIVALENCEMEMBER :em_expr (CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constnbval false :constisnull false :location -1 :constval 10 [ 4 0 0 0 69 85 82 79 80 69 ]):em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain (JOINDOMAIN :jd_relds (b 2 3 4 5 6))):outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mvcfreq -1 :right_mvcfreq -1 :left_hashoperator 0 :right_hashoperator 0)} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {(VAR :varno 4 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 1 :location -1) (VAR :varno 4 :varrattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 3 :location -1)}
WARNING: is_parallel_safe: OUTPUT qual = {(VAR :varno 4 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 1 :location -1) (VAR :varno 4 :varrattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varrattnosyn 3 :location -1)} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {(RESTRICTINFO :clause (OEXPR :opno 521 :opfuncid 147 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args (VAR :varno 5 :varrattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varrattnosyn 3 :location -1) (CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constnbval true :constisnull false :location -1 :constval 4 [ 100 0 0 0 0 0 ]):location -1):is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 5) :required_relds (b 5) :incompatible_relds (b) :outer_relds (b) :left_relds (b 5) :right_relds (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mvcfreq -1 :right_mvcfreq -1 :left_hashoperator 0 :right_hashoperator 0)} (RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args (PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1) (VAR :varno 5 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varrattnosyn 1 :location -1) :location -1):is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 5) :required_relds (b 5) :incompatible_relds (b) :outer_relds (b) :left_relds (b 5) :right_relds (b 5) :orclause <> :rinfo_serial 4 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies (0 1976) :left_em (EQUIVALENCEMEMBER :em_expr (PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1) :em_relds (b 5) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 2 3 4 5 6))):right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 5 :varrattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varrattnosyn 1 :location -1) :em_relds (b 5) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 2 3 4 5 6))):outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mvcfreq -1 :right_mvcfreq -1 :left_hashoperator 0 :right_hashoperator 0)}
WARNING: max_parallel_hazard_walker: Param paramid=0 in_safe_list=0 => reason=operator_reference
WARNING: is_parallel_safe: OUTPUT qual = {(RESTRICTINFO :clause (OEXPR :opno 521 :opfuncid 147 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args (VAR :varno 5 :varrattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varrattnosyn 3 :location -1) (CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constnbval true :constisnull false :location -1 :constval 4 [ 100 0 0 0 0 0 ]):location -1):is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 5) :required_relds (b 5) :incompatible_relds (b) :outer_relds (b) :left_relds (b 5) :right_relds (b 5) :orclause <> :rinfo_serial 4 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selc -1 :outer_selc -1 :mergopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mvcfreq -1 :right_mvcfreq -1 :left_hashoperator 0 :right_hashoperator 0)} (RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 
```

[illegible]

```

:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp_secure
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17268
:inh false
:relkind v
:rellockmode 1
:perminfoindex 3
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17158
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17164
:inh false
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 17191
:inh false
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 17181
:inh false
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperinfos (
{RTEPERMISSIONINFO
:relid 17169
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17268
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17158
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17164

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17191
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17181
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 6
}
)
:quals (
{OEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
}
:rarg
{RANGETBLREF
:rtindex 7
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
)
:location -1
}
)
{OEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
)
{CONST

```

```

        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 6 [ 24 0 0 0 0 -128 ]
    }
}
:location -1
}
)
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 290
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
)
:location 300
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 325
}
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
)
:location 335
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 360
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 369
:constvalue 4 [ 15 0 0 0 0 0 0 ]
}
)
:location 367
}
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{RELABELTYPE
:arg
{VAR
:varno 1
:varattno 5
:vartype 1043
:vartypmod 29
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 384
    }
    :resulttype 25
    :resulttypemod -1
    :resultcollid 100
    :relabelformat 2
    :location -1
}
{CONST
:consttype 25
:consttypemod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 396
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
}
:location 391
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypemod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 417
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypemod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 431
}
}
:location 429
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypemod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 455
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypemod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 469
}
}
:location 467
}
{OPEXPR
:opno 1054
:opfuncid 1040
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 1042
:vartypemod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 493
}
{CONST
:consttype 1042
:consttypemod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 502
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
}
:location 500
}
{OPEXPR
:opno 1752
:opfuncid 1718
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 4
:vartype 1700
:vartypemod 983046
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
{SUBPLAN
:subLinkType 4
:testexpr <>
:paramids <>
:plan_id 1
:plan_name SubPlan\ 1
:firstColType 1700
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse false
:parallel_safe false
:setParam <>
:parParam (i 0)
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 812
}
)
:startup_cost 0
:per_call_cost 15230.775000000003
}
}
:location 537
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 51
}
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 17181
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 70
}
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 17181
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 86
}
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 17158
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 102
}
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 17169
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 3
:location 121
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 17169
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:varatype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 137
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:varatype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 156
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:varatype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 173
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 17181
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{CONST
:consttype 20
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 100 0 0 0 0 0 0 0 ]
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OPEXPR :opno 1209 :opfuncid 850 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ({RELABELTYPE :arg {VAR :varno 1 :var attno 5 :varatype 1043 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 5 :location -1} :resulttype 25 :resulttypmod -1 :resultcollid 100 :rela belformat 2 :location -1} {CONST :consttype 25 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 10 [40 0 0 0 37 66 82 65 83 83]}) :location - 1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_relds (b 1) :right_relds (b) :orclause <> :rinfo_serial 7 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfami

[illegible]

[illegible]

```
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 2 :varattno 2 :vartype 1462 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1))
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 4 :varattno 2 :vartype 1462 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :location -1) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual ((VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :location -1))
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :location -1) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 6 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 2 :location -1) (VAR :varno 7 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 7 :varattnosyn 1 :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :ch_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 6 7) :required_relds (b 6 7) :incompatible_relds (b) :outer_relds (b) :left_relds (b 6) :right_relds (b 7) :orclause < :rinfo :serial 17 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selc 0.0001999600879984003 :outer_selc 0.91141771646567087 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 6 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 2 :location -1) :em_relds (b 6) :em_is_const false :em_is_child false :em_dateatime 23 :em_jdomain (JOINDOMAIN :jd_relds (b 1 2 4 5 6 7))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 7 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 7 :varattnosyn 1 :location -1) :em_relds (b 7) :em_is_const false :em_is_child false :em_dateatime 23 :em_jdomain (JOINDOMAIN :jd_relds (b 1 2 4 5 6 7))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.0026046875289588385 :right_bucketsize 0.00021939447125932427 :left_mcvfreq 0.0006333333392627537 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :location -1) (VAR :varno 2 :varattno 2 :vartype 1462 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1) (VAR :varno 2 :varattno 3 :vartype 1463 :vartypmod 44 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 3 :location -1) (VAR :varno 2 :varattno 5 :vartype 1462 :vartypmod 19 :varcollid 10 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1) (VAR :varno 2 :varattno 7 :vartype 1463 :vartypmod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1) (VAR :varno 2 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 4 :location -1)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :location -1) (VAR :varno 2 :varattno 2 :vartype 1462 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1) (VAR :varno 2 :varattno 3 :vartype 1463 :vartypmod 44 :varcollid 100 :varnullingrels (b 1 2) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 3 :location -1) (VAR :varno 2 :varattno 5 :vartype 1462 :vartypmod 19 :varcollid 10 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1) (VAR :varno 2 :varattno 7 :vartype 1463 :vartypmod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1) (VAR :varno 2 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 4 :location -1)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 2 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :ch_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 2 4) :required_relds (b 2 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 2) :right_relds (b 4) :orclause < :rinfo :serial 16 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selc 0.005882352941764785 :outer_selc 1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 2 :varattno 4 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1) :em_relds (b 2) :em_is_const false :em_is_child false :em_dateatime 23 :em_jdomain (JOINDOMAIN :jd_relds (b 1 2 4 5 6 7))) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1) :em_relds (b 4) :em_is_const false :em_is_child false :em_dateatime 23 :em_jdomain (JOINDOMAIN :jd_relds (b 1 2 4 5 6 7))) :outer_is_left false :hashjoinoperator 96 :left_bucketsize 0.044599998742341995 :right_bucketsize 0.005882352941764785 :left_mcvfreq 0.044599998742341995 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual ((VAR :varno 2 :varattno 2 :vartype 1462 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1) (VAR :varno 2 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1) (VAR :varno 2 :varattno 3 :vartype 1463 :vartypmod 44 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 3 :location -1) (VAR :varno 2 :varattno 5 :vartype 1462 :vartypmod 19 :varcollid 10 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1) (VAR :varno 2 :varattno 7 :vartype 1463 :vartypmod 105 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1) (VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1) (VAR :varno 6 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 2 :location -1) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 4 :location -1) (VAR :varno 6 :varattno 3 :vartype 23 :vartypmod -1 :
```

```

WARNING: is_parallel_safe: INPUT qual = {VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :locati
on -1}
WARNING: is_parallel_safe: OUTPUT qual = {VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :locati
on -1} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :locati
on -1}
WARNING: is_parallel_safe: OUTPUT qual = {VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :locati
on -1} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {VAR :varno 4 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :locati
on -1}
WARNING: is_parallel_safe: OUTPUT qual = {VAR :varno 4 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 2 :locati
on -1} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :locati
on -1}
WARNING: is_parallel_safe: OUTPUT qual = {VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :locati
on -1} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {({RESTRICTINFO :clause (OEXPR :opno 96 :opfuncid 65 :presulttype 16 :opretset false :opcolld 0 :inputcolld 0 :args ({VAR :varno 2 :varattno 4 :vartype 23 :va
rtypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1}) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (
b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1}) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1}) (VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1}) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false
:has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 2 4) :required_relds (b 2 4) :incompatible_relds (b) :outer_relds (b) :left_relds (b 2) :right_relds (b 4) :orclause < :rinfo_s
erial 18 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selc 0.0058823529411764705 :outer_selc -1 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr {VAR :varno 2 :varattno 4 :vart
ype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 4 :location -1}) :em_rels (b 2) :em_is_const false :em_is_child false :em_datatype 23 :
em_jdomain (JOINDOMAIN :jd_relds (b 1 2 4 5 6 7))) :right_em (EQUIVALENCEMEMBER :em_expr {VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturni
ngtype 0 :varnosyn 4 :varattnosyn 1 :location -1}) :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain (JOINDOMAIN :jd_relds (b 1 2 4 5 6 7))) :outer_is_left false :hashjo
inoperator 96 :left_bucketsize 0.044599998742341995 :right_bucketsize 0.0058823529411764705 :left_mcvfreq 0.044599998742341995 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)} | paral
lel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {({VAR :varno 2 :varattno 6 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 6 :locati
on -1}) (VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 3 :var
type 1043 :vartypmod 44 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 3 :location -1}) (VAR :varno 2 :varattno 5 :vartype 1042 :vartypmod 19 :varcolld 10
0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1}) (VAR :varno 2 :varattno 7 :vartype 1043 :vartypmod 105 :varcolld 100 :varnullingrels (b) :varlevelsup 0
:varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1}) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varatt
nosyn 1 :location -1}) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 4 :location -1}) (VAR :varno 4 :varattno 2 :vartype 1043 :vartypmod 44 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 5 :vartype 1042 :vartypmod 19 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1}) (VAR :varno 2 :varattno 7 :vartype 1043 :vartypmod 105 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1}) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1}) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 4 :location -1}) (VAR :varno 4 :varattno 2 :vartype 1043 :vartypmod 44 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 5 :vartype 1042 :vartypmod 19 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1}) (VAR :varno 2 :varattno 7 :vartype 1043 :vartypmod 105 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1}) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1}) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 4 :location -1}) (VAR :varno 4 :varattno 2 :vartype 1043 :vartypmod 44 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 5 :vartype 1042 :vartypmod 19 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1}) (VAR :varno 2 :varattno 7 :vartype 1043 :vartypmod 105 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1}) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1}) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 4 :location -1}) (VAR :varno 4 :varattno 2 :vartype 1043 :vartypmod 44 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) (VAR :varno 2 :varattno 5 :vartype 1042 :vartypmod 19 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 5 :location -1}) (VAR :varno 2 :varattno 7 :vartype 1043 :vartypmod 105 :varcolld 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 7 :location -1}) (VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1}) (VAR :varno 6 :varattno 4 :vartype 1700 :vartypmod 983046 :varcolld 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varatt
```

[illegible]

```

Worker 0: actual time=1.098..1.970 rows=973.00 loops=1
  Buffers: shared hit=114
Worker 1: actual time=0.174..1.088 rows=973.00 loops=1
  Buffers: shared hit=114
-> Seq Scan on public.supplier (cost=0.00..162.00 rows=5000 width=145) (actual time=0.356..0.683 rows=5000.00 loops=3)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, supplier.s_comment
  Buffers: shared hit=336
Worker 0: actual time=0.992..1.286 rows=5000.00 loops=1
  Buffers: shared hit=112
Worker 1: actual time=0.070..0.387 rows=5000.00 loops=1
  Buffers: shared hit=112
-> Hash (cost=24.48..24.48 rows=1 width=108) (actual time=0.075..0.078 rows=5.00 loops=3)
  Output: nation.n_name, nation.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=6
Worker 0: actual time=0.097..0.099 rows=5.00 loops=1
  Buffers: shared hit=2
Worker 1: actual time=0.097..0.101 rows=5.00 loops=1
  Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=108) (actual time=0.067..0.072 rows=5.00 loops=3)
  Output: nation.n_name, nation.n_nationkey
  Hash Cond: (nation.n_regionkey = region.r_regionkey)
  Buffers: shared hit=6
Worker 0: actual time=0.089..0.093 rows=5.00 loops=1
  Buffers: shared hit=2
Worker 1: actual time=0.089..0.096 rows=5.00 loops=1
  Buffers: shared hit=2
-> Seq Scan on public.nation (cost=0.00..11.70 rows=170 width=112) (actual time=0.027..0.030 rows=25.00 loops=3)
  Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
  Buffers: shared hit=3
Worker 0: actual time=0.038..0.039 rows=25.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.038..0.042 rows=25.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.032..0.032 rows=1.00 loops=3)
  Output: region.r_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
Worker 0: actual time=0.043..0.043 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.043..0.043 rows=1.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..12.12 rows=1 width=4) (actual time=0.024..0.025 rows=1.00 loops=3)
  Output: region.r_regionkey
  Filter: (region.r_name = 'EUROPE'::bpchar)
  Rows Removed by Filter: 4
  Buffers: shared hit=3
Worker 0: actual time=0.033..0.034 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.036..0.036 rows=1.00 loops=1
  Buffers: shared hit=1
SubPlan 1
-> Aggregate (cost=15230.77..15230.78 rows=1 width=32) (actual time=38.689..38.689 rows=1.00 loops=551)
  Output: min(ps_1.ps_supplycost)
  Buffers: shared hit=4942832
-> Nested Loop Semi Join (cost=24.50..15230.76 rows=1 width=6) (actual time=38.022..38.684 rows=0.93 loops=551)
  Output: ps_1.ps_supplycost
  Join Filter: (ps_1.ps_suppkey = s_1.s_suppkey)
  Rows Removed by Join Filter: 2666
  Buffers: shared hit=4942832
-> Nested Loop (cost=24.50..14999.29 rows=1 width=14) (actual time=37.612..38.101 rows=1.01 loops=551)
  Output: ps_1.ps_supplycost, ps_1.ps_suppkey, supplier_1.s_suppkey
  Join Filter: (ps_1.ps_suppkey = supplier_1.s_suppkey)
  Rows Removed by Join Filter: 3842
  Buffers: shared hit=4906106
-> Hash Join (cost=24.50..205.54 rows=29 width=4) (actual time=0.002..0.805 rows=973.00 loops=551)
  Output: supplier_1.s_suppkey
  Hash Cond: (supplier_1.s_nationkey = nation_1.n_nationkey)
  Buffers: shared hit=61714
-> Seq Scan on public.supplier supplier_1 (cost=0.00..162.00 rows=5000 width=8) (actual time=0.001..0.252 rows=5000.00 loops=551)
  Output: supplier_1.s_suppkey, supplier_1.s_name, supplier_1.s_address, supplier_1.s_nationkey, supplier_1.s_phone, supplier_1.s_acctbal, supplier_1.s_comment
  Buffers: shared hit=61712
-> Hash (cost=24.48..24.48 rows=1 width=4) (actual time=0.034..0.035 rows=5.00 loops=1)
  Output: nation_1.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.030..0.033 rows=5.00 loops=1)
  Output: nation_1.n_nationkey
  Hash Cond: (nation_1.n_regionkey = region_1.r_regionkey)
  Buffers: shared hit=2
-> Seq Scan on public.nation nation_1 (cost=0.00..11.70 rows=170 width=8) (actual time=0.008..0.009 rows=25.00 loops=1)
  Output: nation_1.n_nationkey, nation_1.n_name, nation_1.n_regionkey, nation_1.n_comment
  Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.014..0.014 rows=1.00 loops=1)
  Output: region_1.r_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=1
-> Seq Scan on public.region region_1 (cost=0.00..12.12 rows=1 width=4) (actual time=0.011..0.011 rows=1.00 loops=1)
  Output: region_1.r_regionkey
  Filter: (region_1.r_name = 'EUROPE'::bpchar)
  Rows Removed by Filter: 4
  Buffers: shared hit=1
-> Materialize (cost=0.00..14792.02 rows=4 width=10) (actual time=0.019..0.038 rows=3.95 loops=536123)
  Output: ps_1.ps_supplycost, ps_1.ps_suppkey
  Storage: Memory Maximum Storage: 17kB
  Buffers: shared hit=4844392
-> Seq Scan on public.partsupp ps_1 (cost=0.00..14792.00 rows=4 width=10) (actual time=17.993..36.800 rows=3.95 loops=551)
  Output: ps_1.ps_supplycost, ps_1.ps_suppkey
  Filter: ((ps_1.ps_availqty > 100) AND (part.p_partkey = ps_1.ps_partkey))
  Rows Removed by Filter: 399996
  Buffers: shared hit=4844392
-> Seq Scan on public.supplier s_1 (cost=0.00..174.50 rows=4550 width=4) (actual time=0.001..0.459 rows=2638.18 loops=557)
  Output: s_1.s_suppkey, s_1.s_name, s_1.s_address, s_1.s_nationkey, s_1.s_phone, s_1.s_acctbal, s_1.s_comment
  Filter: (s_1.s_acctbal > '0'::numeric)
  Rows Removed by Filter: 268
  Buffers: shared hit=36726
-> Seq Scan on public.supplier s (cost=0.00..174.50 rows=4558 width=4) (actual time=0.001..0.443 rows=2559.79 loops=189)
  Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal, s.s_comment
  Filter: (s.s_acctbal > '0'::numeric)
  Rows Removed by Filter: 262
  Buffers: shared hit=12118
Planning:
  Buffers: shared hit=226
Planning Time: 19.734 ms
Execution Time: 21533.745 ms
(175 rows)

```

```

=====
BENCHMARK SUMMARY
=====
Runs          : 10
Average Planning : 19.150 ms
Average Execution : 21544.551 ms

Generated Files:
  run10_explain.txt
  summary.txt
adityadave@Adityas-MacBook-Air-3 Q2&Q21 %

```