

Last login: Mon Jun 22 15:11:23 on ttys001
adityadave@Adityas-MacBook-Air-3 ~ % cd /Users/adityadave/PE/PE-Daywise-Work-Tracker/19-JUNE/Q2\&Q21
adityadave@Adityas-MacBook-Air-3 Q2&Q21 % python3 script.py
Running 1/5...
Running 2/5...
Running 3/5...
Running 4/5...
Running 5/5...

```
=====
5TH RUN OUTPUT
=====
SET
WARNING: Log 1: Planner Input:
DETAIL:
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname supplier_secure
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
}
:rtkind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
}
:rtkind 0
:relid 17308
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCI true
:securityQuals <>
}
)
:rttperminfos (
{RTEPERMISSIONINFO
:relid 17308
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varstype 1700
:varstypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 1740
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:conststypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
}
)
}
```

```

:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTe false
:isReturn false
:ctelist <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_
comment")
}
:rtekind 0
:relid 17285
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17291
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17285
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17291
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
}
:location -1
}
)
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
  }
)
:location -1
}
}
{OEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 1042
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname s_supplykey
    :ressortgroupref 0
    :resorigtbl 17308
    :resorigcol 1
    :resjunk false
  }
)

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varatype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 17308
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varatype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 17308
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 17308
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varatype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 17308
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:varatype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 17308
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:varatype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 17308
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17484
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname l1
:colnames <>
}
}
:eref
{ALIAS
:aliasname l1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 0
:relid 17349
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
(RTEPERMISSIONINFO
:relid 17349
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
}
:rtekind 0
:relid 17337
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:releid 17337
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
)
:location -1
}
{SCALARARRAYOEXPR
:opno 1054
:opfuncid 1048
:hashfuncid 0
:neqfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{ARRAYEXPR
:array_typeid 1014
:array_collid 100
:element_typeid 1042
:elements (
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 6
9 78 84 ]
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 7
2 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty"
"ps_supplycost" "ps_comment")
}
:rtekind 0
:relid 17318
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17318
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromList (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
)
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
}
}

```

```

        {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
    )
    :location -1
}
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2

```

```

:resname l_partkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17488
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 17337
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17285
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("s_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17484
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17488
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 19 20)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17337
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17285
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 190
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 202
}
)
:location 200
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 227
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 240
}
)
:location 238
}
{OPEXP
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 3
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 266
}
{CONST
:consttype 1042
:constypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 282
:constvalue 5 [ 20 0 0 0 70 ]
}
)
:location 280
}
{OPEXP
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 298
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 317
}
}
:location 315
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname 12
:colnames <>
}
:eref
{ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 17349
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17349
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 434
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 450
}
}
}
:location 448
}
{OPEXP
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 486
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 502
    }
    }
    :location 499
}
}
:location 482
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 377
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 377
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 377
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 377
}
:resno 4
:resname l_linenum
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 377
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700

```

```

:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 377
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 377
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 377
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 377
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 377
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 377
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 377
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 12
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 377
}
:resno 13
:resname 1_receiptdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 377
}
:resno 14
:resname 1_shipinstruct
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 377
}
:resno 15
:resname 1_shipmode
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 377
}
:resno 16
:resname 1_comment
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 345
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:opetname <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 13
:colnames <>
}
:eref

```

```

        {ALIAS
        :aliasname 13
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
        enumber" "l_quantity" "l_extendedprice" "l_discount" "
        l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
        ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
        e" "l_comment")
        }
        :rtekind 0
        :relid 17349
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
        }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 17349
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21
    22 23)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 630
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 646
    }
    )
    :location 644
    }
    {OPEXP
    :opno 518
    :opfuncid 144
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 682
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 698
    }
    )
    :location 695
    }
    {OPEXP
    :opno 1097
    :opfuncid 1089
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 733
    }
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

        :varattnosyn 12
        :location 752
    }
    }
    :location 750
    }
    }
    :location 678
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 573
}
:resno 1
:resname 1_orderkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 573
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 573
}
:resno 3
:resname 1_supkey
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 573
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 573
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 573
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 573
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 573
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 573
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 573
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 573
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 573
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 573
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0

```

```

:resorigtbl 17349
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 573
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 573
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 573
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 17349
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 541
}
}
:location 537
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 790
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 804
}
}
:location 802
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 828
    }
    {CONST
    :consttype 1042
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 837
    :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
    }
    }
    :location 835
    }
    }
    :location 223
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname s_name
:ressortgroupref 2
:resorigtbl 17484
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 67
}
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 proparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
}

```

```

:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:ctelist <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier_secure
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 17484
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname l1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua
          ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
          tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
          l_shipmode" "l_comment")
      }
    :rtekind 1
    :subquery <>
    :security_barrier false
    :relid 17488
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
          _orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 17337
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 17285
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("s_name")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 8
        :varattno 2
        :vartype 1042
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 2
        :location -1
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname l2
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l2
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua
          ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
          tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
          l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 17349
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname l3
        :colnames <>
      }
    :eref
      {ALIAS

```

```

:aliasname l3
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 17349
:inh false
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 17308
:inh false
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17285
:inh false
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17291
:inh false
:relkind r
:rellockmode 1
:perminfoindex 9
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 17349
:inh false
:relkind r
:rellockmode 1
:perminfoindex 10
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 17337
:inh false
:relkind r
:rellockmode 1
:perminfoindex 11
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
}
:rtekind 0
:relid 17318
:inh false
:relkind r
:rellockmode 1
:perminfoindex 12
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)

```

```

:rtpermissioninfos (
  {RTPERMISSIONINFO
    :releid 17484
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17488
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 19 20)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17337
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17285
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17349
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17349
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17308
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17285
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17291
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17349
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17337
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTPERMISSIONINFO
    :releid 17318
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
):jointree
{FROMEXPR
  :fromlist (
    {JOINEXPR
      :jointype 5
      :isNatural false
      :larg
      {JOINEXPR
        :jointype 4
        :isNatural false
        :larg
        {FROMEXPR
          :fromlist (
            {JOINEXPR
              :jointype 4
              :isNatural false
              :larg
              {FROMEXPR
                :fromlist (
                  {RANGETBLREF
                    :rtindex 8
                  }
                )
              :quals (
                {OPEXPR
                  :opno 1756
                  :opfuncid 1720
                  :opresulttype 16
                  :opresult false
                  :opcollid 0
                  :inputcollid 0
                }
                :args (
                  {VAR
                    :varno 8
                    :varattno 6
                    :vartype 1700
                    :vartypmod 983046
                    :varcollid 0
                  }
                )
              }
            )
          }
        }
      }
    )
  )
}

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 6
        :location -1
    }
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 0 -128 ]
    }
    }
    :location -1
}
)
}
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 9
}
{RANGETBLREF
:rtindex 10
}
)
:quals <>
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
{VAR
:varno 8
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
)
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 9
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 3
:location -1
}
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
)
:location -1
}
{OEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 10
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:alias <>
:rtindex 0

```

```

}
{JOINEXPR
:jointype 4
:isNatural false
:larg
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 11
}
)
:quals <>
}
:rarg
{RANGETBLREF
:rtindex 12
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 12
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
{VAR
:varno 11
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 1054
:opfuncid 1048
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 12
:varattno 6
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 6
:location -1
}
{CONST
:consttype 1014
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 48 [ -64 0 0 0 1 0 0 0 0 0 0 0 18 4 0 0
2 0 0 0 1 0 0 0 48 0 0 0 49 45 85 82 71 69 78 84 4
0 0 0 0 50 45 72 73 71 72 0 0 ]
}
)
:location -1
}
)
:alias <>
:rtindex 0
}
:rarg
{RANGETBLREF
:rtindex 13
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 13
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
{VAR
:varno 11
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 13
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 13
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 11
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 11
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 13
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 13
    :varattnosyn 3
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 8
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 11
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 11
    :varattnosyn 3
    :location -1
  }
)
:location 200
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 227
  }
  {VAR
    :varno 11
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 11

```

```

        :varattnosyn 1
        :location -1
    }
}
:location 238
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 3
        :varattno 3
        :vartype 1042
        :vartypmod 5
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 266
    }
    {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 282
        :constvalue 5 [ 20 0 0 0 70 ]
    }
)
:location 280
}
{OPEXPR
:opno 1097
:opfuncid 1009
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 11
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 13
        :location -1
    }
    {VAR
        :varno 11
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 12
        :location -1
    }
)
:location 315
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 8
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 4
        :location -1
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 804
    }
)
:location 802
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 1042
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 828
    }
    {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 837
        :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
    }
)
:location 835
}

```

```

    )
  }
  :rarg
  {RANGETBLREF
   :rtindex 6
  }
  :usingClause <>
  :join_using_alias <>
  :quals (
    {OPEXPR
     :opno 96
     :opfuncid 65
     :opresulttype 16
     :opretset false
     :opcollid 0
     :inputcollid 0
     :args (
       {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 434
       }
       {VAR
        :varno 11
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 1
        :location -1
       }
      )
    }
    :location 448
  }
  {OPEXPR
   :opno 518
   :opfuncid 144
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
     {VAR
      :varno 6
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 3
      :location 486
     }
     {VAR
      :varno 11
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 11
      :varattnosyn 3
      :location -1
     }
    )
  }
  :location 499
}
}
:alias <>
:rtindex 0
}
:rarg
{RANGETBLREF
 :rtindex 7
}
:usingClause <>
:join_using_alias <>
:quals (
  {OPEXPR
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
     {VAR
      :varno 7
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location 630
     }
     {VAR
      :varno 11
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 11
      :varattnosyn 1
      :location -1
     }
    )
  }
  :location 644
}
{OPEXPR
 :opno 518
 :opfuncid 144
 :opresulttype 16
 :opretset false
 :opcollid 0
 :inputcollid 0
 :args (
   {VAR
    :varno 7
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0

```

```

:varnosyn 7
:varattnosyn 3
:location 682
}
{VAR
:varno 11
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 3
:location -1
}
)
:location 695
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 13
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 13
:location 733
}
{VAR
:varno 7
:varattno 12
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 12
:location 752
}
)
:location 750
}
)
:alias <>
:rtindex 0
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:varatype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname s_name
:ressortgroupref 2
:resorigtbl 17484
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 67
}
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true

```

```
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO:clause {OEXPR :opno 1097 :opfncid 1089 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 11 :varattno 13 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 11 :varrattnosyn 13 :location -1} {VAR :varno 11 :varattno 12 :vartype 1082 :vartypmod -1 :varcollid 0 :v
```

[illegible]

[illegible]

[illegible]

[illegible]


```
warning: -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1} {VAR :varno 9 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 13 :varattnsn 2 :location -1} | parallel_safe = true | reason = PROPAREAL_SAFE
```

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPRX :opno 96 :opfncind 65 :opsresultype 16 :opretset false :pcollid 0 :inputcollid 0 :args ({VAR :varno 4 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 1 :location -1}) (VAR :varno 9 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 12 :varattnsn 1 :location -1}) (location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 4 9) :required_relds (b 4 9) :incompatible_relds (b) :outer_relds (b) :left_relds (b 4) :right_relds (b 9) :orclause <= :rinfo_serial 31 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selc 0.005882352941764785 :outer_selc 0.005882352941764785 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 4 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 1 :location -1) :em_relids (b 4) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain [JOINDOMAIN :jd_relds (b 3 4 6 7 8 9 10 11 12 13)]) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 9 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 12 :varattnsn 1 :location -1) :em_relids (b 9) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain [JOINDOMAIN :jd_relds (b 3 4 6 7 8 9 10 11 12 13)]) :outer_left true :hashjoinoperator 96 :left_bucketsize 0 :right_bucketsize 1 :left_mcvfreq 0 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)) | parallel_safe = tr ue | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause (OEXPRX :opno 96 :opfncind 65 :opsresultype 16 :opretset false :pcollid 0 :inputcollid 0 :args ({VAR :varno 3 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 3 :varattnsn 1 :location -1}) (VAR :varno 12 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 11 :varattnsn 3 :location -1}) (location -1) :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 3 12) :required_relds (b 3 12) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 12) :orclause <= :rinfo_serial 29 :eval_cost.startup 0 :eval_cost.per_tuple 0.0025 :norm_selc 2.22222222222222-06 :outer_selc 0.3997 :mergeofamilies (o 1976) :left_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 3 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 3 :varattnsn 1 :location -1) :em_relids (b 3) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain [JOINDOMAIN :jd_relds (b 3 4 6 7 8 9 10 11 12 13)]) :right_em (EQUIVALENCEMEMBER :em_expr (VAR :varno 12 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 11 :varattnsn 3 :location -1) :em_relids (b 12) :em_is_const false :em_is_child false :em_data_type 23 :em_jdomain [JOINDOMAIN :jd_relds (b 3 4 6 7 8 9 10 11 12 13)]) :outer_left true :hashjoinoperator 96 :left_bucketsize 4.585368098423459e-06 :right_bucketsize 5.559725349567731e-06 :left_mcvfreq 0 :right_mcvfreq 0 :left_hashoperator 96 :right_hashoperator 96)) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 11 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 11 :varattnsn 1 :location -1}) (VAR :varno 11 :varattnsn 3 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 11 :varattnsn 3 :location -1}) (VAR :varno 12 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 12 :varattnsn 1 :location -1}) (VAR :varno 13 :varattnsn 2 :location -1}) (VAR :varno 3 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 13 :varattnsn 2 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 11 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 11 :varattnsn 1 :location -1}) (VAR :varno 11 :varattnsn 3 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 11 :varattnsn 3 :location -1}) (VAR :varno 12 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 12 :varattnsn 1 :location -1}) (VAR :varno 13 :varattnsn 2 :location -1}) (VAR :varno 3 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 3 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 8 :varattnsn 2 :varvtnp 1842 :varvtpmd 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 2 :location -1}) (VAR :varno 8 :varattnsn 1 :varvtnp 23 :varvtpmd -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varvsnyn 8 :varattnsn 1 :location -1}) | parallel_safe = true | reason = PROPAREAL_SAFE

WARNING: is_parallel_safe: INPUT qual = ((VAR :varno

[illegible]

[illegible]

[illegible]

QUERY PLAN

```
update, l3.l_commidate, l3.l_receiptdate, l3.l_orderkey, l3.l_partkey, l3.l_suppkey, l3.l_lineitemnum, l3.l_quantity, l3.l_extendedprice, l3.l_discount, l3.l_tax, l3.l_returnflag, l3.l_linestatus, l3.l_shipmode, l3.l_shipinstruct, l3.l_shipdate, l3.l_comment
Filter: (l3.l_receiptdate > l3.l_commidate)
-> Parallel Hash (cost=138615.18..138615.18 rows=1 width=34) (actual time=451.275..451.284 rows=0.00 loops=3)
Output: supplier.s_name, lineitem.l_orderkey, lineitem.l_suppkey
Buckets: 1824 Batches: 1 Memory Usage: 0kB
Buffers: shared hit=5588 read=42694, temp read=5791 written=5864
Worker 0: actual time=450.164..450.172 rows=0.00 loops=1
Buffers: shared hit=1814 read=13687, temp read=1923 written=1928
Worker 1: actual time=450.190..450.197 rows=0.00 loops=1
Buffers: shared hit=1834 read=13867, temp read=1949 written=1956
-> Parallel Hash Semi Join (cost=17181.66..139615.18 rows=1 width=34) (actual time=451.149..451.158 rows=0.00 loops=3)
Output: supplier.s_name, lineitem.l_orderkey, lineitem.l_suppkey
```

```
Hash Cond: (o.o_orderkey = l2.l_orderkey)
Join Filter: (l2.l_suppkey <> lineitem.l_suppkey)
Buffers: shared hit=5508 read=41694, temp read=5791 written=5864
Worker 0: actual time=449.978..449.985 rows=0.00 loops=1
  Buffers: shared hit=1814 read=13687, temp read=1923 written=1928
Worker 1: actual time=450.175..450.182 rows=0.00 loops=1
  Buffers: shared hit=1834 read=13986, temp read=1949 written=1956
-> Parallel Hash Semi Join (cost=63477.64..74058.20 rows=2 width=42) (actual time=162.627..162.635 rows=0.00 loops=3)
  Output: supplier.s_name, lineitem.l_orderkey, lineitem.l_suppkey, o.o_orderkey, orders.o_orderkey
  Hash Cond: ((lineitem.l_partkey = ps.ps_partkey) AND (lineitem.l_suppkey = ps.ps_suppkey))
  Buffers: shared hit=3883 read=9583
  Worker 0: actual time=163.461..163.467 rows=0.00 loops=1
    Buffers: shared hit=1288 read=3073
  Worker 1: actual time=162.207..162.213 rows=0.00 loops=1
    Buffers: shared hit=1302 read=3238
-> Parallel Hash Join (cost=55455.79..66036.31 rows=2 width=50) (actual time=96.465..96.472 rows=0.00 loops=3)
  Output: supplier.s_name, supplier.s_suppkey, lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, o.o_orderkey, orders.o_orderkey
  Buffers: shared hit=2285 read=5829
  Worker 0: actual time=96.474..96.480 rows=0.00 loops=1
    Buffers: shared hit=763 read=1923
  Worker 1: actual time=96.462..96.467 rows=0.00 loops=1
    Buffers: shared hit=763 read=1946
-> Parallel Seq Scan on public.orders (cost=0.00..10239.75 rows=90869 width=4) (never executed)
  Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment

Filter: (orders.o_orderstatus = 'F')::bpchar)
-> Parallel Hash (cost=55455.75..55455.75 rows=3 width=46) (actual time=96.437..96.443 rows=0.00 loops=3)
  Output: supplier.s_name, supplier.s_suppkey, lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, o.o_orderkey
  Buckets: 1024 Batches: 1 Memory Usage: 0kB
  Buffers: shared hit=2285 read=5829
  Worker 0: actual time=96.432..96.437 rows=0.00 loops=1
    Buffers: shared hit=763 read=1923
  Worker 1: actual time=96.448..96.453 rows=0.00 loops=1
    Buffers: shared hit=763 read=1946
-> Parallel Hash Semi Join (cost=11325.17..55455.75 rows=3 width=46) (actual time=95.790..95.796 rows=0.00 loops=3)
  Output: supplier.s_name, supplier.s_suppkey, lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, o.o_orderkey
  Hash Cond: (lineitem.l_orderkey = o.o_orderkey)
  Buffers: shared hit=2285 read=5829
  Worker 0: actual time=96.422..96.427 rows=0.00 loops=1
    Buffers: shared hit=763 read=1923
  Worker 1: actual time=95.544..95.548 rows=0.00 loops=1
    Buffers: shared hit=763 read=1946
-> Hash Join (cost=148.62..44279.15 rows=8 width=42) (actual time=1.075..1.079 rows=0.00 loops=3)
  Output: supplier.s_name, supplier.s_suppkey, lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey
  Hash Cond: (lineitem.l_suppkey = supplier.s_suppkey)
  Buffers: shared hit=212 read=6
  Worker 0: actual time=1.338..1.342 rows=0.00 loops=1
    Buffers: shared hit=70 read=3
  Worker 1: actual time=1.009..1.012 rows=0.00 loops=1
    Buffers: shared hit=70 read=3
-> Parallel Seq Scan on public.lineitem (cost=0.00..43192.09 rows=250029 width=12) (actual time=0.166..0.166 rows=1.00 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment

Filter: (lineitem.l_receiptdate > lineitem.l_commitdate)
Buffers: shared hit=2 read=6
Worker 0: actual time=0.429..0.429 rows=1.00 loops=1
  Buffers: shared read=3
Worker 1: actual time=0.055..0.056 rows=1.00 loops=1
  Buffers: shared read=3
-> Hash (cost=148.61..148.61 rows=1 width=30) (actual time=0.888..0.891 rows=0.00 loops=3)
  Output: supplier.s_name, supplier.s_suppkey
  Buckets: 1024 Batches: 1 Memory Usage: 0kB
  Buffers: shared hit=210
  Worker 0: actual time=0.885..0.888 rows=0.00 loops=1
    Buffers: shared hit=70
  Worker 1: actual time=0.935..0.938 rows=0.00 loops=1
    Buffers: shared hit=70
-> Nested Loop (cost=24.50..148.61 rows=1 width=30) (actual time=0.888..0.890 rows=0.00 loops=3)
  Output: supplier.s_name, supplier.s_suppkey
  Join Filter: (nation.n_nationkey = n.n_nationkey)
  Rows Removed by Join Filter: 510
  Buffers: shared hit=210
  Worker 0: actual time=0.885..0.888 rows=0.00 loops=1
    Buffers: shared hit=70
  Worker 1: actual time=0.935..0.938 rows=0.00 loops=1
    Buffers: shared hit=70
-> Seq Scan on public.nation (cost=0.00..12.12 rows=1 width=4) (actual time=0.050..0.053 rows=1.00 loops=3)
  Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
  Filter: (nation.n_name = 'ARGENTINA')::bpchar)
  Rows Removed by Filter: 24
  Buffers: shared hit=3
  Worker 0: actual time=0.053..0.056 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.074..0.076 rows=1.00 loops=1
    Buffers: shared hit=1
-> Hash Semi Join (cost=24.50..136.28 rows=16 width=38) (actual time=0.097..0.811 rows=510.00 loops=3)
  Output: supplier.s_name, supplier.s_nationkey, supplier.s_suppkey, n.n_nationkey
  Hash Cond: (supplier.s_nationkey = n.n_nationkey)
  Buffers: shared hit=207
  Worker 0: actual time=0.110..0.806 rows=510.00 loops=1
    Buffers: shared hit=69
  Worker 1: actual time=0.126..0.835 rows=510.00 loops=1
    Buffers: shared hit=69
-> Seq Scan on public.supplier (cost=0.00..104.50 rows=2708 width=34) (actual time=0.031..0.560 rows=2714.00 loops=3)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, supplier.s_comment

Filter: (supplier.s_acctbal > '0')::numeric)
Rows Removed by Filter: 286
Buffers: shared hit=201
Worker 0: actual time=0.037..0.548 rows=2714.00 loops=1
  Buffers: shared hit=67
Worker 1: actual time=0.049..0.571 rows=2714.00 loops=1
  Buffers: shared hit=67
-> Hash (cost=24.48..24.48 rows=1 width=4) (actual time=0.055..0.057 rows=5.00 loops=3)
  Output: n.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=6
  Worker 0: actual time=0.063..0.064 rows=5.00 loops=1
    Buffers: shared hit=2
  Worker 1: actual time=0.067..0.068 rows=5.00 loops=1
    Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.048..0.053 rows=5.00 loops=3)
  Output: n.n_nationkey
  Hash Cond: (n.n_regionkey = r.r_regionkey)
  Buffers: shared hit=6
  Worker 0: actual time=0.056..0.060 rows=5.00 loops=1
    Buffers: shared hit=2
  Worker 1: actual time=0.060..0.064 rows=5.00 loops=1
    Buffers: shared hit=2
-> Seq Scan on public.nation n (cost=0.00..11.70 rows=170 width=8) (actual time=0.002..0.003 rows=25.00 loops=3)
  Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
  Buffers: shared hit=3
  Worker 0: actual time=0.002..0.003 rows=25.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.002..0.003 rows=25.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.037..0.037 rows=1.00 loops=3)
  Output: r.r_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.044..0.045 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.049..0.050 rows=1.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..12.12 rows=1 width=4) (actual time=0.030..0.030 rows=1.00 loops=3)
  Output: r.r_regionkey
  Filter: (r.r_name = 'EUROPE')::bpchar)
  Rows Removed by Filter: 4
  Buffers: shared hit=3
  Worker 0: actual time=0.036..0.037 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.044..0.044 rows=1.00 loops=1
    Buffers: shared hit=1
```

```
-> Parallel Hash (cost=10239.75..10239.75 rows=74944 width=4) (actual time=94.384..94.385 rows=60149.33 loops=3)
  Output: o.o_orderkey
  Buckets: 262144 Batches: 1 Memory Usage: 9184kB
  Buffers: shared hit=2073 read=5823
  Worker 0: actual time=94.512..94.513 rows=59909.00 loops=1
    Buffers: shared hit=693 read=1920
  Worker 1: actual time=94.126..94.126 rows=59752.00 loops=1
    Buffers: shared hit=693 read=1943
-> Parallel Seq Scan on public.orders o (cost=0.00..10239.75 rows=74944 width=4) (actual time=0.774..84.047 rows=60149.33 loops=3)
  Output: o.o_orderkey
  Filter: (o.o_orderpriority = ANY ('{1-URGENT,2-HIGH}'))::bpchar[])
  Rows Removed by Filter: 89851
  Buffers: shared hit=2073 read=5823
  Worker 0: actual time=0.900..84.084 rows=59909.00 loops=1
    Buffers: shared hit=693 read=1920
  Worker 1: actual time=0.893..84.261 rows=59752.00 loops=1
    Buffers: shared hit=693 read=1943
-> Parallel Hash (cost=6522.00..6522.00 rows=99990 width=8) (actual time=65.593..65.593 rows=80000.00 loops=3)
  Output: ps.ps_partkey, ps.ps_suppkey
  Buckets: 262144 Batches: 1 Memory Usage: 11488kB
  Buffers: shared hit=1598 read=3674
  Worker 0: actual time=65.728..65.728 rows=75989.00 loops=1
    Buffers: shared hit=525 read=1150
  Worker 1: actual time=65.329..65.329 rows=83504.00 loops=1
    Buffers: shared hit=539 read=1292
-> Parallel Seq Scan on public.partsupp ps (cost=0.00..6522.00 rows=99990 width=8) (actual time=0.693..53.037 rows=80000.00 loops=3)
  Output: ps.ps_partkey, ps.ps_suppkey
  Filter: (ps.ps_availqty > 0)
  Buffers: shared hit=1598 read=3674
  Worker 0: actual time=0.702..53.736 rows=75989.00 loops=1
    Buffers: shared hit=525 read=1150
  Worker 1: actual time=1.007..52.541 rows=83504.00 loops=1
    Buffers: shared hit=539 read=1292
-> Parallel Hash (cost=41316.87..41316.87 rows=750087 width=8) (actual time=236.209..236.209 rows=600031.00 loops=3)
  Output: l2.l_orderkey, l2.l_suppkey
  Buckets: 262144 Batches: 16 Memory Usage: 6528kB
  Buffers: shared hit=1625 read=32191, temp written=5864
  Worker 0: actual time=235.230..235.230 rows=593202.00 loops=1
    Buffers: shared hit=526 read=10614, temp written=1928
  Worker 1: actual time=235.256..235.257 rows=599968.00 loops=1
    Buffers: shared hit=532 read=10748, temp written=1956
-> Parallel Seq Scan on public.lineitem l2 (cost=0.00..41316.87 rows=750087 width=8) (actual time=0.502..135.956 rows=600031.00 loops=3)
  Output: l2.l_orderkey, l2.l_suppkey
  Buffers: shared hit=1625 read=32191
  Worker 0: actual time=0.869..136.897 rows=593202.00 loops=1
    Buffers: shared hit=526 read=10614
  Worker 1: actual time=0.611..135.474 rows=599968.00 loops=1
    Buffers: shared hit=532 read=10748
```

Planning:
 Buffers: shared hit=271
Planning Time: 29.005 ms
Execution Time: 461.340 ms
(234 rows)

```
=====
BENCHMARK SUMMARY
=====
Runs           : 5
Average Planning : 29.635 ms
Average Execution : 495.383 ms

Generated Files:
  run5_explain.txt
  summary.txt
adityadave@Adityas-MacBook-Air-3 Q2&Q21 %
```