

Last login: Mon Jun 22 14:59:29 on ttys001

```
^[[A
adityadave@Adityas-MacBook-Air-3 ~ % cd /Users/adityadave/PE/PE-Daywise-Work-Tracker/19-JUNE/Q2\&Q21
adityadave@Adityas-MacBook-Air-3 Q2&Q21 % python3 script.py
Running 1/10...
Running 2/10...
Running 3/10...
Running 4/10...
Running 5/10...
Running 6/10...
Running 7/10...
Running 8/10...
Running 9/10...
Running 10/10...
```

```
=====
10TH RUN OUTPUT
=====
SET
WARNING: Log 1: Planner Input:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :reloid 17399
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 1756
            :opfuncid 1720
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 1700
                :vartypmod 983046
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
              }
            )
          }
          {FUNCEXP
            :funcid 1740
            :funcresulttype 1700
            :funcresultset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
              }
            )
          }
        )
      }
    :location -1
  )
}
:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:opetName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTTRY
        :alias
          {ALIAS
            :aliasname n
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname n
            :colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
              t")
          }
        :rtekind 0
        :reloid 17376
        :inh true
        :relkind r
        :rellockmode 1
```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtekind 0
:relid 17382
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
}
)
:rteperinfos (
(RTEPERMISSIONINFO
:relid 17376
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
)
(RTEPERMISSIONINFO
:relid 17382
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
)
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
}
:location -1
}
)
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
}
:location -1
}
)
{OPEXP
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2

```

```

:varotype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constisnull true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
}
:location -1
}
}
:location -1
}
}
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname l1
:colnames <>
}
}
:eref
{ALIAS
:aliasname l1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_status" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtkind 0
:relid 17440
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
}
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
}
:rtkind 0
:relid 17428
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
}
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtkind 0
:relid 17376
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
}
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("s_name")
}
}

```

```

    }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 2
        :vartype 1042
        :vartypmod 29
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 51
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)

:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 17399
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 17440
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 19 20)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 17428
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 17376
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)

:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
    {RANGETBLREF
      :rtindex 3
    }
    {RANGETBLREF
      :rtindex 4
    }
  )
}

:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 176
        }
        {VAR
          :varno 2
          :varattno 3
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 3
          :location 188
        }
      )
    }
    :location 186
  )
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 213
      }
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
      }
    )
  }
}

```

```

:varattnosyn 1
:location 226
}
}
:location 224
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 3
:varatype 1042
:varatypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 252
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 268
:constvalue 5 [ 20 0 0 0 70 ]
}
)
:location 266
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:varatype 1082
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 284
}
{VAR
:varno 2
:varattno 12
:varatype 1082
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 303
}
)
}
:location 301
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 12
:colnames <>
}
:eref
{ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 17440
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperinfos (
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}

```

```

:quals
{BOOLEXPR
:boolop and
:args {
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args {
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 420
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 436
}
}
:location 434
}
{OPEXPR
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args {
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 472
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 488
}
}
:location 485
}
)
:location 468
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 363
}
:resno 1
:resname 1_orderkey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 363
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 363
}
:resno 3
:resname 1_supkey
:ressortgroupref 0

```

```

:resorigtbl 17440
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 363
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 363
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 363
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 363
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 363
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 363
}
:resno 9
:resname 1_returnflag
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 10
        :location 363
    }
}
:resno 10
:resname 1_linestatus
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 363
}
}
:resno 11
:resname 1_shipdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 363
}
}
:resno 12
:resname 1_commitdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 363
}
}
:resno 13
:resname 1_receiptdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 363
}
}
:resno 14
:resname 1_shipinstruct
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 363
}
}
:resno 15
:resname 1_shipmode
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 363
}
}
:resno 16
:resname 1_comment
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
}
:location 331
}
{BOOLEXP
:boolop not
:args {
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupPTE false
:isReturn false
:cteList <>
:rtable {
{RANGETBLENTY
:alias
{ALIAS
:aliasname l3
:colnames <>
}
:eref
{ALIAS
:aliasname l3
:colnames {"l_orderkey" "l_partkey" "l_suppkey" "l_lin
enumber" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment"}
}
:rtekind 0
:relid 17440
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
}
:rteperminfos {
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21
22 23)
:insertedCols (b)
:updatedCols (b)
}
}
}
:jointree
{FROMEXPR
:fromlist {
{RANGETBLREF
:rtable 1
}
}
}
:quals
{BOOLEXP
:boolop and
:args {
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args {
{VAR
:varno 1
:varattno 1
:varatype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 616
}
{VAR
:varno 2
:varattno 1
:varatype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 632
}
}
}
:location 630
}
}
{OPEXP
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args {
{VAR
:varno 1
:varattno 3
:varatype 23
:varitypmode -1
:varcollid 0
}
}
}
}

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 668
    }
    {VAR
        :varno 2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location 684
    }
}
:location 681
}
{OPEXPR
:opno 1897
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 719
    }
    {VAR
        :varno 1
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 738
    }
}
:location 736
}
:location 664
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 559
        }
        :resno 1
        :resname l_orderkey
        :ressortgroupref 0
        :resorigtbl 17440
        :resorigcol 1
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 559
        }
        :resno 2
        :resname l_partkey
        :ressortgroupref 0
        :resorigtbl 17440
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location 559
        }
        :resno 3
        :resname l_suppkey
        :ressortgroupref 0
        :resorigtbl 17440
        :resorigcol 3
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 559
        }
    }
}

```

```

    }
:resno 4
:resname l_linenumber
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 559
}
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 559
}
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 559
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 559
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 559
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 559
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 559
    }
    :resno 11
    :resname l_shipdate
    :ressortgroupref 0
    :resorigtbl 17440
    :resorigcol 11
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 559
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 559
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 559
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 559
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 559
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 527

```

```

    }
    :location 523
  }
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 776
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 790
    }
  )
  :location 788
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 4
  :varattno 2
  :vartype 1042
  :vartypmod 29
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location 814
  }
  {CONST
  :consttype 1042
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 823
  :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
  }
)
:location 821
}
:location 209
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 5
  :varattno 1
  :vartype 1042
  :vartypmod 29
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname s_name
  :ressortgroupref 2
  :resorigtbl 17399
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2803
  :aggtype 20
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes <>
  :aggdirectargs <>
  :args <>
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar true
  :aggvariadic false
  :aggkind n
  :aggresorted false
  :agglevelsup 0
  :aggssplit 0
  :aggno -1
  :aggtransno -1
  :location 67
  }
  :resno 2
  :resname numwait
  :ressortgroupref 1
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 2
  :eqop 1054
  :sortop 1058
  :reverse_sort false

```

```

:nullable false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nullable true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1054
    :sortop 1058
    :reverse_sort false
    :nullable false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 17376
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname r
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname r
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 17382
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 17376
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 0 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 17382
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 0 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
  {RANGETBLREF
    :rtindex 2
  }
)
:quals (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
}
:location -1
}
{OEXPR
:opno 96
:opfncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
}
:location -1
}
{OEXPR
:opno 1054
:opfncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
}
:location -1
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
}
}

```

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 96 :opfncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relsids (b 1) :required_relsids (b 1) :incompatible_relsids (b) :outer_relsids (b) :left_relsids (b 1) :right_relsids (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} :em_relsids (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_relsids (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

WARNING: max_parallel_hazard_walker: Param paramid=0 in_safe_list=0 → reason=outer_reference

WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 96 :opfncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relsids (b 1) :required_relsids (b 1) :incompatible_relsids (b) :outer_relsids (b) :left_relsids (b 1) :right_relsids (b) :orclause <> :rinfo_serial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1} :em_relsids (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {PARAM :paramkind 1 :paramid 0 :paramtype 23 :paramtypmod -1 :paramcollid 0 :location -1} :em_relsids (b) :em_is_const true :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = false | reason = PROPPARALLEL_RESTRICTED

WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1054 :opfncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ({VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 10 [40 0 0 0 69 85 82 79 80 69]} :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relsids (b 2) :required_relsids (b 2) :incompatible_relsids (b) :outer_relsids (b) :left_relsids (b 2) :right_relsids (b) :orclause <> :rinfo_serial 3 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 426 2097) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} :em_relsids (b 2) :em_is_const false :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 10 [40 0 0 0 69 85 82 79 80 69]} :em_relsids (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1054 :opfncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ({VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1} :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relsids (b 2) :required_relsids (b 2) :incompatible_relsids (b) :outer_relsids (b) :left_relsids (b 2) :right_relsids (b) :orclause <> :rinfo_serial 3 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 426 2097) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 2 :varattno 2 :vartype 1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} :em_relsids (b 2) :em_is_const false :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :constvalue 10 [40 0 0 0 69 85 82 79 80 69]} :em_relsids (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relsids (b 1 2)}} :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})

```

onstbyval false :constisnull false :location -1 :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false
:leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 2) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b) :left_relds (b 2) :right_relds (b) :orclause
<> :rinfo_serial 3 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies (o 426 2097) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 2 :varattno 2 :vartype 1042
:vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} :em_relds (b 2) :em_is_const false :em_is_child false :em_datatype 1042 :em
_jdomain {JOINDOMAIN :jd_relds (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :con
stvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]} :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2)}} :outer_is_left false :hashjoinoperator 0 :le
ft_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1}
)
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1
}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL:
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelatn 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17376
:inh false
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 17382
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17376
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17382
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 1054

```

```
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 1042
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}

WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
{VAR :varno 1 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
{VAR :varno 1 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1}) | parallel_safe = true | reason = PROP
ARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1054 :opfuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ({VAR :varno 2 :varattno 2 :vartype
1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :co
nstbyval false :constisnull false :location -1 :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :
leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 2) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b 2) :left_relds (b 2) :right_relds (b) :orclause <
> :rinfo_serial 2 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_select -1 :outer_select -1 :mergeopfamilies (o 426 2097) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 2 :varattno 2 :vartype 1042 :
vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} :em_relds (b 2) :em_is_const false :em_is_child false :em_datatype 1042 :em_j
domain {JOINDOMAIN :jd_relds (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :con
stvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]} :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2)}} :outer_is_left false :hashjoinoperator 0 :lef
t_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 1054 :opfuncid 1048 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 100 :args ({VAR :varno 2 :varattno 2 :vartype
1042 :vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :co
nstbyval false :constisnull false :location -1 :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :
leakproof false :has_volatile 2 :security_level 0 :num_base_rels 1 :clause_relds (b 2) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b 2) :left_relds (b 2) :right_relds (b) :orclause
<> :rinfo_serial 2 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_select -1 :outer_select -1 :mergeopfamilies (o 426 2097) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 2 :varattno 2 :vartype 1042 :
vartypmod 29 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1} :em_relds (b 2) :em_is_const false :em_is_child false :em_datatype 1042 :em_j
domain {JOINDOMAIN :jd_relds (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {CONST :consttype 1042 :consttypmod -1 :constcollid 100 :constlen -1 :constbyval false :constisnull false :location -1 :con
stvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]} :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2)}} :outer_is_left false :hashjoinoperator 0 :lef
t_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 0 :right_hasheqoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1}
)
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1
}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({RESTRICTINFO :clause {OEXPR :opno 96 :opfuncid 65 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ({VAR :varno 1 :varattno 3 :vartype 23 :va
rtypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1} {VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (
b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1}) :location -1} :is_pushed_down true :can_join true :pseudoconstant false :has_clone false :is_clone false :leakproof false
:has_volatile 2 :security_level 0 :num_base_rels 2 :clause_relds (b 1 2) :required_relds (b 1 2) :incompatible_relds (b) :outer_relds (b 1) :left_relds (b 1) :right_relds (b 2) :orclause <> :rinfo_s
erial 3 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_select 0.0058823529411764705 :outer_select -1 :mergeopfamilies (o 1976) :left_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 1 :varattno 3 :vartype 2
3 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1} :em_relds (b 1) :em_is_const false :em_is_child false :em_datatype 23 :em_jd
omain {JOINDOMAIN :jd_relds (b 1 2)}} :right_em {EQUIVALENCEMEMBER :em_expr {VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varn
osyn 2 :varattnosyn 1 :location -1} :em_relds (b 2) :em_is_const false :em_is_child false :em_datatype 23 :em_jdomain {JOINDOMAIN :jd_relds (b 1 2)}} :outer_is_left false :hashjoinoperator 96 :left_bu
cketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hasheqoperator 96 :right_hasheqoperator 96})
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 1 :varattno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 3 :location -1}
{VAR :varno 2 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 1 :location -1}
{VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
{VAR :varno 2 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 2 :varattnosyn 2 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1}
)
WARNING: is_parallel_safe: OUTPUT qual = ({VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1
}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <>
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: Log 2 : After pull up At starting of Path Generation:
DETAIL:
{QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
}
```

```

:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtokind 0
    :relid 17399
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {OEXPR
        :opno 1756
        :opfuncid 1720
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 1700
            :vartypmod 983046
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
          {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 6 [ 24 0 0 0 0 -128 ]
          }
        )
        :location -1
      }
    )
    {ALTERNATIVESUBPLAN
      :subplans (
        {SUBPLAN
          :subLinkType 0
          :testexpr <>
          :paramIds <>
          :plan_id 1
          :plan_name SubPlan\ 1
          :firstColType 2278
          :firstColTypmod -1
          :firstColCollation 0
          :useHashTable false
          :unknownEqFalse true
          :parallel_safe false
          :setParam <>
          :parParam (i 0)
          :args (
            {VAR
              :varno 1
              :varattno 4
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 4
              :location -1
            }
          )
          :startup_cost 0
          :per_call_cost 24.2625
        }
        {SUBPLAN
          :subLinkType 2
          :testexpr
            {OEXPR
              :opno 96
              :opfuncid 65
              :opresulttype 16
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno 1
                  :varattno 4
                  :vartype 23
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 4
                  :location -1
                }
                {PARAM
                  :paramkind 1
                  :paramid 1
                  :paramtype 23
                  :paramtypmod -1
                  :paramcollid 0
                  :location -1
                }
              )
              :location -1
            }
          :paramIds (i 1)
          :plan_id 2
          :plan_name SubPlan\ 2
          :firstColType 23
          :firstColTypmod -1
          :firstColCollation 0
          :useHashTable true
          :unknownEqFalse true
          :parallel_safe true
          :setParam <>
          :parParam <>
          :args <>

```

```

        :startup_cost 24.4875
        :per_call_cost 0.0025
    }
}
))
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname l1
:colnames <>
}
:eref
{ALIAS
:aliasname l1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 17440
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 17428
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17376
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("s_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:varatype 1042
:varitypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname l2
:colnames <>
}
:eref
{ALIAS
:aliasname l2
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 17440
:inh false
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname l3
:colnames <>
}
:eref
{ALIAS
:aliasname l3
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 17440
:inh false
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:relid 17399
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 19 20)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17428
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17376
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
}
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 5
:isNatural false
:larg
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
):quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 176
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 188
}
)
:location 186
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 213
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
}
)
}
}
}

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 226
}
)
:location 224
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 3
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 252
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 268
:constvalue 5 [ 20 0 0 0 70 ]
}
)
:location 266
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 284
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 303
}
)
:location 301
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 776
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 790
}
)
:location 788
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 814
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 823
:constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
}
)
)

```

```

        :location 821
    }
}
}
:rarg
{RANGETBLREF
:rtindex 6
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 420
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 436
}
)
}
:location 434
}
{OPEXPR
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 472
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 488
}
)
}
:location 485
}
)
:alias <>
:rtindex 0
}
}
:rarg
{RANGETBLREF
:rtindex 7
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 616
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 632
}
)
}
}
:location 630
}
{OPEXPR
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location 668
}
{VAR
:varno 2
:varattno 3
:varatype 23
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 684
}
)
:location 681
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 13
:varatype 1082
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 13
:location 719
}
{VAR
:varno 7
:varattno 12
:varatype 1082
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 12
:location 738
}
)
:location 736
}
)
:alias <>
:rtindex 0
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varatype 1042
:varitypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 1
:resname s_name
:ressortgroupref 2
:resorigtbl 17399
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2003
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 67
}
}
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 410

```

```

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040

```

[illegible]

QUERY PLAN

```
ers.o_shippriority, orders.o_comment
```

```

        Buffers: shared hit=10499 read=4551, temp read=4886 written=5116
Worker 1: actual time=434.234..550.384 rows=22905.00 loops=1
  Buffers: shared hit=10474 read=4538, temp read=5142 written=5136
  -> Parallel Seq Scan on public.lineitem 11 (cost=0.00..28801.84 rows=166662 width=8) (actual time=0.059..118.643 rows=252963.00 loops=3)
    Output: 11.l_orderkey, 11.l_partkey, 11.l_suppkey, 11.l_linenum, 11.l_quantity, 11.l_extendedprice, 11.l_discount, 11.l_tax, 11.l_return
    flag, 11.l_linestatus, 11.l_shipdate, 11.l_commitdate, 11.l_receiptdate, 11.l_shipinstruct, 11.l_shipmode, 11.l_comment
    Filter: (11.l_receiptdate > 11.l_commitdate)
    Rows Removed by Filter: 147027
    Buffers: shared hit=15832 read=6720
    Worker 0: actual time=0.059..118.750 rows=252503.00 loops=1
      Buffers: shared hit=5304 read=2230
    Worker 1: actual time=0.056..118.269 rows=252103.00 loops=1
      Buffers: shared hit=5262 read=2215
  -> Parallel Hash (cost=28801.84..28801.84 rows=166662 width=8) (actual time=156.604..156.605 rows=252963.00 loops=3)
    Output: 13.l_orderkey, 13.l_suppkey
    Buckets: 262144 (originally 524288) Batches: 8 (originally 1) Memory Usage: 5824kB
    Buffers: shared hit=15584 read=6960, temp written=2312
    Worker 0: actual time=156.033..156.034 rows=252478.00 loops=1
      Buffers: shared hit=5195 read=2321, temp written=764
    Worker 1: actual time=156.891..156.894 rows=253580.00 loops=1
      Buffers: shared hit=5212 read=2323, temp written=788
  -> Parallel Seq Scan on public.lineitem 13 (cost=0.00..28801.84 rows=166662 width=8) (actual time=0.134..90.768 rows=252963.00 loops=3)
    Output: 13.l_orderkey, 13.l_suppkey
    Filter: (13.l_receiptdate > 13.l_commitdate)
    Rows Removed by Filter: 147027
    Buffers: shared hit=15584 read=6968
    Worker 0: actual time=0.146..90.696 rows=252478.00 loops=1
      Buffers: shared hit=5195 read=2321
    Worker 1: actual time=0.134..90.630 rows=253580.00 loops=1
      Buffers: shared hit=5212 read=2323
  -> Parallel Hash (cost=27551.87..27551.87 rows=499987 width=8) (actual time=117.193..117.194 rows=399989.67 loops=3)
    Output: 12.l_orderkey, 12.l_suppkey
    Buckets: 262144 Batches: 8 Memory Usage: 8000kB
    Buffers: shared hit=15302 read=7250, temp written=3632
    Worker 0: actual time=116.298..116.298 rows=397402.00 loops=1
      Buffers: shared hit=5171 read=2295, temp written=1204
    Worker 1: actual time=116.375..116.375 rows=396748.00 loops=1
      Buffers: shared hit=5076 read=2381, temp written=1200
  -> Parallel Seq Scan on public.lineitem 12 (cost=0.00..27551.87 rows=499987 width=8) (actual time=0.213..49.815 rows=399989.67 loops=3)
    Output: 12.l_orderkey, 12.l_suppkey
    Buffers: shared hit=15302 read=7250
    Worker 0: actual time=0.074..49.168 rows=397402.00 loops=1
      Buffers: shared hit=5171 read=2295
    Worker 1: actual time=0.090..49.650 rows=396748.00 loops=1
      Buffers: shared hit=5076 read=2381
  -> Seq Scan on public.supplier (cost=0.00..48638.00 rows=500 width=34) (actual time=0.002..0.437 rows=342.00 loops=19740)
    Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, supplier.s_comment
    Filter: ((supplier.s_acctbal > '0':numeric) AND (ANY (supplier.s_nationkey = (hashed SubPlan 2).col1)))
    Rows Removed by Filter: 1658
    Buffers: shared hit=1737121 read=1
    SubPlan 2
      -> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.170..0.180 rows=5.00 loops=1)
        Output: n.n_nationkey
        Hash Cond: (n.n_regionkey = r.r_regionkey)
        Buffers: shared hit=1 read=1
      -> Seq Scan on public.nation n (cost=0.00..11.70 rows=170 width=8) (actual time=0.010..0.012 rows=25.00 loops=1)
        Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
        Buffers: shared hit=1
      -> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.144..0.145 rows=1.00 loops=1)
        Output: r.r_regionkey
        Buckets: 1024 Batches: 1 Memory Usage: 9kB
        Buffers: shared read=1
      -> Seq Scan on public.region r (cost=0.00..12.12 rows=1 width=4) (actual time=0.141..0.142 rows=1.00 loops=1)
        Output: r.r_regionkey
        Filter: (r.r_name = 'EUROPE':bpchar)
        Rows Removed by Filter: 4
        Buffers: shared read=1
  -> Seq Scan on public.nation (cost=0.00..12.12 rows=1 width=4) (actual time=0.001..0.003 rows=1.00 loops=3443)
    Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
    Filter: (nation.n_name = 'ARGENTINA':bpchar)
    Rows Removed by Filter: 24
    Buffers: shared hit=3443

Planning:
  Buffers: shared hit=229
Planning Time: 14.959 ms
Execution Time: 9721.770 ms
(146 rows)

```

```

=====
BENCHMARK SUMMARY
=====
Runs           : 10
Average Planning : 14.296 ms
Average Execution : 9727.440 ms

Generated Files:
  run10_explain.txt
  summary.txt
adityadave@Adityas-MacBook-Air-3 Q2&Q21 %

```