

```
Last login: Mon Jun 22 15:01:03 on ttys002
adityadave@Adityas-MacBook-Air-3 ~ % cd /Users/adityadave/PE/PE-Daywise-Work-Tracker/19-JUNE/Q2/&21
adityadave@Adityas-MacBook-Air-3 Q2&21 % python3 script.py
Running 1/10...
Running 2/10...
Running 3/10...
Running 4/10...
Running 5/10...
Running 6/10...
Running 7/10...
Running 8/10...
Running 9/10...
Running 10/10...
```

```

09TH RUN OUTPUT
SET
WARNING: Log 1: Planner Input:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname supplier_secure
:colnames ("s_suppkkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 17399
:inh true
:relkind r
:relockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17399
:inh true
:requiredPerms 2
:checkedAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtable 1
}
)
:quals
{BOOLEXPRESS
:boolop and
:args (
{OPEXPRESS
:opno 1756
:opfncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
){FUNCEXPRESS
:fncid 1740
:funcresulttype 1700
:funcnretset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]

```

```

    }
  }
  :location -1
}
}
:location -1
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_
comment")
}
}
:rtekind 0
:relid 17376
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtekind 0
:relid 17382
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17376
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17382
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
)
:location -1

```

```

    }
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
    }
    {OEXPR
    :opno 1054
    :opfuncid 1048
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 1042
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
    )
    :location -1
    }
    }
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    }
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    }
    :resno 1

```

```

:resname s_supkey
:ressortgroupref 0
:resorigtbl 17399
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 17399
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 1043
:vartypmod 44
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 17399
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 17399
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 17399
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 17399
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1043
:vartypmod 105
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 17399
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 17474
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname l1
:colnames <>
}
}
:eref
{ALIAS
:aliasname l1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 0
:relid 17440
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
}
:rtekind 0
:relid 17428
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 17376
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("s_name")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:varstype 1042
:varitypm 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17474
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 19 20)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17428
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17376
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
}
)

```

```

      :updatedCols (b)
    }
  )
}
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
    {RANGETBLREF
      :rtindex 3
    }
    {RANGETBLREF
      :rtindex 4
    }
  )
}
:quals
{BOOLEXP
  :boolOp and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 183
        }
        {VAR
          :varno 2
          :varattno 3
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 3
          :location 195
        }
      )
    }
    :location 193
  )
}
{OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 3
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location 220
    }
    {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location 233
    }
  )
}
:location 231
}
{OPEXP
  :opno 1054
  :opfuncid 1048
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
      :varno 3
      :varattno 3
      :vartype 1042
      :vartypmod 5
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 3
      :location 259
    }
    {CONST
      :consttype 1042
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 275
      :constvalue 5 [ 20 0 0 0 70 ]
    }
  )
}
:location 273
}
{OPEXP
  :opno 1097
  :opfuncid 1089
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 2
      :varattno 13
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
    }
  )
}

```

```

:varnosyn 2
:varattnosyn 13
:location 291
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 310
}
}
:location 308
}
{SUBLINK
:sublinkType 0
:sublinkId 0
:testexpr <>
:opetName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStat <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 12
:colnames <>
}
}
:eref
{ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtkind 0
:relid 17440
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperinfos (
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 06
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 427
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 443
}
)
:location 441
}
{OPEXP
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
}
)
}
}

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 479
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 495
}
)
:location 492
}
)
:location 475
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 370
}
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 370
}
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 370
}
}
:resno 3
:resname l_supplekey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 370
}
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 370
}
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 370
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 370
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 370
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 370
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 370
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 370
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 370
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 17440
    :resorigcol 13
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 370
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 370
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 370
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 16
:resjunk false
}
}
:location 338
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:sublinkType 0
:sublinkid 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctcList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 13
:colnames <>
}
:eref
{ALIAS
:aliasname 13
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin

```

```

        enumber" "l_quantity" "l_extendedprice" "l_discount" "
        l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
        ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
        e" "l_comment")
    }
    :rtekind 0
    :relid 17440
    :inh true
    :relkind r
    :rellocmode 1
    :permindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 17440
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21
22 23)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 623
}
{VAR
:varno 2
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 639
}
}
:location 637
}
{OPEXP
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 675
}
{VAR
:varno 2
:varattno 3
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 691
}
}
:location 688
}
{OPEXP
:opno 1897
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 13
:varstype 1082
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 726
}
{VAR
:varno 1
:varattno 12
:varstype 1082
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 745
}
}
}
}

```

```

        )
        :location 743
    }
    )
    :location 671
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 566
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 566
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 566
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 566
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 566
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 566
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7

```

```

:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 566
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 566
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 566
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 566
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 566
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 566
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 566
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 17440
:resorigcol 13
:resjunk false

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 14
    :vartype 1042
    :vartypmod 29
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 566
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgroupref 0
    :resorigtbl 17440
    :resorigcol 14
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 15
    :vartype 1042
    :vartypmod 14
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 566
    }
    :resno 15
    :resname l_shipmode
    :ressortgroupref 0
    :resorigtbl 17440
    :resorigcol 15
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 1043
    :vartypmod 48
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 566
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 17440
    :resorigcol 16
    :resjunk false
    }
    }
    :location 534
  }
}
:location 530
}
{OPEXPR
:opno 06
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 783
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 797
}
}
:location 795
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 821
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 830
:constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
}
}
:location 828
}
}
:location 216
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:varstype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname s_name
:ressortgroupref 2
:resorigtbl 17474
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 67
}
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: max_parallel_hazard_walker: FuncExpr funcid=1740 propparallel=s (s=safe r=restricted u=unsafe)
WARNING: Log 2 : After pull up At starting of Path Generation:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
}

```

```

:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier_secure
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 17474
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
{ALIAS
:aliasname l1
:colnames <>
}
:eref
{ALIAS
:aliasname l1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qualifiedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 17440
:inh false
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 17428
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 17376
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("s_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 8
:varattno 2
:varatype 1042
:varitypm 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
{RANGETBENTRY
:alias <>
{ALIAS
:aliasname l2
:colnames <>
}
:eref
{ALIAS
:aliasname l2
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qualifiedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 17440
:inh false
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
{ALIAS
:aliasname l3
:colnames <>
}
:eref
{ALIAS
:aliasname l3
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qualifiedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "

```

```

        l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 17440
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 6
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
    s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 17399
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 7
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname n
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname n
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
    :rtekind 0
    :relid 17376
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 8
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname r
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname r
    :colnames ("r_regionkey" "r_name" "r_comment")
    }
    :rtekind 0
    :relid 17382
    :inh false
    :relkind r
    :rellockmode 1
    :perminfoindex 9
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    }
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 17474
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17440
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 19 20)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17428
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17376
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17440
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17440
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17399
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 17376
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 10)
    :insertedCols (b)
    }
    )

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 17382
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 5
:isNatural false
:larg
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 8
}
)
:quals (
{OPEXPR
:opno 1756
:opfuncid 1720
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 8
:varattno 6
:varatype 1700
:varitypmid 983846
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 6
:location -1
}
)
{CONST
:consttype 1700
:constitypmid -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -128 ]
}
)
:location -1
}
)
}
:rarg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 9
}
{RANGETBLREF
:rtindex 10
}
)
:quals <>
)
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 9
:varattno 1
:varatype 23
:varitypmid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
)
{VAR
:varno 8
:varattno 4
:varatype 23
:varitypmid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 9
:varattno 3
:varatype 23
:varitypmid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 3
:location -1
}
)
{VAR
:varno 10
:varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 10
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location -1
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:alias <>
:rtindex 0
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 195
}
)
:location 193
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 220
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 233
}
)
:location 231
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 3
:vartype 1042

```

```

:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 259
}
(CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 275
:constvalue 5 [ 20 0 0 0 70 ]
)
}
:location 273
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 291
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 310
}
)
:location 308
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 8
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 797
}
)
:location 795
}
{OPEXPR
:opno 1054
:opfuncid 1048
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 821
}
{CONST
:consttype 1042
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 830
:constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
}
)
:location 828
}
}
}
:rarg
{RANGETBLREF
:rtindex 6
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 427
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 443
}
)
:location 441
}
{OPEXPR
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 479
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 495
}
)
)
:location 492
}
)
:alias <>
:rtindex 0
}
:rarg
{RANGETBLREF
:rtindex 7
}
:usingClause <>
:join_using_alias <>
:quals (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 623
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 639
}
)
)
:location 637
}
{OPEXPR
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location 675
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 691
}
)
)

```

```

:location 688
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 13
:location 726
}
{VAR
:varno 7
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 12
:location 745
}
)
:location 743
}
)
:alias <>
:rtindex 0
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname s_name
:ressortgroupref 2
:resorigtbl 17474
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2003
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 67
}
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```
<withCheckOptions >>  
-> stmt_len 0  
{  
-> }  
  
WARNING: is_parallel_safe: INPUT qual = (({RESTRICTINFO :clause {OEXPR :opno 1897 :ofuncid 1089 :opsresulttype 16 :pretset false :oppollcid 0 :inputcollid 0 :args {(VAR :varno 2 :varttno 13 :vartype 1 :location -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 2 :varattnosyn 13 :location -1} (VAR :varno 2 :varttno 12 :vartype 1082 :vartypmod -1 :varcollid 0 :varnllngrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 2 :varattnosyn 12 :location -1}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :lea_kproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 2) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b) :left_relds (b 2) :right_relds (b 2) :orclause <- :rinfo_serial 8 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeorfamilies <- :left_em <- :right_em <- :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :ri_ght_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashseparator 0 :right_hashseparator 0})) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: OUTPUT qual = (({RESTRICTINFO :clause {OEXPR :opno 1897 :ofuncid 1089 :opsresulttype 16 :pretset false :oppollcid 0 :inputcollid 0 :args {(VAR :varno 2 :varttno 13 :vartype 1 :location -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 2 :varattnosyn 13 :location -1} (VAR :varno 2 :varttno 12 :vartype 1082 :vartypmod -1 :varcollid 0 :varnllngrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 2 :varattnosyn 12 :location -1}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :ha_s_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 2) :required_relds (b 2) :incompatible_relds (b) :outer_relds (b) :left_relds (b 2) :right_relds (b 2) :orclause <- :rinfo_serial 8 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeorfamilies <- :left_em <- :right_em <- :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :ri_ght_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashseparator 0 :right_hashseparator 0})) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: INPUT qual = (({VAR :varno 2 :varttno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 3 :varattnosyn 3 :location -1}) (VAR :varno 2 :varttno 2 :varttno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 2 :varattnosyn 3 :location -1}) (VAR :varno 2 :varttno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 2 :varattnosyn 3 :location -1}) | parallel_safe = true | reason = PROPARRALLSAFE  
WARNING: is_parallel_safe: INPUT qual = (({RESTRICTINFO :clause {OEXPR :opno 1054 :ofuncid 1048 :opsresulttype 16 :pretset false :oppollcid 0 :inputcollid 100 :args {(VAR :varno 3 :varttno 3 :vartype 1042 :vartypmod 5 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 3 :varattnosyn 3 :location -1} (CONST :consttype 1042 :consttymod -1 :constilld 100 :constlen -1 :constnbval false :constraintnull false :location -1 :constvalus [ 5 20 0 0 70 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leackproof false :is_chnostbval false :security_level 0 :num_base_rels 1 :clause_relds (b 3) :required_relds (b 3) :incompatible_relds (b) :outer_relds (b) :left_relds (b 3) :right_relds (b 3) :orclause <- :rinfo_serial 7 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeorfamilies (0 426 2097) :left_em (EQUIVALENCEMEMBER :em_expr {VAR :varno 3 :varttno 3 :vartype 1042 :vartypmod 5 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 3 :varattnosyn 3 :location -1} :em_relds (b 3) :em_is_const false :em_is_child false :em_datatype 1042 :em_domain {JOINDOMAIN :jd_relds (b 2 3 4 6 7 8 9 10)}) :right_em (EQUIVALENCEMEMBER :em_expr (CONST :consttype 1042 :consttymod -1 :constilld 100 :constlen -1 :constnbval false :constraintnull false :location -1 :constvalus [ 5 20 0 0 70 ]) :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_domain {JOINDOMAIN :jd_relds (b 2 3 4 6 7 8 9 10)})) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashseparator 0 :right_hashseparator 0})) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: INPUT qual = ({(VAR :varno 3 :varttno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 3 :varattnosyn 1 :location -1}) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: INPUT qual = (({RESTRICTINFO :clause {OEXPR :opno 1054 :ofuncid 1048 :opsresulttype 16 :pretset false :oppollcid 0 :inputcollid 100 :args {(VAR :varno 4 :varttno 2 :vartype 1042 :vartypmod 5 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 3 :varattnosyn 2 :location -1} (CONST :consttype 1042 :consttymod -1 :constilld 100 :constlen -1 :constnbval false :constraintnull false :location -1 :constvalus [ 52 0 0 65 82 71 69 78 84 73 78 65 ]}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leackproof false :is_chnostbval false :security_level 0 :num_base_rels 1 :clause_relds (b 4) :required_relds (b 4) :incompatible_relds (b) :outer_relds (b 4) :right_relds (b 4) :orclause <- :rinfo_serial 10 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeorfamilies (0 426 2097) :left_em (EQUIVALENCEMEMBER :em_expr {VAR :varno 4 :varttno 2 :vartype 1042 :vartypmod 5 :varcollid 100 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 4 :varattnosyn 2 :location -1} :em_relds (b 4) :em_is_const false :em_is_child false :em_datatype 1042 :em_domain {JOINDOMAIN :jd_relds (b 2 3 4 6 7 8 9 10)}) :right_em (EQUIVALENCEMEMBER :em_expr (CONST :consttype 1042 :consttymod -1 :constilld 100 :constlen -1 :constnbval false :constraintnull false :location -1 :constvalus [ 52 0 0 65 82 71 69 78 84 73 78 65 ]) :em_relds (b) :em_is_const true :em_is_child false :em_datatype 1042 :em_domain {JOINDOMAIN :jd_relds (b 2 3 4 6 7 8 9 10)})) :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashseparator 0 :right_hashseparator 0})) | parallel_safe = true | reason = PPROPARRALLEL_SAFE  
WARNING: is_parallel_safe: INPUT qual = (({VAR :varno 4 :varttno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 4 :varattnosyn 1 :location -1}) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: INPUT qual = (({RESTRICTINFO :clause {OEXPR :opno 1897 :ofuncid 1089 :opsresulttype 16 :pretset false :oppollcid 0 :inputcollid 0 :args {(VAR :varno 4 :varttno 2 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 7 :varattnosyn 12 :location -1} (VAR :varno 7 :varttno 12 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 7 :varattnosyn 12 :location -1}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leackproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 7) :required_relds (b 7) :incompatible_relds (b) :outer_relds (b) :left_relds (b 7) :right_relds (b 7) :orclause <- :rinfo_serial 15 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeorfamilies <- :left_em <- :right_em <- :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashseparator 0 :right_hashseparator 0})) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: OUTPUT qual = (({RESTRICTINFO :clause {OEXPR :opno 1897 :ofuncid 1089 :opsresulttype 16 :pretset false :oppollcid 0 :inputcollid 0 :args {(VAR :varno 7 :varttno 13 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 7 :varattnosyn 13 :location -1} (VAR :varno 7 :varttno 12 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 7 :varattnosyn 12 :location -1}) :location -1} :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leackproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 7) :required_relds (b 7) :incompatible_relds (b) :outer_relds (b 2 3 4 6 8 9 10) :left_relds (b 7) :right_relds (b 7) :orclause <- :rinfo_serial 15 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeorfamilies <- :left_em <- :right_em <- :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashseparator 0 :right_hashseparator 0})) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: INPUT qual = (({VAR :varno 7 :varttno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 7 :varattnosyn 1 :location -1}) (VAR :varno 7 :varttno 2 :varttno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 6 :varattnosyn 1 :location -1}) (VAR :varno 7 :varttno 3 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 6 :varattnosyn 3 :location -1}) | parallel_safe = true | reason = PROPARRALLEL_SAFE  
WARNING: is_parallel_safe: OUTPUT qual = (({VAR :varno 6 :varttno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsups 0 :varreturningtypetype 0 :varsynsyn 6 :varattnosyn 1 :location -1}) (VAR :varno 6 :varttno 2 :varttno 3 :
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```
0 :left_bucketsize=1:right_bucketsize=1:(VAR:vfreq=1:right_mcfreq=1:left_hashoperator %6):(RESTRICTINFO:clause:(OPEXPR:opno %6:ofuncid 65:opresultype 16:opretset false:opcollid 0:inputcollid 0:args:(VAR:varno 7:varattno 1:vartype 23:vartypmod -1:varcollid 0:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 7:varattsyn 1:location -1)(VAR:varno 2:varattno 1:vartype 23:vartypmod -1:varcollid 0:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 2:varattsyn 1:location -1):is_pushed_down false:can_join true:pseudocostant false:has_clone false:is_clone false:leakproof false:has_volatile 2:security_level 0:num_base_rels 2:clause_relds (b 2 7):required_relds (b 2 7):incompatible_relds (b):outer_relds (b 2 3 4 6 8 9 10):left_relds (b 7):right_relds (b 2):orclause =<:rinfo_serial 13:eval_cost.startup 0:eval_cost.per_tuple 0.0025:norm_select 4.07913522336536e-06:outer_select 1:mergeofamilies (< 0 1976):left_em <>:right_em <>:outer_is_left true:hashjoinoperator %6:left_bucketsize 1.2237355752169072e-05:right_bucketsize 1.2237355752169072e-05:left_mcfreq 0:right_mcfreq 0:left_hashoperator %6:right_hashoperator %6)
WARNING: is_parallel_safe: OUTPUT qual = (RESTRICTINFO:clause:(OPEXPR:opno 518:ofuncid 144:opresultype 16:opretset false:opcollid 0:inputcollid 0:args:(VAR:varno 7:varattno 3:vartype 23:vartypmod -1:varcollid 0:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 7:varattsyn 3:location -1)(VAR:varno 2:varattno 3:vartype 23:vartypmod -1:varcollid 0:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 2:varattsyn 3:location -1):is_pushed_down false:can_join true:pseudocostant false:has_clone false:is_clone false:leakproof false:has_volatile 0:security_level 0:num_base_rels 2:clause_relds (b 2 7):required_relds (b 2 7):incompatible_relds (b):outer_relds (b 2 3 4 6 8 9 10):left_relds (b 7):right_relds (b 2):orclause =<:rinfo_serial 14:eval_cost.startup 0:eval_cost.per_tuple 0.0025:norm_select 0.9994699733582758:outer_select 1:mergeofamilies (< 0:left_em <>:right_em <>:outer_is_left false:hashjoinoperator 0:left_bucketsize=1:right_mcfreq=1:left_mcfreq=1:left_hashoperator %6:right_hashoperator %6):(RESTRICTINFO:clause:(OPEXPR:opno %6:ofuncid 65:opresultype 16:opretset false:opcollid 0:inputcollid 0:args:(VAR:varno 7:varattno 1:vartype 23:vartypmod -1:varcollid 0:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 7:varattsyn 1:location -1)(VAR:varno 2:varattno 1:vartype 23:vartypmod -1:varcollid 0:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 2:varattsyn 1:location -1):is_pushed_down false:can_join true:pseudocostant false:has_clone false:is_clone false:leakproof false:has_volatile 2:security_level 0:num_base_rels 2:clause_relds (b 2 7):required_relds (b 2 7):incompatible_relds (b):outer_relds (b 2 3 4 6 8 9 10):left_relds (b 7):right_relds (b 2):orclause =<:rinfo_serial 14:eval_cost.startup 0:eval_cost.per_tuple 0.0025:norm_select 4.07913522336536e-06:outer_select 1:mergeofamilies (< 0 1976):left_em <>:right_em <>:outer_is_left true:hashjoinoperator %6:left_bucketsize 1.2237355752169072e-05:right_bucketsize 1.2237355752169072e-05:left_mcfreq 0:right_mcfreq 0:left_hashoperator %6:left_hashoperator %6)| parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1)| parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1)| parallel_safe = true | reason = PROPARALLEL_SAFE
-1) {AGGREG:aggfnoid 2803:aggtype 20:aggcollid 0:inputcollid 0:aggrtransp 20:aggargtypes <>:aggdirectargs <>:args <>:aggorder <>:aggdistinct <>:aggfilter <>:aggstar true:aggvariadic false:aggkind 0:aggpresorted false:agglevelsup 0:aggssplit 0:aggno 0:aggrtransn 0:location -1})
WARNING: is_parallel_safe: OUTPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1){AGGREG:aggfnoid 2803:aggtype 20:aggcollid 0:inputcollid 0:aggrtransp 20:aggargtypes <>:aggdirectargs <>:args <>:aggorder <>:aggdistinct <>:aggfilter <>:aggstar true:aggvariadic false:aggkind 0:aggpresorted false:agglevelsup 0:aggssplit 0:aggno 0:aggrtransn 0:location -1}| parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1){AGGREG:aggfnoid 2803:aggtype 20:aggcollid 0:inputcollid 0:aggrtransp 20:aggargtypes <>:aggdirectargs <>:args <>:aggorder <>:aggdistinct <>:aggfilter <>:aggstar true:aggvariadic false:aggkind 0:aggpresorted false:agglevelsup 0:aggssplit 0:aggno 0:aggrtransn 0:location -1})
WARNING: is_parallel_safe: OUTPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1){AGGREG:aggfnoid 2803:aggtype 20:aggcollid 0:inputcollid 0:aggrtransp 20:aggargtypes <>:aggdirectargs <>:args <>:aggorder <>:aggdistinct <>:aggfilter <>:aggstar true:aggvariadic false:aggkind 0:aggpresorted false:agglevelsup 0:aggssplit 0:aggno 0:aggrtransn 0:location -1}| parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1){AGGREG:aggfnoid 2803:aggtype 20:aggcollid 0:inputcollid 0:aggrtransp 20:aggargtypes <>:aggdirectargs <>:args <>:aggorder <>:aggdistinct <>:aggfilter <>:aggstar true:aggvariadic false:aggkind 0:aggpresorted false:agglevelsup 0:aggssplit 0:aggno 0:aggrtransn 0:location -1})
WARNING: is_parallel_safe: OUTPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1){AGGREG:aggfnoid 2803:aggtype 20:aggcollid 0:inputcollid 0:aggrtransp 20:aggargtypes <>:aggdirectargs <>:args <>:aggorder <>:aggdistinct <>:aggfilter <>:aggstar true:aggvariadic false:aggkind 0:aggpresorted false:agglevelsup 0:aggssplit 0:aggno 0:aggrtransn 0:location -1}| parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR:varno 8:varattno 2:vartype 1042:vartypmod 29:varcollid 100:varnullingrels (b):varlevelsup 0:varreturningtype 0:varnosyn 8:varattsyn 2:location -1){AGGREG:aggfnoid 2803:aggtype 20:aggcollid 0:inputcollid 0:aggrtransp 20:aggargtypes <>:aggdirectargs <>:args <>:aggorder <>:aggdistinct <>:aggfilter <>:aggstar true:aggvariadic false:aggkind 0:aggpresorted false:agglevelsup 0:aggssplit 0:aggno 0:aggrtransn 0:location -1})
```

```

Sort (cost=104783.35..104783.36 rows=1 width=34) (actual time=172.138..174.874 rows=0.00 loops=1)
  Output: supplier.s_name, count(*)
  Sort Key: (count(*)) DESC, supplier.s_name
  Sort Method: quicksort Memory: 25kB
  Buffers: shared hit=16142 read=6697, temp read=3597 written=3632
  -> GroupAggregate (cost=104783.32..104783.34 rows=1 width=34) (actual time=172.117..174.852 rows=0.00 loops=1)
    Output: supplier.s_name, count(*)
    Group Key: supplier.s_name
    Buffers: shared hit=16136 read=6697, temp read=3597 written=3632
    -> Sort (cost=104783.32..104783.33 rows=1 width=26) (actual time=172.115..174.850 rows=0.00 loops=1)
      Output: supplier.s_name
      Sort Key: supplier.s_name
      Sort Method: quicksort Memory: 25kB
      Buffers: shared hit=16136 read=6697, temp read=3597 written=3632
      -> Gather (cost=73400.36..104783.31 rows=1 width=26) (actual time=172.109..174.843 rows=0.00 loops=1)
        Output: supplier.s_name
        Workers Planned: 2
        Workers Launched: 2
        Buffers: shared hit=16136 read=6697, temp read=3597 written=3632
        -> Parallel Hash Semi Join (cost=72400.36..103783.21 rows=1 width=26) (actual time=169.218..169.268 rows=0.00 loops=3)
          Output: supplier.s_name
          Hash Cond: (orders.o_orderkey = l1.l_orderkey)
          Join Filter: (l1.l_suppkey <> l1.l_suppkey)
          Buffers: shared hit=16136 read=6697, temp read=3597 written=3632
          Worker 0: actual time=168.315..168.320 rows=0.00 loops=1
            Buffers: shared hit=5416 read=2155, temp read=1205 written=1200
          Worker 1: actual time=168.012..168.021 rows=0.00 loops=1
            Buffers: shared hit=5331 read=2245, temp read=1209 written=1204
          -> Parallel Hash Right Anti Join (cost=36644.65..107171.49 rows=1 width=38) (actual time=1.635..1.685 rows=0.00 loops=3)
            Output: supplier.s_name, l1.l_suppkey, l1.l_orderkey, orders.o_orderkey
            Hash Cond: (l3.l_orderkey = l1.l_orderkey)
            Join Filter: (l3.l_suppkey <> l1.l_suppkey)
            Buffers: shared hit=275 read=6
            Worker 0: actual time=1.638..1.642 rows=0.00 loops=1
              Buffers: shared hit=93
            Worker 1: actual time=1.639..1.647 rows=0.00 loops=1
              Buffers: shared hit=91 read=3
            -> Parallel Seq Scan on public.lineitem l3 (cost=0.00..28801.84 rows=166662 width=8) (never executed)
              Output: l3.l_orderkey, l3.l_partkey, l3.l_suppkey, l3.l_linenum, l3.l_quantity, l3.l_extendedprice, l3.l_discount, l3.l_tax, l3.l_returnflag, l3.l_linestatus, l3.l_shipdate, l3.l_commitdate, l3.l_receiptdate, l3.l_shipinstruct, l3.l_shipmode, l3.l_comment
              Filter: (l3.l_receiptdate > l3.l_commitdate)
            -> Parallel Hash (cost=36644.63..36644.63 rows=2 width=38) (actual time=1.613..1.661 rows=0.00 loops=3)
              Output: supplier.s_name, l1.l_suppkey, l1.l_orderkey, orders.o_orderkey
              Buckets: 1024 Batches: 1 Memory Usage: 0kB
              Buffers: shared hit=275 read=6
              Worker 0: actual time=1.607..1.611 rows=0.00 loops=1
                Buffers: shared hit=93
              Worker 1: actual time=1.622..1.628 rows=0.00 loops=1
                Buffers: shared hit=91 read=3
              -> Parallel Hash Join (cost=29582.34..36644.63 rows=2 width=38) (actual time=1.588..1.636 rows=0.00 loops=3)
                Output: supplier.s_name, l1.l_suppkey, l1.l_orderkey, orders.o_orderkey
                Hash Cond: (orders.o_orderkey = l1.l_orderkey)
                Buffers: shared hit=275 read=6
                Worker 0: actual time=1.593..1.595 rows=0.00 loops=1
                  Buffers: shared hit=93
                Worker 1: actual time=1.589..1.595 rows=0.00 loops=1
                  Buffers: shared hit=91 read=3
                -> Parallel Seq Scan on public.orders (cost=0.00..6834.50 rows=60742 width=4) (never executed)
                  Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
                  Filter: (orders.o_orderstatus = 'F')::bpchar
                -> Parallel Hash (cost=29582.27..29582.27 rows=5 width=34) (actual time=1.573..1.578 rows=0.00 loops=3)
                  Output: supplier.s_name, l1.l_suppkey, l1.l_orderkey
                  Buckets: 1024 Batches: 1 Memory Usage: 0kB
                  Buffers: shared hit=275 read=6
                  Worker 0: actual time=1.576..1.578 rows=0.00 loops=1
                    Buffers: shared hit=93
                  Worker 1: actual time=1.572..1.574 rows=0.00 loops=1
                    Buffers: shared hit=91 read=3
                  -> Hash Join (cost=154.62..29582.27 rows=5 width=34) (actual time=1.246..1.250 rows=0.00 loops=3)
                    Output: supplier.s_name, l1.l_suppkey, l1.l_orderkey
                    Hash Cond: (l1.l_suppkey = supplier.s_suppkey)
                    Buffers: shared hit=275 read=6
                    Worker 0: actual time=0.735..0.737 rows=0.00 loops=1
                      Buffers: shared hit=93
                    Worker 1: actual time=1.566..1.569 rows=0.00 loops=1
                      Buffers: shared hit=91 read=3
                    -> Parallel Seq Scan on public.lineitem l1 (cost=0.00..28801.84 rows=166662 width=8) (actual time=0.593..0.593 rows=1.00 loops=3)
                      Output: l1.l_orderkey, l1.l_partkey, l1.l_suppkey, l1.l_linenum, l1.l_quantity, l1.l_extendedprice, l1.l_discount, l1.l_tax, l1.l_returnflag, l1.l_linestatus, l1.l_shipdate, l1.l_commitdate, l1.l_receiptdate, l1.l_shipinstruct, l1.l_shipmode, l1.l_comment
                      Filter: (l1.l_receiptdate > l1.l_commitdate)
                      Buffers: shared hit=2 read=6
                      Worker 0: actual time=0.006..0.006 rows=1.00 loops=1
                        Buffers: shared hit=2
                      Worker 1: actual time=0.896..0.896 rows=1.00 loops=1
                        Buffers: shared read=3
                    -> Hash (cost=154.61..154.61 rows=1 width=30) (actual time=0.642..0.646 rows=0.00 loops=3)
                      Output: supplier.s_name, supplier.s_suppkey
                      Buckets: 1024 Batches: 1 Memory Usage: 8kB
                      Buffers: shared hit=273
                      Worker 0: actual time=0.718..0.719 rows=0.00 loops=1

```

```

    Buffers: shared hit=91
Worker 1: actual time=0.660..0.662 rows=0.00 loops=1
  Buffers: shared hit=91
-> Nested Loop (cost=24.50..154.61 rows=1 width=30) (actual time=0.642..0.646 rows=0.00 loops=3)
    Output: supplier.s_name, supplier.s_suppkey
    Join Filter: (nation.n_nationkey = n.n_nationkey)
    Rows Removed by Join Filter: 342
    Buffers: shared hit=273
    Worker 0: actual time=0.717..0.719 rows=0.00 loops=1
      Buffers: shared hit=91
    Worker 1: actual time=0.660..0.662 rows=0.00 loops=1
      Buffers: shared hit=91
-> Seq Scan on public.nation (cost=0.00..12.12 rows=1 width=4) (actual time=0.042..0.045 rows=1.00 loops=3)
    Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
    Filter: (nation.n_name = 'ARGENTINA'::bpchar)
    Rows Removed by Filter: 24
    Buffers: shared hit=3
    Worker 0: actual time=0.070..0.073 rows=1.00 loops=1
      Buffers: shared hit=1
    Worker 1: actual time=0.048..0.051 rows=1.00 loops=1
      Buffers: shared hit=1
-> Hash Semi Join (cost=24.50..142.35 rows=11 width=38) (actual time=0.082..0.586 rows=342.00 loops=3)
    Output: supplier.s_name, supplier.s_nationkey, supplier.s_suppkey, n.n_nationkey
    Hash Cond: (supplier.s_nationkey = n.n_nationkey)
    Buffers: shared hit=270
    Worker 0: actual time=0.103..0.631 rows=342.00 loops=1
      Buffers: shared hit=90
    Worker 1: actual time=0.103..0.596 rows=342.00 loops=1
      Buffers: shared hit=90
-> Seq Scan on public.supplier (cost=0.00..113.00 rows=1801 width=34) (actual time=0.030..0.409 rows=1802.00 loops=3)
    Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctb

al, supplier.s_comment

    Filter: (supplier.s_acctbal > '0'::numeric)
    Rows Removed by Filter: 198
    Buffers: shared hit=264
    Worker 0: actual time=0.040..0.447 rows=1802.00 loops=1
      Buffers: shared hit=88
    Worker 1: actual time=0.040..0.410 rows=1802.00 loops=1
      Buffers: shared hit=88
-> Hash (cost=24.48..24.48 rows=1 width=4) (actual time=0.044..0.048 rows=5.00 loops=3)
    Output: n.n_nationkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=6
    Worker 0: actual time=0.055..0.056 rows=5.00 loops=1
      Buffers: shared hit=2
    Worker 1: actual time=0.055..0.056 rows=5.00 loops=1
      Buffers: shared hit=2
-> Hash Join (cost=12.14..24.48 rows=1 width=4) (actual time=0.040..0.044 rows=5.00 loops=3)
    Output: n.n_nationkey
    Hash Cond: (n.n_regionkey = r.r_regionkey)
    Buffers: shared hit=6
    Worker 0: actual time=0.051..0.054 rows=5.00 loops=1
      Buffers: shared hit=2
    Worker 1: actual time=0.051..0.054 rows=5.00 loops=1
      Buffers: shared hit=2
-> Seq Scan on public.nation n (cost=0.00..11.70 rows=170 width=8) (actual time=0.002..0.003 rows=25.00 loops=3)
    Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
    Buffers: shared hit=3
    Worker 0: actual time=0.002..0.003 rows=25.00 loops=1
      Buffers: shared hit=1
    Worker 1: actual time=0.002..0.003 rows=25.00 loops=1
      Buffers: shared hit=1
-> Hash (cost=12.12..12.12 rows=1 width=4) (actual time=0.029..0.030 rows=1.00 loops=3)
    Output: r.r_regionkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=3
    Worker 0: actual time=0.040..0.041 rows=1.00 loops=1
      Buffers: shared hit=1
    Worker 1: actual time=0.042..0.042 rows=1.00 loops=1
      Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..12.12 rows=1 width=4) (actual time=0.027..0.027 rows=1.00 loops=3)
    Output: r.r_regionkey
    Filter: (r.r_name = 'EUROPE'::bpchar)
    Rows Removed by Filter: 4
    Buffers: shared hit=3
    Worker 0: actual time=0.038..0.038 rows=1.00 loops=1
      Buffers: shared hit=1
    Worker 1: actual time=0.039..0.040 rows=1.00 loops=1
      Buffers: shared hit=1
-> Parallel Hash (cost=27551.87..27551.87 rows=499987 width=8) (actual time=135.413..135.413 rows=399989.67 loops=3)
    Output: l2.l_orderkey, l2.l_suppkey
    Buckets: 262144 Batches: 0 Memory Usage: 8032kB
    Buffers: shared hit=15861 read=6691, temp written=3632
    Worker 0: actual time=134.471..134.471 rows=396577.00 loops=1
      Buffers: shared hit=5323 read=2155, temp written=1200
    Worker 1: actual time=134.454..134.454 rows=398879.00 loops=1
      Buffers: shared hit=5240 read=2242, temp written=1204
-> Parallel Seq Scan on public.lineitem l2 (cost=0.00..27551.87 rows=499987 width=8) (actual time=0.057..54.576 rows=399989.67 loops=3)
    Output: l2.l_orderkey, l2.l_suppkey
    Buffers: shared hit=15861 read=6691
    Worker 0: actual time=0.080..54.093 rows=396577.00 loops=1
      Buffers: shared hit=5323 read=2155
    Worker 1: actual time=0.081..53.940 rows=398879.00 loops=1
      Buffers: shared hit=5240 read=2242

Planning:
  Buffers: shared hit=236
Planning Time: 27.480 ms
Execution Time: 175.066 ms
(185 rows)

```

```

=====
BENCHMARK SUMMARY
=====
Runs           : 10
Average Planning : 30.445 ms
Average Execution : 196.728 ms

Generated Files:
  run10_explain.txt
  summary.txt
adityadave@Adityas-MacBook-Air-3 Q2&Q21 %

```