

```

adst login: Mon Jun 29 18:01:33 on ttys005
adityadave@Adityas-MacBook-Air-3 ~ % psql -d tpch-200mb-2
psql (18.4)
Type "help" for help.

tpch-200mb-2=# SET ROLE alice;

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    o_orderpriority,
    count(*) as order_count
from
    orders
where
    o_orderdate >= date '1994-01-01'
    and o_orderdate < date '1994-01-01' + interval '3' month
    and exists (
        select
            *
        from
            lineitem_secure
        where
            l_orderkey = o_orderkey
            and l_commitdate < l_receiptdate
    )
group by
    o_orderpriority
order by
    o_orderpriority;

SET
WARNING: Log 1: Planner Input:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:reloid 18182
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesamplp <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 51
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
(RTEPERMISSIONINFO
:reloid 18182
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rindex 1
}
)
:quals
{BOOLEXPRESS
:boolop and
:args (
{OPEXPRESS
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 134
}
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbvall true
:constisnull false
:location 154

```

```

:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
)
:location 146
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varstype 1082
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 179
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:conststypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 198
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:conststypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 222
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 211
}
)
:location 191
}
{SUBLINK
:sublinktype 0
:sublinkid 0
:restexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGEBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
{RANGEBLENTTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_
linenumber" "l_quantity" "l_extendedprice" "l_disco
unt" "l_tax" "l_returnflag" "l_linestatus" "l_shipd
ate" "l_commitdate" "l_receiptdate" "l_shipinstruct
" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 18194
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 18194
:inh true

```

```

:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20
21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:sublinkType 0
:subLinkId 0
:testexpr <>
:opName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rttable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_
orderstatus" "o_totalprice" "o_orderdat
e" "o_orderpriority" "o_clerk" "o_shipp
riority" "o_comment")
}
}
:rtkind 0
:relid 18182
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 18182
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:location -1
}
)
{SCALARARRAYOPEXP
:opno 1054
:opfuncid 1048
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6

```

```

        :location -1
      }
      {ARRAYEXPR
      :array_typeid 1014
      :array_collid 100
      :element_typeid 1042
      :elements (
        {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 49 4
        5 85 82 71 69 78 84 ]
        }
        {CONST
        :consttype 1042
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 50 4
        5 72 73 71 72 ]
        }
      )
      :multidims false
      :list_start -1
      :list_end -1
      :location -1
    }
  }
  :location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  }
  :resno 1
  :resname ?column?
  :resortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{SUBLINK
:sublinkType 0
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname ps
  :colnames <>
  }
  }
  :eref
  {ALIAS
  :aliasname ps
  :colnames ("ps_partkey" "ps_suppkey" "p
s_availqty" "ps_supplycost" "ps_comment
")
  }
  }
  :rtekind 0
  :relid 18163
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
}
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 18163
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9 10)
  :insertedCols (b)

```

```

        :updatedCols (b)
    }
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
}
:location -1
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
}
:location -1
}
{OPEXP
:opno 521
:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 ]
}
)
}
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 ]
}
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
  }
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location -1
  :stmt_len -1
  }
  :location -1
  }
  :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983846
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 6
:vartype 1700
:vartypmod 983846
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname 1_extendedprice
:resortgroupref 0
:resorigtbl 18194
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983846
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname 1_discount
:resortgroupref 0
:resorigtbl 18194
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983846
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname 1_tax
:resortgroupref 0
:resorigtbl 18194
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname 1_returnflag
:resortgroupref 0
:resorigtbl 18194
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname 1_linestatus
:resortgroupref 0
:resorigtbl 18194
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname 1_shipdate
:resortgroupref 0
:resorigtbl 18194
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname 1_commitdate
:resortgroupref 0
:resorigtbl 18194
:resorigcol 12

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 18194
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 18277
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rtoperinfos (
{RTEPERMISSIONINFO
:relid 18277
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 409
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 422
  }
)
:location 420
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 461
  }
  {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 476
  }
)
:location 474
}
)
:location 457
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 300
    }
  }
  :resno 1
  :resname l_orderkey
  :ressortgroupref 0
  :resorigtbl 18277
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 300
    }
  }
  :resno 2
  :resname l_partkey
  :ressortgroupref 0
  :resorigtbl 18277
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 300
    }
  }
  :resno 3
  :resname l_supkey
  :ressortgroupref 0
  :resorigtbl 18277
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 300
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 300
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 300
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 1700
:vartypmod 983046
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 300
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 300
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 1042
:vartypmod 5
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 300
}
:resno 10
:resname l_linestatus

```

```

:ressortgroupref 0
:resorigtbl 18277
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 300
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 300
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 300
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 1042
:vartypmod 29
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 300
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 1042
:vartypmod 14
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 300
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 1043
:vartypmod 48
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 300
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 18277
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 244
}
)
:location 175
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:varstype 1042
:varstype 19
:varcollid 100
:varnullingrels (b)
:varlevels up 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 18182
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevels up 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 76
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Log 2 : After pull up At starting of Path Generation:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:ctelist <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rekind 0
:relid 18182
:inh false
}
}

```

```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:varatype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery <>
:security_barrier false
:relid 18277
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 18194
:inh false
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 18182
:inh false
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
}
:rtekind 0
:relid 18163
:inh false
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 18182
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 18277
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:relid 18194
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 18182
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 18163
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 134
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 154
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 146
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 179
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]
}
)
:location 191
}
)
}
:rarg
{JOINEXPR
:jointype 4
:isNatural false
:larg
{JOINEXPR
:jointype 4
:isNatural false
:larg
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 4
}
)
:quals <>
}
}
:rarg
{RANGETBLREF
:rtindex 5
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
:location -1
}
{SCALARARRAYOEXPR
:opno 1054
:opfuncid 1048
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 6
:vartype 1042
:vartypmod 19
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
{CONST
:consttype 1014
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 48 [ -64 0 0 0 1 0 0 0 0 0 0 18 4 0 0 2 0 0
0 1 0 0 0 48 0 0 0 49 45 85 82 71 69 78 84 40 0 0 0 50 4
5 72 73 71 72 0 0 ]
}
)
:location -1
}
)
:alias <>
:rtindex 0
}
:rarg
{RANGETBLREF
:rtindex 6
}
:usingClause <>
:join_using_alias <>
:quals (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
)
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
)
:location -1
}
{OEXPR
:opno 521

```

```

:opfuncid 147
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 6
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 3
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:alias <>
:rtindex 0
}
:usingClause <>
:join_using_alias <>
:quals (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 422
      }
    )
  }
  :location 420
}
  {OPEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 12
        :location -1
      }
      {VAR
        :varno 4
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 13
        :location -1
      }
    )
  }
  :location 474
}
)
:alias <>
:rtindex 0
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 6
      :vartype 1042
      :vartypmod 19
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
  }
  :resno 1
  :resname o_orderpriority
  :ressortgroupref 1
  :resorigtbl 18182
  :resorigcol 6
  :resjunk false
}
  {TARGETENTRY
    :expr

```

```

{AGGREF
:aggfnoid 2803
:aggtype 28
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 76
}

:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

)

:override 0
:nonConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 1054
:sortop 1058
:reverse_sort false
:nulls_first false
:hashable true
}
)

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDepds <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {OPEXPR :opno 1098 :opfuncid 1090 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 1 :varattno 5 :vartype 10
82 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 5 :location -1) {CONST :consttype 1082 :consttypmod -1 :constcollid 0 :constlen 4 :constbyva
l true :constisnull false :location -1 :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof f
alse :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_relds (b 1) :right_relds (b) :orclause <> :rinfo_se
rial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucke
size -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0} {RESTRICTINFO :clause {OPEXPR :opno 2345 :opfuncid 2338 :opresulttype 16 :opretset false :opcollid 0 :inputcoll
id 0 :args ((VAR :varno 1 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 5 :location -1) {CONST :consttype 1114 :co
nsttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant fa
lse :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_reli
ds (b 1) :right_relds (b) :orclause <> :rinfo_serial 2 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :has
hjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause {OPEXPR :opno 1098 :opfuncid 1090 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 1 :varattno 5 :vartype 1
082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 5 :location -1) {CONST :consttype 1082 :consttypmod -1 :constcollid 0 :constlen 4 :constbyv
al true :constisnull false :location -1 :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof
false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_relds (b) :right_relds (b) :orclause <> :rinfo_s
erial 1 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucke
tsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0} {RESTRICTINFO :clause {OPEXPR :opno 2345 :opfuncid 2338 :opresulttype 16 :opretset false :opcollid 0 :inputcoll
id 0 :args ((VAR :varno 1 :varattno 5 :vartype 1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 5 :location -1) {CONST :consttype 1114 :co
nsttypmod -1 :constcollid 0 :constlen 8 :constbyval true :constisnull false :location -1 :constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant f
alse :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 1) :required_relds (b 1) :incompatible_relds (b) :outer_relds (b) :left_rel
ids (b 1) :right_relds (b) :orclause <> :rinfo_serial 2 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :ha
shjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = (VAR :varno 1 :varattno 6 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location
n -1) (VAR :varno 1 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 1 :location -1) | parallel_safe = true | reason =
PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {OPEXPR :opno 1095 :opfuncid 1087 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 4 :varattno 12 :vartype 1
082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 12 :location -1) (VAR :varno 4 :varattno 13 :vartype 1082 :vartypmod -1 :varcollid 0 :varnu
llingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 13 :location -1}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :lea
kproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 4) :required_relds (b 4) :incompatible_relds (b) :outer_relds (b 4) :left_relds (b 4) :right_relds (b 4) :orclause <>
:rinfo_serial 9 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :r
ight_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause {OPEXPR :opno 1095 :opfuncid 1087 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 4 :varattno 12 :vartype
1082 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 12 :location -1) (VAR :varno 4 :varattno 13 :vartype 1082 :vartypmod -1 :varcollid 0 :varnu
llingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 13 :location -1}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :lea
kproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 4) :required_relds (b 4) :incompatible_relds (b) :outer_relds (b 4) :left_relds (b 4) :right_relds (b 4) :orclause <>
:rinfo_serial 9 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :r
ight_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0})
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1)
(VAR :varno 4 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 3 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 4 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 1 :location -1
) (VAR :varno 4 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 4 :varattnosyn 3 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {SCALARARRAYOPEXPR :opno 1054 :opfuncid 1048 :hashfuncid 0 :negfuncid 0 :useOr true :inputcollid 100 :args ((VAR :varno 5 :varattno 6 :var
ttype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 6 :location -1) {CONST :consttype 1014 :consttypmod -1 :constcollid 100 :constlen -1
:constbyval false :constisnull false :location -1 :constvalue 48 [ -64 0 0 0 1 0 0 0 0 0 0 18 4 0 0 2 0 0 0 1 0 0 0 48 0 0 0 49 45 85 82 71 69 78 84 40 0 0 0 50 45 72 73 71 72 0 0 ]}) :location -1)
:is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_volatile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 5) :required_relds (b 5)
:incompatible_relds (b) :outer_relds (b) :left_relds (b) :right_relds (b) :orclause <> :rinfo_serial 4 :eval_cost.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies
<> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_mcvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0})
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 5 :varattno 6 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 6 :location -1)
(VAR :varno 5 :varattno 7 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 7 :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_vola
tile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 6) :required_relds (b 6) :incompatible_relds (b) :outer_relds (b) :left_relds (b 6) :right_relds (b) :orclause <> :rinfo_serial 7 :eval_co
st.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_m
cvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 5 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 1 :location -1)
(VAR :varno 5 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 5 :varattnosyn 3 :location -1}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((RESTRICTINFO :clause {OPEXPR :opno 521 :opfuncid 147 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 6 :varattno 3 :vartype 23 :
vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 3 :location -1) {CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval true
:constisnull false :location -1 :constvalue 4 [ 0 0 0 0 0 0 0 0 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_vola
tile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 6) :required_relds (b 6) :incompatible_relds (b) :outer_relds (b) :left_relds (b 6) :right_relds (b) :orclause <> :rinfo_serial 7 :eval_co
st.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_m
cvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0})
WARNING: is_parallel_safe: OUTPUT qual = ((RESTRICTINFO :clause {OPEXPR :opno 521 :opfuncid 147 :opresulttype 16 :opretset false :opcollid 0 :inputcollid 0 :args ((VAR :varno 6 :varattno 3 :vartype 23
:vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 3 :location -1) {CONST :consttype 23 :consttypmod -1 :constcollid 0 :constlen 4 :constbyval tru
e :constisnull false :location -1 :constvalue 4 [ 0 0 0 0 0 0 0 0 ]}) :location -1) :is_pushed_down true :can_join false :pseudoconstant false :has_clone false :is_clone false :leakproof false :has_vola
tile 0 :security_level 0 :num_base_rels 1 :clause_relds (b 6) :required_relds (b 6) :incompatible_relds (b) :outer_relds (b) :left_relds (b 6) :right_relds (b) :orclause <> :rinfo_serial 7 :eval_co
st.startup -1 :eval_cost.per_tuple 0 :norm_selec -1 :outer_selec -1 :mergeopfamilies <> :left_em <> :right_em <> :outer_is_left false :hashjoinoperator 0 :left_bucketsize -1 :right_bucketsize -1 :left_m
cvfreq -1 :right_mcvfreq -1 :left_hashoperator 0 :right_hashoperator 0}) | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = ((VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1)
(VAR :varno 6 :varattno 2 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 2 :location -1})
WARNING: is_parallel_safe: OUTPUT qual = ((VAR :varno 6 :varattno 1 :vartype 23 :vartypmod -1 :varcollid 0 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 6 :varattnosyn 1 :location -1

```


WARNING: is_parallel_safe: OUTPUT qual = {VAR :varno 1 :varattno 6 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location n -1} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {VAR :varno 1 :varattno 6 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location n -1}
WARNING: is_parallel_safe: OUTPUT qual = {VAR :varno 1 :varattno 6 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location n -1} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = {VAR :varno 1 :varattno 6 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location n -1}
WARNING: is_parallel_safe: OUTPUT qual = {VAR :varno 1 :varattno 6 :vartype 1042 :vartypmod 19 :varcollid 100 :varnullingrels (b) :varlevelsup 0 :varreturningtype 0 :varnosyn 1 :varattnosyn 6 :location n -1} | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: INPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE
WARNING: is_parallel_safe: OUTPUT qual = <> | parallel_safe = true | reason = PROPARALLEL_SAFE

QUERY PLAN

Finalize GroupAggregate (cost=53289.15..53305.13 rows=5 width=24) (actual time=384.198..385.188 rows=2.00 loops=1)
Output: orders.o_orderpriority, count(*)
Group Key: orders.o_orderpriority
Buffers: shared hit=296 read=36358
-> Gather Merge (cost=53289.15..53305.02 rows=12 width=24) (actual time=384.111..385.180 rows=6.00 loops=1)
Output: orders.o_orderpriority, (PARTIAL count(*))
Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=296 read=36358
-> Partial GroupAggregate (cost=52289.12..52303.61 rows=5 width=24) (actual time=373.678..373.762 rows=2.00 loops=3)
Output: orders.o_orderpriority, PARTIAL count(*)
Group Key: orders.o_orderpriority
Buffers: shared hit=296 read=36358
Worker 0: actual time=368.607..368.697 rows=2.00 loops=1
Buffers: shared hit=103 read=11914
Worker 1: actual time=368.720..368.798 rows=2.00 loops=1
Buffers: shared hit=107 read=12011
-> Sort (cost=52289.12..52293.94 rows=1925 width=16) (actual time=373.597..373.654 rows=1394.33 loops=3)
Output: orders.o_orderpriority
Sort Key: orders.o_orderpriority
Sort Method: quicksort Memory: 49kB
Buffers: shared hit=296 read=36358
Worker 0: actual time=368.525..368.584 rows=1436.00 loops=1
Sort Method: quicksort Memory: 49kB
Buffers: shared hit=103 read=11914
Worker 1: actual time=368.637..368.689 rows=1351.00 loops=1
Sort Method: quicksort Memory: 49kB
Buffers: shared hit=107 read=12011
-> Parallel Hash Semi Join (cost=45003.14..52184.11 rows=1925 width=16) (actual time=313.477..373.118 rows=1394.33 loops=3)
Output: orders.o_orderpriority
Hash Cond: (orders.o_orderkey = o.o_orderkey)
Buffers: shared hit=282 read=36358
Worker 0: actual time=308.791..367.979 rows=1436.00 loops=1
Buffers: shared hit=96 read=11914
Worker 1: actual time=308.643..368.215 rows=1351.00 loops=1
Buffers: shared hit=108 read=12011
-> Parallel Seq Scan on public.orders (cost=0.00..7147.00 rows=4785 width=20) (actual time=0.343..57.973 rows=3784.00 loops=3)
Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority
Filter: ((orders.o_orderdate >= '1994-01-01'::date) AND (orders.o_orderdate < '1994-04-01 00:00:00'::timestamp without time zone))
Rows Removed by Filter: 96216
Buffers: shared hit=282 read=4990
Worker 0: actual time=0.247..57.955 rows=3838.00 loops=1
Buffers: shared hit=96 read=1692
Worker 1: actual time=0.220..58.032 rows=3758.00 loops=1
Buffers: shared hit=100 read=1638
-> Parallel Hash (cost=44165.39..44165.39 rows=67020 width=8) (actual time=312.797..312.803 rows=101383.33 loops=3)
Output: l1.l_orderkey, o.o_orderkey
Buckets: 524288 (originally 262144) Batches: 1 (originally 1) Memory Usage: 18080kB
Buffers: shared read=31368
Worker 0: actual time=308.204..308.212 rows=101017.00 loops=1
Buffers: shared read=10222
Worker 1: actual time=308.399..308.403 rows=102076.00 loops=1
Buffers: shared read=10373
-> Parallel Hash Semi Join (cost=12840.07..44165.39 rows=67020 width=8) (actual time=124.637..291.951 rows=101383.33 loops=3)
Output: l1.l_orderkey, o.o_orderkey
Hash Cond: ((l1.l_partkey = ps.ps_partkey) AND (l1.l_suppkey = ps.ps_suppkey))
Buffers: shared read=31368
Worker 0: actual time=120.039..286.923 rows=101017.00 loops=1
Buffers: shared read=10222
Worker 1: actual time=120.408..287.502 rows=102076.00 loops=1
Buffers: shared read=10373
-> Parallel Hash Semi Join (cost=7462.84..37447.76 rows=67020 width=16) (actual time=70.855..196.752 rows=101383.33 loops=3)
Output: l1.l_orderkey, l1.l_partkey, l1.l_suppkey, o.o_orderkey
Hash Cond: (l1.l_orderkey = o.o_orderkey)
Buffers: shared read=27824
Worker 0: actual time=70.855..196.248 rows=101017.00 loops=1
Buffers: shared read=9281
Worker 1: actual time=71.034..196.680 rows=102076.00 loops=1
Buffers: shared read=9271
-> Parallel Seq Scan on public.linenum l1 (cost=0.00..28801.84 rows=166662 width=12) (actual time=0.722..82.521 rows=252963.00 loops=3)
Output: l1.l_orderkey, l1.l_partkey, l1.l_suppkey, l1.linenumber, l1.quantity, l1.extendedprice, l1.discount, l1.tax, l1.returnflag, l1.linestatus,
l1.shipdate, l1.commitdate, l1.receiveptdate, l1.shipinstruct, l1.shipmode, l1.comment
Filter: (l1.commitdate < l1.receiveptdate)
Rows Removed by Filter: 147027
Buffers: shared read=22562
Worker 0: actual time=0.722..82.245 rows=251442.00 loops=1
Buffers: shared read=7467
Worker 1: actual time=0.902..82.392 rows=253507.00 loops=1
Buffers: shared read=7543
-> Parallel Hash (cost=6834.50..6834.50 rows=50267 width=4) (actual time=70.035..70.035 rows=40048.00 loops=3)
Output: o.o_orderkey
Buckets: 131072 Batches: 1 Memory Usage: 5792kB
Buffers: shared read=5272
Worker 0: actual time=69.898..69.898 rows=41040.00 loops=1
Buffers: shared read=1814
Worker 1: actual time=70.104..70.104 rows=39592.00 loops=1
Buffers: shared read=1728
-> Parallel Seq Scan on public.orders o (cost=0.00..6834.50 rows=50267 width=4) (actual time=0.482..64.033 rows=40048.00 loops=3)
Output: o.o_orderkey
Filter: (o.o_orderpriority = ANY ('{1-URGENT,2-HIGH}':bpchar[]))
Rows Removed by Filter: 59952
Buffers: shared read=5272
Worker 0: actual time=0.791..63.947 rows=41040.00 loops=1
Buffers: shared read=1814
Worker 1: actual time=0.422..64.090 rows=39592.00 loops=1
Buffers: shared read=1728
-> Parallel Hash (cost=4377.33..4377.33 rows=66660 width=8) (actual time=53.598..53.598 rows=53333.33 loops=3)
Output: ps.ps_partkey, ps.ps_suppkey
Buckets: 262144 Batches: 1 Memory Usage: 8352kB
Buffers: shared read=3544
Worker 0: actual time=49.169..49.170 rows=41957.00 loops=1
Buffers: shared read=941
Worker 1: actual time=49.349..49.350 rows=50204.00 loops=1
Buffers: shared read=1102
-> Parallel Seq Scan on public.partsupp ps (cost=0.00..4377.33 rows=66660 width=8) (actual time=0.399..40.050 rows=53333.33 loops=3)
Output: ps.ps_partkey, ps.ps_suppkey
Filter: (ps.ps_availqty > 0)
Buffers: shared read=3544
Worker 0: actual time=0.503..38.090 rows=41957.00 loops=1
Buffers: shared read=941
Worker 1: actual time=0.210..36.670 rows=50204.00 loops=1
Buffers: shared read=1102
Planning:
Buffers: shared hit=191 read=21
Planning Time: 10.173 ms
Execution Time: 385.791 ms
(115 rows)
tpch-200mb-2=>