

```

Last login: Thu Jun 11 15:37:22 on ttys001
adityadave@Adityas-MacBook-Air-3 ~ % psql -q postgres
postgres=# \l
WARNING: ===== RAW PARSE TREE =====
DETAIL:  (RAWSTMT
:stmt
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name Name
:indirection <>
:val
{COLUMNREF
:fields ("d" "datname")
:location 9
}
}
:location 9
}
{RESTARTGET
:name Owner
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "pg_get_userbyid")
:args (
{COLUMNREF
:fields ("d" "datdba")
:location 59
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 32
}
:location 32
}
{RESTARTGET
:name Encoding
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "pg_encoding_to_char")
:args (
{COLUMNREF
:fields ("d" "encoding")
:location 114
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 83
}
:location 83
}
{RESTARTGET
:name Locale\ Provider
:indirection <>
:val
{CASEEXPR
:casetype 0
:casecollid 0
:arg
{COLUMNREF
:fields ("d" "datlocprovider")
:location 148
}
:args (
{CASEWHEN
:expr
{A_CONST
:val "b"
:location 170
}
:result
{A_CONST
:val "builtin"
:location 179
}
:location 165
}
{CASEWHEN
:expr
{A_CONST
:val "c"
:location 194
}
:result
{A_CONST
:val "libc"
:location 203
}
:location 189
}
{CASEWHEN
:expr
{A_CONST
:val "i"
:location 215
}
:result
{A_CONST
:val "icu"
:location 224
}
:location 210
}
}
)
:defresult <>
:location 143
}
:location 143
}
{RESTARTGET
:name Collate
:indirection <>
:val
{COLUMNREF
:fields ("d" "datcollate")
:location 258
}
:location 258
}
{RESTARTGET
:name CType
:indirection <>
:val
{COLUMNREF
:fields ("d" "datctype")
:location 287
}
:location 287
}
{RESTARTGET
:name Locale

```

```

:indirection <>
:val
{COLUMNREF
:fields ("d" "datlocale")
:location 312
}
:location 312
}
{RESTARTGET
:name ICU\ Rules
:indirection <>
:val
{COLUMNREF
:fields ("d" "daticurules")
:location 339
}
:location 339
}
{RESTARTGET
:name Access\ privileges
:indirection <>
:val
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{A_EXPR
:name ("=")
:lexpr
{FUNCCALL
:funcname ("pg_catalog" "array_length")
:args (
{COLUMNREF
:fields ("d" "datacl")
:location 405
}
{A_CONST
:val 1
:location 415
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 381
}
:rexpr
{A_CONST
:val 0
:location 420
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 418
}
:result
{A_CONST
:val "\ (none\)"
"
:location 427
}
:location 376
}
)
:defresult
{FUNCCALL
:funcname ("pg_catalog" "array_to_string")
:args (
{COLUMNREF
:fields ("d" "datacl")
:location 468
}
{A_CONST
:val "\
"
:location 478
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 441
}
:location 371
}
:location 371
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname pg_catalog
:relname pg_database
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname d
:colnames <>
}
:location 517
}
)
:whereClause <>
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{A_CONST
:val 1
:location 551
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:stmt_location 0
:stmt_len 552
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname d
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname d
        :colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "dataallowconn" "dathasloginevt" "datconnlimit" "datfrozens
id" "datminmxid" "dattablespace" "datcollate" "datctype" "datlocale"
"datcurules" "datcollversion" "datacl")
      }
    :rtekind 0
    :relid 1262
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1262
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11 12 20 21 22 23 25)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 9
      }
    :resno 1
    :resname Name
    :ressortgroupref 1
    :resorigtbl 1262
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {FUNCEXPR
        :funcid 1642
        :funcresulttype 19
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location 59
          }
        )
        :location 32
      }
    :resno 2
    :resname Owner
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {FUNCEXPR
        :funcid 1597
        :funcresulttype 19
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
          }
        )
      }
    :resno 3
    :resname
  }
)
```

```

:varattnosyn 4
:location 114
}
}
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:varatype 18
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 ]
}
)
}
:location 165
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
}
:location 165
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 194
:constvalue 1 [ 99 0 0 0 0 0 0 ]
}
)
}
:location 189
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 203
:constvalue 8 [ 32 0 0 0 108 105 98 99 ]
}
}
:location 189
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 ]
}
)
}
:location 210
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 224
        :constvalue 7 [ 28 0 0 0 105 99 117 ]
    }
    :location 210
}
)
defresult
{CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
}
:location 143
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 13
    :vartype 25
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 258
}
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 287
}
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 312
}
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 339
}
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
    :casetype 25
    :casecollid 100
    :arg <>
    :args (
        {CASEWHEN
            :expr
            {OPEXPR
                :opno 96
                :opfuncid 65
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 0
            }
            :args (
                {FUNCEXPR
                    :funcid 2176
                    :funcresulttype 23
                    :funcset false
                    :funcvariadic false
                    :funcformat 0
                    :funccollid 0
                    :inputcollid 0
                }
                :args (
                    {VAR
                        :varno 1
                        :varattno 18
                        :vartype 1034
                        :vartypmod -1
                    }
                )
            )
        )
    )
}
}

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
)
:dfresult
{FUNCEXP
:funcid 395
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 408
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 5 [ 20 0 0 0 10 ]
}
)
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias

```

```

{ALIAS
:aliasname d
:colnames <>
}
:eref
{ALIAS
:aliasname d
:colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "dataallowconn" "datloginvt" "datconnlimit" "datfrozens
id" "datminxid" "datdatabasespace" "datcollate" "datctype" "datlocale"
"datcurules" "datcollversion" "datacl")
}
:rtekind 0
:relid 1262
:inh true
:relkind r
:rellockmode 1
:permindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1262
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11 12 20 21 22 23 25)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 0 ]
}
)
:location 165
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 194
:constvalue 1 [ 99 0 0 0 0 0 0 0 ]
}
)
:location 189
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 203
:constvalue 8 [ 32 0 0 0 108 105 98 99 ]
}
:location 189
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 0 ]
}
)
:location 210
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 7 [ 28 0 0 0 105 99 117 ]
}
:location 210
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location 143
}
:resno 4

```

```

:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 258
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 381
}
{CONST
:consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 420
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
}
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
)
:defresult
{FUNCEXPR
:funcid 395
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 468
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 5 [ 20 0 0 0 10 ]
}
)
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

```

WARNING: fireIRrules - File: src/backend/rewrite/rewriteHandler.c, Relation: pg_database, IsView: false, SecurityBarrier: false, Explanation: Checking RIR rules for relation

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTe false
:isReturn false
:ctelist <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname d
:colnames <>
}
}
:eref
{ALIAS
:aliasname d
:colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "datallowconn" "datasloginevt" "datconnlimit" "datfrozensx
id" "datminmxid" "datdatabasespace" "datcollate" "datctype" "datlocale"
"datcurrules" "datcollversion" "datacl")
}
:rtekind 0
:relid 1262
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
}
)

```

```

:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1262
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11 12 20 21 22 23 25)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
):mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
:args (
{CASEWHEN
:expr
{OPEXP
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR

```

```

        :typeId 18
        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 170
    :constvalue 1 [ 98 0 0 0 0 0 0 0 ]
    }
    }
    :location 165
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 179
    :constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
    }
    :location 165
    }
    {CASEWHEN
    :expr
    {OEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 194
    :constvalue 1 [ 99 0 0 0 0 0 0 0 ]
    }
    )
    }
    :location 189
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 203
    :constvalue 8 [ 32 0 0 0 108 105 98 99 ]
    }
    :location 189
    }
    {CASEWHEN
    :expr
    {OEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 215
    :constvalue 1 [ 105 0 0 0 0 0 0 0 ]
    }
    )
    }
    :location 210
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 224
    :constvalue 7 [ 28 0 0 0 105 99 117 ]
    }
    :location 210
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    }
    :location 143
    }
    :resno 4
    :resname Locale\ Provider
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 13
    :vartype 25
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 258
    }
    }

```

```

:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:varatype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:varatype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:varatype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
}
:resno 8
:resname ICU Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
}
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}

```

```

    }
    :location 376
  }
)
:defaultresult
{FUNCEXPR
:funcid 395
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 18
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 18
    :location 468
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 478
    :constvalue 5 [ 20 0 0 0 10 ]
  }
)
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}
)

```

WARNING: planner - File: src/backend/optimizer/plan/planner.c, Relation: N/A, hasRowSecurity: false, hasSecurityBarrier: false, Explanation: Planner entered

WARNING: ===== Query Tree Received =====

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
  {RANGETBLENTRY
    :alias
    {ALIAS
      :aliasname d
      :colnames <>
    }
  }
  :eref
  {ALIAS
    :aliasname d
    :colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "dataallowconn" "datloginvt" "datconnlimit" "datfrozens
id" "datminxid" "dattablespace" "datcollate" "datctype" "datlocale"
"datcurules" "datcollversion" "datacl")
  }
  :rtekind 0
  :relid 1262
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
)
:rtepermfos (
  {RTEPERMISSIONINFO
    :relid 1262
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11 12 20 21 22 23 25)
    :insertedCols (b)
    :updatedCols (b)
  }
)
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
)

```

```

:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funcollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funcollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
:args (
{CASEWHEN
:expr
{OPEXP
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 0 ]
}
)
}
:location 165
}
:result
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 179
        :constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
    }
    :location 165
    }
    {CASEWHEN
    :expr
    {OEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 194
    :constvalue 1 [ 99 0 0 0 0 0 0 0 ]
    }
    )
    :location 189
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 203
    :constvalue 8 [ 32 0 0 0 108 105 98 99 ]
    }
    :location 189
    }
    {CASEWHEN
    :expr
    {OEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 215
    :constvalue 1 [ 105 0 0 0 0 0 0 0 ]
    }
    )
    :location 210
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 224
    :constvalue 7 [ 28 0 0 0 105 99 117 ]
    }
    :location 210
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    :location 143
    }
    :resno 4
    :resname Locale\ Provider
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 13
    :vartype 25
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 258
    }
    :resno 5
    :resname Collate
    :ressortgroupref 0
    :resorigtbl 1262
    :resorigcol 13
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 287

```

```

    }
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
)
:dfresult
{FUNCEXPR
:funcid 395
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 18
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 468
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 5 [ 20 0 0 0 10 ]
}
}
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname d
:colnames <>
}
:eref
{ALIAS
:aliasname d
:colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
stemplate" "dataallowconn" "datahasloginevt" "datconnlimit" "datfrozens
id" "datminxid" "dattablespace" "datcollate" "datctype" "datlocale"
"datcurules" "datcollversion" "datacl")
}
:rtekind 0
:relid 1262
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1262
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11 12 20 21 22 23 25)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtrindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
}
:resno 1
:resname Name

```

```

:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 0 ]
}
)
)
:location 165
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}

```

```

    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 194
    :constvalue 1 [ 99 0 0 0 0 0 0 0 ]
    }
  }
  :location 189
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 203
:constvalue 8 [ 32 0 0 0 108 105 98 99 ]
}
:location 189
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 0 ]
}
)
}
:location 210
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 7 [ 28 0 0 0 105 99 117 ]
}
:location 210
}
)
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:varatype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 258
}
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:varatype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
}
:resno 6
:resname Ctype
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:varatype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
}

```

```

:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:varatype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opreset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 2176
:funcresulttype 23
:funcreset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
)
:defaultresult
{FUNCEXP
:funcid 395
:funcresulttype 25
:funcreset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 460
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 5 [ 20 0 0 0 10 ]
}
)
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

```

WARNING: subquery_planner - File: src/backend/optimizer/plan/planner.c, Relation: N/A, hasRowSecurity: false, hasSecurityBarrier: false, Explanation: Subquery planner entered

WARNING: ===== Subquery Tree Received =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTe false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname d
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname d
        :colnames ("oid" "datname" "datdba" "encoding" "datlocprovider" "dati
          stemplate" "datcollconn" "dathasloginevt" "datconnlimit" "datfrozensx
            id" "datminmxid" "dattablespace" "datcollate" "datctype" "datlocale"
              "datcurules" "datcollversion" "datacl")
        }
    :rtekind 0
    :relid 1262
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1262
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11 12 20 21 22 23 25)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 9
      }
    :resno 1
    :resname Name
    :ressortgroupref 1
    :resorigtbl 1262
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 1642
        :funcresulttype 19
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
          }
        )
      }
    }
  }
)

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1597
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 114
}
)
:location 83
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 5
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 148
}
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 170
:constvalue 1 [ 98 0 0 0 0 0 0 ]
}
)
:location 165
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 179
:constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
}
:location 165
}
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 194
:constvalue 1 [ 99 0 0 0 0 0 0 ]
}
)
:location 189
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

        :location 203
        :constvalue 8 [ 32 0 0 0 108 105 98 99 ]
    }
    :location 189
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location 215
:constvalue 1 [ 105 0 0 0 0 0 0 0 ]
}
)
}
:location 210
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 7 [ 28 0 0 0 105 99 117 ]
}
}
:location 210
}
}
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
}
:location 143
}
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 258
}
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
}

```

```

:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 2176
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 405
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 415
:constvalue 4 [ 1 0 0 0 0 0 0 ]
}
)
:location 381
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 420
:constvalue 4 [ 0 0 0 0 0 0 0 ]
}
)
:location 418
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 427
:constvalue 10 [ 40 0 0 0 40 110 111 110 101 41 ]
}
:location 376
}
)
:defresult
{FUNCEXPR
:funcid 395
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 18
:varatype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 18
:location 468
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 5 [ 20 0 0 0 10 ]
}
)
:location 441
}
:location 371
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 93
:sortop 660

```

```

:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 552
}

WARNING: pull_up_subqueries - File: src/backend/optimizer/prop/prepjointree.c, Relation: N/A, Explanation: Initiating pull-up of subqueries in jointree
WARNING: make_one_rel - File: src/backend/optimizer/path/allpaths.c, Relation: N/A, Explanation: Finding access paths for relations
WARNING: set_base_rel_pathlists - File: src/backend/optimizer/path/allpaths.c, Relation: pg_database, Explanation: Generating paths for relation
WARNING: ===== RestrictInfos =====
DETAIL: <>

WARNING: ===== Available Paths =====
DETAIL: (
{PATH
:pathtype 339
:parent_relids (b 1)
:required_outer (b)
:parallel_aware false
:parallel_safe true
:parallel_workers 0
:rows 2
:disabled_nodes 0
:startup_cost 0
:total_cost 1.02
:pathkeys <>
}
{INDEXPATH
:path.pathtype 341
:parent_relids (b 1)
:required_outer (b)
:path.parallel_aware false
:path.parallel_safe true
:path.parallel_workers 0
:path.rows 2
:path.disabled_nodes 0
:path.startup_cost 0.1275
:path.total_cost 12.157499999999999
:path.pathkeys (
{PATHKEY
:pk_eclass
{EQUIVALENCECLASS
:ec_opfamilies (o 1994)
:ec_collation 950
:ec_childmembers_size 0
:ec_members (
{EQUIVALENCEMEMBER
:em_expr
{VAR
:varno 1
:varattno 2
:varatype 19
:varitypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
:em_relids (b 1)
:em_is_const false
:em_is_child false
:em_datatype 19
:em_jdomain
{JOINDOMAIN
:jd_relids (b 1)
}
}
)
:ec_childmembers <>
:ec_sources <>
:ec_derives_list <>
:ec_relids (b 1)
:ec_has_const false
:ec_has_volatile false
:ec_broken false
:ec_sortref 1
:ec_min_security 4294967295
:ec_max_security 0
}
:pk_opfamily 1994
:pk_cmptype 1
:pk_nulls_first false
}
)
:indexinfo
{INDEXOPTINFO
:indexoid 2671
:reltablespace 1664
:pages 2
:tuples 2
:tree_height 0
:ncolumns 1
:nkeycolumns 1
:indexkeys ( 2)
:indexcollations ( 950)
:opfamily ( 1994)
:opcintype ( 19)
:sortopfamily ( 1994)
:reverse_sort ( false)
:nulls_first ( false)
:canreturn ( true)
:relam 403
:indpred <>
:indextlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varatype 19
:varitypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:indrestrictinfo <>
:predOK false
:unique true
:nullsnotdistinct false
:immediate true
:hypothetical false
:amcanorderbyop false
:amoptionalkey true

```

```

:amsearcharray true
:amsearchnulls true
:amhasgettuple true
:amhasgetbitmap true
:amcanparallel true
:amcanmarkpos true
}
:indexclauses <>
:indexorderbybys <>
:indexorderbycols <>
:indexscndir 1
:indextotalcost 8.1375
:indexselectivity 1
}
)

WARNING: ===== FINAL PLAN =====
DETAIL:  {SORT
:plan.disabled_nodes 0
:plan.startup_cost 1.07
:plan.total_cost 1.075
:plan.plan_rows 2
:plan.plan_width 344
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
}
:resno 6
:resname CType
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 9
:resname Access\ privileges
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.06
:scan.plan.plan_rows 2
:scan.plan.plan_width 344
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 1
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 9
}
}
:resno 1
:resname Name
:ressortgroupref 1
:resorigtbl 1262
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1642
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 0
:funcollid 950
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:location 32
}
}
:resno 2
:resname Owner
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
  {FUNDEXPR
    :funcid 1597
    :funcresulttype 19
    :funcreset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 114
      }
    )
    :location 83
  }
:resno 3
:resname Encoding
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg
      {VAR
        :varno 1
        :varattno 5
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 148
      }
    :args (
      {CASEWHEN
        :expr
          {OPEXPR
            :opno 92
            :opfuncid 61
            :opresulttype 16
            :opreset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CASETESTEXPR
                :typeid 18
                :typemod -1
                :collation 0
              }
              {CONST
                :consttype 18
                :consttypmod -1
                :constcollid 0
                :constlen 1
                :constbyval true
                :constisnull false
                :location 170
                :constvalue 1 [ 98 0 0 0 0 0 0 0 ]
              }
            )
            :location 165
          }
        :result
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 179
            :constvalue 11 [ 44 0 0 0 98 117 105 108 116 105 110 ]
          }
        :location 165
      }
    )
  {CASEWHEN
    :expr
      {OPEXPR
        :opno 92
        :opfuncid 61
        :opresulttype 16
        :opreset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CASETESTEXPR
            :typeid 18
            :typemod -1
            :collation 0
          }
          {CONST
            :consttype 18
            :consttypmod -1
            :constcollid 0
            :constlen 1
            :constbyval true
            :constisnull false
            :location 194
            :constvalue 1 [ 99 0 0 0 0 0 0 0 ]
          }
        )
        :location 189
      }
    :result
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 203
        :constvalue 8 [ 32 0 0 0 108 105 98 99 ]
      }
    :location 189
  }
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opreset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18

```

```

        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location 215
    :constvalue 1 [ 105 0 0 0 0 0 0 ]
    }
    }
    :location 210
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 224
    :constvalue 7 [ 28 0 0 0 105 99 117 ]
    }
    }
    :location 210
    }
    }
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    }
    :location 143
    }
}
:resno 4
:resname Locale\ Provider
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 268
}
}
:resno 5
:resname Collate
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 287
}
}
:resno 6
:resname Ctype
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 312
}
}
:resno 7
:resname Locale
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 339
}
}
:resno 8
:resname ICU\ Rules
:ressortgroupref 0
:resorigtbl 1262
:resorigcol 16
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR

```



```
postgres=# CREATE OR REPLACE FUNCTION test_inlined(a int) RETURNS int AS $$
```

```
SELECT a + 1;
$$ LANGUAGE SQL;
```

```
SELECT test_inlined(10);
```

```
WARNING: ===== RAW PARSE TREE =====
```

```
DETAIL:  {RAWSTMT
:stmt
{CREATEFUNCTIONSTMT
:is_procedure false
:replace true
:funcname ("test_inlined")
:parameters (
{FUNCTIONPARAMETER
:name a
:argType
{TYPPENAME
:names ("pg_catalog" "int4")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 42
}
:mode 100
:defexpr <>
:location 40
}
}
:returnType
{TYPPENAME
:names ("pg_catalog" "int4")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 55
}
:options (
{DEFELEM
:defnamespace <>
:defname as
:arg ("\"
SELECT\ a\ +\ 1;\
")
:defaction 0
:location 59
}
{DEFELEM
:defnamespace <>
:defname language
:arg "sql"
:defaction 0
:location 82
}
}
:sql_body <>
}
:stmt_location 0
:stmt_len 94
}
```

```
WARNING: ===== ANALYZED QUERY =====
```

```
DETAIL:  {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEFUNCTIONSTMT
:is_procedure false
:replace true
:funcname ("test_inlined")
:parameters (
{FUNCTIONPARAMETER
:name a
:argType
{TYPPENAME
:names ("pg_catalog" "int4")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 42
}
:mode 100
:defexpr <>
:location 40
}
}
:returnType
{TYPPENAME
:names ("pg_catalog" "int4")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 55
}
:options (
{DEFELEM
:defnamespace <>
:defname as
:arg ("\"
SELECT\ a\ +\ 1;\
")
:defaction 0
:location 59
}
{DEFELEM
:defnamespace <>
:defname language
:arg "sql"
:defaction 0
:location 82
}
}
:sql_body <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
}
```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 94
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{PARAM
:paramkind 0
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location 8
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 12
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 10
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 1
:stmt_len 12
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: {
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR

```

```

:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {PARAM
    :paramkind 0
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location 8
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 12
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location 10
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 1
:stmt_len 12
}
)

```

WARNING: ===== RAW PARSE TREE =====
 DETAIL: {RAWSTMT

```

:stmt
{
  {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
      {REXTARGET
        :name <>
        :indirection <>
        :val
        {
          {FUNCALL
            :funcname ("test_inlined")
            :args (
              {A_CONST
                :val 10
                :location 20
              }
            )
          :agg_order <>
          :agg_filter <>
          :over <>
          :agg_within_group false
          :agg_star false
          :agg_distinct false
          :func_variadic false
          :funcformat 0
          :location 7
        }
      }
    )
    :location 7
  }
}
:fromClause <>
:whereClause <>
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:stmt_location 0
:stmt_len 23
}

```

WARNING: ===== ANALYZED QUERY =====
 DETAIL: {QUERY

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:joinTree
{
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {FUNCEXP
      :funcid 16981
    }
  }
)

```

```

:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 20
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 7
}
:resno 1
:resname test_inlined
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 23
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 16901
        :funcresulttype 23
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 20
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 7
  }
:resno 1
:resname test_inlined
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 23
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: {
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 16981
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 20
:constvalue 4 [ 10 0 0 0 0 0 0 ]
}
)
:location 7
}
:resno 1
:resname test_inlined
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 23
}
)

```

WARNING: planner - File: src/backend/optimizer/plan/planner.c, Relation: N/A, hasRowSecurity: false, hasSecurityBarrier: false, Explanation: Planner entered
WARNING: ===== Query Tree Received =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 16981
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 20
:constvalue 4 [ 10 0 0 0 0 0 0 ]
}
)
:location 7
}
:resno 1
:resname test_inlined
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
}

```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 23
}

WARNING: ===== PLANNER INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 16901
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 20
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 7
}
:resno 1
:resname test_inlined
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 23
}

```

WARNING: subquery_planner - File: src/backend/optimizer/plan/planner.c, Relation: N/A, hasRowSecurity: false, hasSecurityBarrier: false, Explanation: Subquery planner entered

WARNING: ===== Subquery Tree Received =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 16901
:funcresulttype 23
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 20
}
)
}
}
}

```

```

        :constvalue 4 [ 10 0 0 0 0 0 0 ]
    }
    }
    :location 7
    }
    :resno 1
    :resname test_inlined
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 23
}

WARNING: pull_up_subqueries - File: src/backend/optimizer/prop/prepjointree.c, Relation: N/A, Explanation: Initiating pull-up of subqueries in jointree
WARNING: inline_function: inlined UDF 'test_inlined' (OID 16981), security_level: 0
WARNING: ===== FINAL PLAN =====
DETAIL:  {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.01
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 11 0 0 0 0 0 0 ]
}
:resno 1
:resname test_inlined
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

test_inlined
-----
      11
(1 row)

postgres=#

```