Data Exploration and Preprocessing Report

Date	15 April 2024
Team ID	Team-738164
Project Title	Rainfall Prediction Using Machine Learning
Maximum Marks	6 Marks

Data Exploration Screenshots:

Section	Description
Data Overview	Dimensions: 145460 rows x 23 columns Descriptive Statistics: `df.describe()` MinTemp MaxTemp Rainfall Evaporation Sunshine WindGustSpeed WindSpeed9am WindSpeed3pm Humidity9am Humidity3p count 143975.000000 144199.000000 142199.000000 82670.000000 75625.000000 135197.000000 143693.000000 142398.000000 142806.000000 140953.0000 mean 12.194034 23.221348 2.360918 5.468232 7.611178 40.035230 14.043426 18.662657 68.880831 51.5391 std 6.398495 7.119049 8.478060 4.193704 3.785483 13.607062 8.915375 8.809800 19.029164 20.7959 min -8.500000 -4.800000 0.000000 0.000000 0.000000 6.000000 0.000000 0.000000 0.000000 0.0000 25% 7.600000 17.900000 0.000000 2.600000 4.800000 31.000000 7.000000 13.000000 57.000000 37.0000 50% 12.000000 22.600000 0.000000 4.800000 8.400000 39.000000 13.000000 19.000000 70.000000 52.0000 75% 16.900000 28.200000 0.800000 7.400000 10.600000 48.000000 19.000000 24.000000 83.000000 66.0000 max 33.900000 48.100000 371.000000 145.000000 14.500000 135.000000 130.000000 87.000000 100.000000 100.0000
Univariate Analysis	
Bivariate Analysis	


Rainy Days by Location
Adelaide
Albany
Albury
AliceSprings
BadgerysCreek
Ballarat
Bendigo
Brisbane
Cairns
Canberra
Cobar
CoffsHarbour
Dartmoor
Darwin
GoldCoast
Hobart
Katherine
Launceston
Melbourne
MelbourneAirport
Mildura
Moree
MountGambier
MountGinini
Newcastle
Nhil
NorahHead
NorfolkIsland
Nuriootpa
PearceRAAF
Penrith
Perth
PerthAirport
Portland
Richmond
Sale
SalmonGums
Sydney
SydneyAirport
Townsville
Tuggeranong
Uluru
WaggaWagga
Walpole
Watsonia
Williamtown
Witchcliffe
Wollongong
Woomera
Location
0
200
400
600
800
1000
Number of Days


Seasonality of Rainfall
0.27
0.26
0.25
0.24
0.23
0.22
0.21
0.20
0.19
Percentage of Days it Rains
2
4
6
8
10
12
Month of the Year

Multivariate Analysis	
Outliers and Anomalies	1. Multiple columns have clear outliers (e.g., the max Rainfall value is 371.0 despite the 75th percentile being 0.8) 2. Not seeing any values that are immediate cause for concern (such as a negative value for minimum Rainfall)

Data Preprocessing Code Screenshots:

Loading Data	`# Loading the dataset`
	`df = pd.read_csv('weatherAUS.csv')`
	`df.head()`

	Date	Location	MinTemp	MaxTemp	Rainfall	Evaporation	Sunshine	WindGustDir	WindGustSpeed	WindDir9am	WindDir3p
0	2008-12-01	Albury	13.4	22.9	0.6	NaN	NaN	W	44.0	W	WN
1	2008-12-02	Albury	7.4	25.1	0.0	NaN	NaN	WNW	44.0	NNW	WS
2	2008-12-03	Albury	12.9	25.7	0.0	NaN	NaN	WSW	46.0	W	WS
3	2008-12-04	Albury	9.2	28.0	0.0	NaN	NaN	NE	24.0	SE	
4	2008-12-05	Albury	17.5	32.3	1.0	NaN	NaN	W	41.0	ENE	N

Handling Missing Data	`df_imputed = df.dropna(axis=0, subset=['RainTomorrow'])`
	
	`cont_feats = [col for col in df_imputed.columns if df_imputed[col].dtype != object]`
	`cont_feats.remove('RainTomorrow')`
	`cont_feats.remove('RainToday')`
	
	`imputer = IterativeImputer(random_state=42)`
	`df_imputed_cont = imputer.fit_transform(df_imputed[cont_feats])`
	`df_imputed_cont = pd.DataFrame(df_imputed_cont, columns=cont_feats)`
	
	`cat_feats = [col for col in df_imputed.columns if col not in cont_feats]`
	`cat_feats.remove('RainTomorrow')`
	
	`# Also removing Date and Location since no values are missing`
	`cat_feats.remove('Date')`
	`cat_feats.remove('Location')`
	
	`import numpy as np`
	
	`df_imputed_cat = df_imputed[cat_feats]`
	
	`for col in df_imputed_cat.columns:`
	`# Find missing values in the current column`
	`missing_values = df_imputed_cat[col].isnull()`
	
	`# Calculate probabilities based on non-missing values`
	`probabilities = df_imputed_cat[col][~missing_values].value_counts(normalize=True)`
	
	`# Replace missing values with random choice based on probabilities`
	`df_imputed_cat.loc[missing_values, col] = np.random.choice(probabilities.index, size=np.sum(missing_values), p=probabilities.values)`
	
	`df_date_loc = df_imputed[['Date', 'Location']]`
	`df_target = df_imputed.RainTomorrow`
	
	`df_imputed_final = pd.concat(objs=[df_date_loc.reset_index(drop=True), df_imputed_cont.reset_index(drop=True), df_imputed_cat.reset_index(drop=True), df_target.reset_index(drop=True)], axis=1)`

Data Transformation	`df_month = df_imputed_final.copy()`
	`df_month.insert(1, 'Month', df_month.Date.apply(lambda x: int(str(x)[5:7])))`
	`df_month.drop(columns='Date', inplace=True)`
	
	`from sklearn.preprocessing import LabelEncoder`
	`le=LabelEncoder()`
	
	`df_month['Month']=le.fit_transform(df_month['Month'])`
	
	`df_month['Location']=le.fit_transform(df_month['Location'])`
	
	`df_month['WindGustDir']=le.fit_transform(df_month['WindGustDir'])`
	
	`df_month['WindDir9am']=le.fit_transform(df_month['WindDir9am'])`
	
	`df_month['WindDir3pm']=le.fit_transform(df_month['WindDir3pm'])`
	
	`df_month['RainToday']=le.fit_transform(df_month['RainToday'])`
	
	`df_month['RainTomorrow']=le.fit_transform(df_month['RainTomorrow'])`

Feature Engineering	Attached the codes in final submission.
Save Processed Data	`# Saving the preprocessed data` `df_final = df_month.copy()`