Assignment 1 (Last Update: 10 Sep)

Introduction

Download the code for this assignment <u>here</u> and then unzip the archive.

This assignment uses <u>python 3</u>. Do not use python 2.

You can work on the assignment using your favorite python editor. We recommend <u>VSCode</u>.

Post any questions or issues with this assignment to our discussion forum. Alternatively you may also contact your TA directly.

Problem 1: DFS-GSA

In this part of the assignment you are going to implement

- a <u>parser</u> to read a search problem in the file parse.py, and
- Depth First Search (DFS) Graph Search Algorithm (GSA) in the file p1.py

Both these python files have already been created for. Do not change anything that has already been implemented. Our autograder relies on the existing code. From the terminal you may run python p1.py 1 to test if your code passes the first test case.

```
(base) scdirk@Dirks-Air a1 % python p1.py 1
Grading Problem 1 :
-----> Test case 1 PASSED <-----
```

As you can see we have passed test case 1 here. This is because we have hardcoded the solution for you in this function.

```
def dfs_search(problem):
    #Your p1 code here
    solution = 'Ar D C\nAr C G'
    return solution
```

Note that this is exactly what the test case expects. To find out what the test case expects, you can open the file test_cases/p1/1.sol.

```
Ar D C
Ar C G
```

As you can see, the content of the file test_cases/p1/1.sol is identical to the return value of the function dfs search(problem).

Note that test_cases/p1/1.sol and other solution files consist of two lines of text that represent the following.

- Exploration order (i.e., the order in which states are added to the explored set)
- solution path (i.e., the first solution found)

You should return these two lines of text in the dfs search() function above.

The exploration order is Ar, D, C and the solution path is Ar, C, G. The search problem definition can be found in the file test_cases/p1/1.prob, which we will introduce shortly.

Let's try another test case by changing the argument to the python program to 2.

```
(base) scdirk@Dirks-Air a1 % python p1.py 2
Grading Problem 1 :
-----> Test case 2 FAILED <-----
Your solution
Ar D C
Ar C G
Correct solution
A D
A D G
Delete "r" from position 1
Add " " to position 2
Add "D" to position 3
Add "
" to position 4
Add "A" to position 5
Delete "C" from position 9
Delete "
" from position 10
Delete "A" from position 11
Delete "r" from position 12
Delete " " from position 13
Delete "C" from position 14
Delete " " from position 15
```

We failed this test case. The correct solution can be found in test cases/p1/2.sol.

```
A D A D G
```

We will have to look at the *.prob files in the test_case/p1/ folder to load the problem definition and then determine a corresponding solution. The *.prob files define weighted directed graphs with a single start state, a list of goal states, heuristics and arcs. For example, consider the problem definition of the first test case defined in the file test cases/p1/1.prob.

```
start_state: Ar
```

```
goal_states: G
Ar 0
B 0
C 0
D 0
G 0
Ar B 1.0
Ar C 2.0
Ar D 4.0
C G 8.0
```

The search problem is specified as follows.

```
line 1: start state
line 2: list of goal states separated by a space
line 3 ... (n+2): (n = number of states) heuristic for each state

<state> <heuristic>
line (n+3) ... end: state transitions of the form
```

Note that we don't need the transition cost nor the heuristic for solving problem 1. However, you should implement the parsing for everything now so that you don't have to make modifications later.

<start state> <end state> <cost>

You should decide on an appropriate data structure for the problem and return it from the following function in parse.py.

```
def read_graph_search_problem(file_path):
    #Your p1 code here
    problem = ''
    return problem
```

Once your implementation of both read_graph_search_problem and dfs_search is complete you can verify that you pass the first test case as follows.

```
(base) scdirk@Dirks-Air a1 % python p1.py 1
Grading Problem 1 :
-----> Test case 1 PASSED <------</pre>
```

You may check if you pass all 5 test cases as follows.

```
(base) scdirk@Dirks-Air a1 % python p1.py -5
Grading Problem 1 :
-----> Test case 1 PASSED <-----
----> Test case 2 PASSED <-----
----> Test case 3 PASSED <-----
----> Test case 4 PASSED <-----
----> Test case 5 PASSED <------
```

You may import anything from the Python Standard Library. Do not import packages that are not included in Python such as numpy.

Make sure that you pass all provided test cases before moving on to the next question. Note that we may use novel test cases for marking. You can also design your own new test cases for testing.

Problem 2: BFS-GSA

In this part of the assignment you are going to implement Breadth First Search (BFS) - Graph Search Algorithm (GSA) in the file p2.py.

This should just involve copying over your DFS implementation from p1 and changing the pop() to popleft().

Once you have done this, check if you pass all test cases as follows.

```
(base) scdirk@Dirks-Air a1 % python p2.py -5
Grading Problem 2:
-----> Test case 1 PASSED <-----
----> Test case 2 PASSED <-----
----> Test case 3 PASSED <-----
----> Test case 4 PASSED <-----
----> Test case 5 PASSED <------
```

Problem 3: UCS-GSA

In this part of the assignment you are going to implement Uniform Cost Search (UCS) - Graph Search Algorithm (GSA) in the file p3.py.

This should involve copying over your BFS implementation from p2 and changing the data structure to the priority queue.

Once you have done this, check if you pass test cases as follows.

Note that there are 6 test cases this time.

Problem 4: Greedy

In this part of the assignment you are going to implement Greedy Search - Graph Search Algorithm (GSA) in the file p4.py.

This should involve copying over your UCS implementation from p3 and making minor modifications.

Once you have done this, check if you pass test cases as follows.

```
(base) scdirk@Dirks-Air a1 % python p4.py -6
Grading Problem 4 :
-----> Test case 1 PASSED <-----
----> Test case 2 PASSED <-----
----> Test case 3 PASSED <-----
----> Test case 4 PASSED <-----
----> Test case 6 PASSED <------
----> Test case 6 PASSED <------
```

Problem 5: A*

In this part of the assignment you are going to implement A* - Graph Search Algorithm (GSA) in the file p5.py.

This should involve copying over your Greedy implementation from p4 and adding the backward cost.

Once you have done this, check if you pass test cases as follows.

Problem 6: 8 Queens Local Search - Number of Attacks

The last two problems of this assignment use a different problem. Consider the content of the file test_cases/p6/1.prob.

```
      q . . . q . . .

      . q . . . q . q

      . q . . . q .

      . . . . . . .
```

It defines a state of the 8 Queens problem defined in class. In this problem you will load the problem in the following function of the file parse.py.

```
def read_8queens_search_problem(file_path):
    #Your p6 code here
    problem = ''
    return problem
```

Next, you will determine the attacks for each square in the following function of the file p6.py.

```
def number_of_attacks(problem):
    #Your p6 code here
```

The number of attacks for a particular square is defined as the number of direct and indirect attacks of other queens to that square, assuming the queen in the same column would move to that square.

For the first test case the correct number of attacks can be found in the file test_cases/p6/1.sol and is as follows.

```
      18
      12
      14
      14
      14

      14
      16
      13
      15
      12
      14
      12
      16

      14
      12
      18
      13
      15
      12
      14
      14

      15
      14
      14
      17
      13
      16
      13
      16

      17
      14
      17
      15
      17
      14
      16
      16

      17
      16
      18
      15
      17
      15
      17
      16

      18
      14
      17
      15
      15
      14
      17
      16

      14
      14
      13
      17
      12
      14
      12
      18
```

Once you have implemented both functions correctly you should be able to pass all test cases.

Problem 7: 8 Queens Local Search - Get a Better Board

In this problem you will return a better board in the function better_board of the file p7.py. The better board moves one queen to the best position. Note that queens can only move to a position in the same column. If there are multiple best (i.e., lowest number of attacks) positions, you should select the first best position found if iterating row by row starting in the upper left.

Consider the first test case available in the file test_cases/p7/1.prob

```
. . . . . . . . . .
. . . . . . . .
. . . . . . . .
. . . . . . .
. . . . . . .
. . . . . . .
. . . . . . .
. . . . . . .
```

and its corresponding solution available in the file test_cases/p7/1.sol.

Note that you may import existing code such as helper functions from your p6.py solution.

Once you are done, check for correctness as follows.

You may also use the following command to make sure you pass all test cases for this assignment.

```
(base) scdirk@Dirks-Air a1 % python grader.py
```

To submit your assignment to Moodle, *.zip the following files ONLY:

- p1.py
- p2.py
- p3.py
- p4.py
- p5.py
- p6.py p7.py
- parse.py

Do not zip any other files. Use the *.zip file format. Make sure that you have submitted the correct files.