

User Experience

K.G.: Kanish Garg | Professional reference and implemented interface direction

Status: implementation and proposed shared direction ready for team review. Team agreement has not been recorded; review the decision on page 4 before submitting.

Professional application: GitHub

GitHub provides account sign-in and settings for profile information, email and password. Its settings screens are the reference for our labeled form groups, clear action buttons and restrained colors. These are interface choices; the course requirements determine our validation rules.

Public profile

Name

The Octocat

Your name may appear around GitHub where you contribute or are mentioned. You can remove it at any time.

Public email

✕ Remove

You can manage verified email addresses in your [email settings](#).

Bio

Profile picture



Figure 1. GitHub Public profile, from its official documentation. Persistent labels, neutral input surfaces and explanatory text make account details easy to locate. We use labels above fields and put related controls together. Source: [Personalize your profile](#).

Add email address

Add

Primary email address

Because you have email privacy enabled, octocat@github.com will be used for account-related notifications as well as password resets. 101839405+octocat@users.noreply.github.com will be used for web-based Git operations, e.g., edits and merges.

octocat@github.com

Save

Figure 2. GitHub Email settings, from its official documentation. Separate groups distinguish adding an address from choosing a primary address. We similarly separate sign-in from invitation-based registration. Source: [Adding an email address](#).

Password-update capability: [Updating your GitHub access credentials](#). References retrieved 16 September 2026. Images retain their original instructional highlights.

Sign in with a clear next step

Implemented in `guiUserLogin/ViewUserLogin.java`

TEAM 53 / CSE 360

Welcome back

Sign in to manage your account.

Username

Password

Sign in

Invited to join?

Invitation code

Create account

Quit

Figure 3. Offscreen render of the actual JavaFX login scene using test fixtures; this is an implemented screen, not a photograph of a live user session.

What changed and why


A single blue Sign in button leads the login form. Labels remain visible when fields contain text. The invitation section has its own card and Create account action, reducing confusion between returning and new users. The neutral background and outlined white cards echo the reference settings screens.

Username input is bounded to 32 characters and password input to the existing login limit of 64 before authentication. Invitation input must be nonblank and at most 10 characters before lookup. These login guards do not replace the full new-username or new-password validators owned by the other feature leads.

The existing login and invitation navigation remain connected to the original controllers. Passwords remain masked in the login field; the existing teammate account-details page displays a fixed mask instead of showing a saved password.

A deliberate deletion flow

Implemented in `guiDeleteUser`, reached from Admin Home > Delete a User



TEAM 53 / ACCOUNT ADMINISTRATION

Delete an account

Account to delete

memberDemo


Username: memberDemo
Name: Demo Member
Email address: member@example.test
Roles: Contributor

Deletion is permanent. You cannot delete your own account.

Delete account

Back to admin home Logout Quit

Figure 4. Actual JavaFX deletion view, rendered offscreen with a fictional member account.



Are you sure?

Delete account "memberDemo" (ID 2)? This permanently removes access.

Yes No

Figure 5. Actual confirmation dialog render. Only Yes requests deletion; No is the default/cancel action.

The selector is read-only, and Delete account stays disabled until an account is selected. The warning explains permanence before the dialog opens. Confirmation names the target and ID. Feedback distinguishes cancellation, self-protection, missing accounts, lost authorization and persistence errors.

This implementation deletes the database row; it does not add a soft-deactivation feature. The current schema has no active flag. Confirm this interpretation with the team/instructional staff because the team draft lists deletion semantics as an open question.

Shared interface rules

Use across each feature owner's screens; K.G. supplies the theme and reference implementation

Element	Shared rule
Color	Background #F6F8FA; surface #FFFFFF; text #1F2328; primary #0969DA; danger #B42318. Reserve danger styling for destructive actions.
Type and spacing	Segoe UI; 14 px body; 30 px page titles on new layouts. Use 8/16/24/32 px spacing and labels above editable fields. Existing fixed layouts retain their font sizes.
Forms	Group related controls. Keep one clear primary action per group. Mask passwords. Show useful errors near the action and do not expose stored credentials.
Actions	Use verb labels: Sign in, Create account, Delete account. Show consequences before destructive operations. Default the confirmation to No.
Access and feedback	Visible keyboard focus. Text accompanies error colors. Disable impossible actions; allow Back without mutation. Recheck permissions in the data layer.
Integration	TeamTheme.install watches scene changes and attaches team53.css. Add page-title, card, primary-button and danger-button classes to new layouts.

Scope and team decision

The theme is installed globally. The login and deletion layouts have been redesigned; other existing pages receive shared styling while retaining their existing layouts. Each owner applies these rules to new/reset/list/role screens and verifies those screens during integration.

Review required: V.G., J.L., A.G. (agupt515), A.G. (agupt545) and K.G. should record whether they adopt this direction, any changes, and the decision date. No team approval is claimed by this document.

Agreement date: _____

Decision and changes: _____
