## **Experiment-6**

Aim: To connect to a Database and display fetched records.

## Code:

```
<?php
      $db = new MySQLi('localhost', 'admin', ", 'test');
<!DOCTYPE html>
<html>
     <head>
           <title>Dictionary: World List</title>
           k rel="stylesheet" type="text/css" href="./style.css" >
           <meta charset="utf-8" />
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
           <meta name="viewport" content="width=device-width, initial-scale=1">
           k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/c
awesome.min.css">
     </head>
     <body>
           <div id="navbar" class="header">
                 <img id="icon" src="./dictionary invert.png">
                 <a href="./wordlist.php" >Word List</a>
                 <a>Login</a>
                 <div class="search-container">
                       <form id="search form">
                             <input id="search input" type="text" placeholder="Search" size="20">
                             <button id="search_submit" type="submit"><i class="fa fa-search"></i></button>
                       </form>
                 </div>
           </div>
                 <div class="main">
                       <div class="alpha" id="A"><h2>A WordList</h2>
                       <?php
                             $sql = 'SELECT * from wordlist WHERE word LIKE \'a%\";
                             $result = $db->query($sql);
                             while ($row = $result->fetch assoc()) {
                                   echo "";
                                   echo "<b>".$row['word']."</b>";
                                  echo "";
                                  echo $row['def'];
                                   echo "";
                             }
                             ?>
                             </div>
                       <div class="alpha" id="B"><h2>B WordList</h2>
                       <?php
                             $sql = 'SELECT * from wordlist WHERE word LIKE \'b%\";
                             $result = $db->query($sql);
                             while ($row = $result->fetch_assoc()) {
```

```
echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="C"><h2>C WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'c%\";
  \text{sesult} = \text{db->query($sql)};
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="D"><h2>D WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'d%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="E"><h2>E WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'e%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="F"><h2>F WordList</h2>
```

```
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'f%\'';
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="G"><h2>G WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'g%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "":
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="H"><h2>H WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'h%\";
  \text{sesult} = \text{db->query($sql)};
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  <div class="alpha" id="I"><h2>I WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'i%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  ?>
```

```
</div>
<div class="alpha" id="J"><h2>J WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'j%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="K"><h2>K WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'k%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="L"><h2>L WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'I%\";
  $result = $db->query($sql);
  while ($row = $result->fetch assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="M"><h2>M WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'m%\";
  $result = $db->query($sql);
  while ($row = $result->fetch assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
```

```
echo $row['def'];
    echo "";
  ?>
  </div>
<div class="alpha" id="N"><h2>N WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'n%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="O"><h2>O WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'o%\";
  $result = $db->query($sql);
  while ($row = $result->fetch assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="P"><h2>P WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'p%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "":
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  <div class="alpha" id="Q"><h2>Q WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'q%\";
  $result = $db->query($sql);
```

```
while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="R"><h2>R WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'r%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="S"><h2>S WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'s%\";
  result = db->query(sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="T"><h2>T WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'t%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "":
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="U"><h2>U WordList</h2>
```

```
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'u%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="V"><h2>V WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'v%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="W"><h2>W WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \\w%\";
  $result = $db->query($sql);
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "";
    echo $row['def'];
    echo "";
  }
  ?>
  </div>
<div class="alpha" id="X"><h2>X WordList</h2>
<?php
  $sql = 'SELECT * from wordlist WHERE word LIKE \'x%\";
  $result = $db->query($sql);
  $i = 0;
  while ($row = $result->fetch_assoc()) {
    echo "";
    echo "<b>".$row['word']."</b>";
    echo "":
    echo $row['def'];
    echo "";
```

```
$i++;
          }
          if (\$i == 0) {
            echo " No words ";
          }
          ?>
          <div class="alpha" id="Y"><h2>Y WordList</h2>
        <?php
          $sql = 'SELECT * from wordlist WHERE word LIKE \'y%\";
          $result = $db->query($sql);
          $i = 0;
          while ($row = $result->fetch_assoc()) {
            echo "";
            echo "<b>".$row['word']."</b>";
            echo "";
            echo $row['def'];
            echo "";
            $i++;
          if (\$i == 0) {
            echo " No words ";
          ?>
          </div>
        <div class="alpha" id="Z"><h2>Z WordList</h2>
        <?php
          $sql = 'SELECT * from wordlist WHERE word LIKE \'z%\";
          $result = $db->query($sql);
          while ($row = $result->fetch_assoc()) {
            echo "";
            echo "<b>".$row['word']."</b>";
            echo "";
            echo $row['def'];
            echo "";
          }
          ?>
          </div>
      </div>
  </body>
</html>
```

## **Screen Shot**:

