Hame ASKIDA Parmer Rollno - 1121028 Suged - T Complex amplica Scettor - A

And 3)

include < graphes. A 7

include Ccario. A 7

include < stallb. A7

min ()

int gd = DETECT, gm, midx, midy;

init graph (89d, & gm, "C: 11 TC (1855)

midx = getnexx (1/2) midy = getnexy (1/2) Setcolor (RED);

Settentstyk (SCRIPT_FONT, HORIZ_DIR, 5)

Settentstyle (CENTER_TEXT, CENTER_TEXT)

Outextxy (midx, midxy -10, "Troffic light Simulation"

out text xy (mdx, mdy +10, " Press on lay to star

90001)

clear device U

Setcolor (WITTE)

Settent Style (DEFAULT-FONT, HORIZ-RIP, 1) rectory k (midx -30, midy -80, midx +30, midy -80) crocle (mdx, mdy -50, 22); Settilisty le (SOLID_FILL, RED) flootill (mdx, md-50, WhITE) Set Color (SREEN), Out text maxy (mdx-18, mdy-3, "READY") delay (2000), Clearder rea (); Schooler (WHITE) rectoryk (mdx-30, mdy-80, mdy-80, mdx +30) medy +80/ circle (mdy, mdy + 50,21) Sch firstyle (SOLID FILL, FREEN) floodfill (mdx, md +so, whITE) Set-color (SREEN) out text by (mdx-7, mdy+ 48, 1501) Set color (RED); Settentstyle (SCRIPT_FONT, MORIT-DIRY) ond ext xy (mdx-150) midy +100, 1300 mg Key to Oxisty.

