

Hands On 13_BloggerApp

src/components/BookDetails.js

```
import React from "react";

const books=[
  {id:101,bname:"Master React",price:670},
  {id:102,bname:"Deep Dive into Angular 11",price:800},
  {id:103,bname:"Mongo Essentials",price:450}
];

function BookDetails(){
  return(
    <div>
      <h1>Book Details</h1>
      <ul>
        {books.map((book)=>(
          <div key={book.id}>
            <h3>{book.bname}</h3>
            <h4>{book.price}</h4>
          </div>
        ))}
      </ul>
    </div>
  );
}

export default BookDetails;
```

src/components/BlogDetails.js

```
import React from "react";

const blogs=[
  {id:1,title:"React Learning",author:"Stephen Biz",content:"Welcome to learning React!"},
  {id:2,title:"Installation",author:"Schwedenier",content:"You can install React from npm."}
];

function BlogDetails(){
  return(
    <div>
      <h1>Blog Details</h1>
      {blogs.map((blog)=>(
        <div key={blog.id}>
```

```

        <h2>{blog.title}</h2>
        <h4>{blog.author}</h4>
        <p>{blog.content}</p>
      </div>
    )}
  </div>
);
}

```

```
export default BlogDetails;
```

src/components/CourseDetails.js

```
import React from "react";
```

```

const courses=[
  {id:1,cname:"Angular",date:"4/5/2021"},
  {id:2,cname:"React",date:"6/3/2021"}
];

```

```

function CourseDetails(){
  return(
    <div>
      <h1>Course Details</h1>
      {courses.map((course)=>(
        <div key={course.id}>
          <h2>{course.cname}</h2>
          <h4>{course.date}</h4>
        </div>
      ))}
    </div>
  );
}

```

```
export default CourseDetails;
```

src/App.js

```

import React from "react";
import CourseDetails from "../components/CourseDetails";
import BookDetails from "../components/BookDetails";
import BlogDetails from "../components/BlogDetails";

function App(){

  let show=true;

  return(
    <div style={{display:"flex",justifyContent:"space-around"}}>
      {show?

```

```
<>
  <CourseDetails/>
  <BookDetails/>
  <BlogDetails/>
</>
:
<h1>No Data Available</h1>
}
</div>
);
}
```

```
export default App;
```

src/index.js

```
import React from "react";
import ReactDOM from "react-dom/client";
import App from "./App";

const root=ReactDOM.createRoot(document.getElementById("root"));
root.render(<App/>);
```

Output:

